

**REPORT DOCUMENTATION PAGE**

*Form Approved  
OMB No. 0704-0188*

The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

**PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.**

1. REPORT DATE (DD-MM-YYYY)		2. REPORT TYPE		3. DATES COVERED (From - To)	
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT	b. ABSTRACT	c. THIS PAGE			19b. TELEPHONE NUMBER (Include area code)



**FINAL  
FACILITY-WIDE GROUNDWATER MONITORING PROGRAM**

**REPORT ON THE APRIL 2009 SAMPLING EVENT**

**RAVENNA ARMY AMMUNITION PLANT,  
RAVENNA, OHIO**

**MARC Contract Number W912QR-04-D-0036  
Delivery Order 0006**

***PREPARED FOR***

**U.S. Army Corps of Engineers  
600 Martin Luther King Jr. Place  
Louisville, Kentucky 40202**

**Prepared by**

**Environmental Quality Management, Inc.  
1800 Carillon Boulevard  
Cincinnati Ohio 45240**

**November 9, 2009**

**FINAL  
FACILITY-WIDE GROUNDWATER MONITORING PROGRAM**

**REPORT ON THE APRIL 2009 SAMPLING EVENT**

**RAVENNA ARMY AMMUNITION PLANT,  
RAVENNA, OHIO**

**MARC Contract Number W912QR-04-D-0036  
Delivery Order 0006**

**Prepared for**

**U.S. Army Corps of Engineers  
600 Martin Luther King Jr. Place  
Louisville, Kentucky 40202**

**Prepared by**

**Environmental Quality Management, Inc.  
1800 Carillon Boulevard  
Cincinnati Ohio 45240**

**November 9, 2009**

**FWGWMP April 2009 FINAL Sampling Event Report  
Distribution List**

<b><u>Organization</u></b>	<b><u>Number of Printed Copies</u></b>	<b><u>Number of Electronic Copies</u></b>
RVAAP Facility Manager	2	2
USACE Project Manager	2	3
EQM	1	1
USAEC Program Manager	0	1
Ohio EPA	1	2
OHARNG – Camp Ravenna	0	1
NGB Cleanup Program Manager	0	1

Ohio EPA – Ohio EPA Twinsburg Office

OHARNG – Camp Ravenna – Ohio Army National Guard Camp Ravenna  
Site/Environmental

RVAAP – Ravenna Army Ammunition Plant

USACE – U.S. Army Corps of Engineers

USAEC – U.S. Army Environmental Center

NGB – National Guard Bureau

EQM – Environmental Quality Management, Inc.

**TABLE OF CONTENTS**

<u>Section</u>	<u>Page</u>
<b><u>VOLUME 1</u></b>	
Table of Contents .....	i
List of General Acronyms.....	iv
List of Area of Concern Acronyms.....	v
<b>SECTION 1 INTRODUCTION .....</b>	<b>1</b>
1.1 Facility Description.....	1
1.2 Project Description.....	1
1.2.1 Historical Monitoring.....	1
1.2.2 Current Monitoring.....	4
1.3 Scope of Work for the April 2009 Sampling Event.....	5
1.4 Report Presentation.....	5
<b>SECTION 2 PROJECT ACTIVITIES .....</b>	<b>7</b>
2.1 Groundwater Level Monitoring .....	7
2.2 Groundwater Sampling .....	7
2.3 Laboratory Analysis.....	8
2.4 Data Verification/Validation.....	9
2.5 Investigation Derived Waste.....	9
<b>SECTION 3 RESULTS .....</b>	<b>12</b>
3.1 Groundwater Elevations.....	12
3.1.1 Sediment Accumulation.....	12
3.1.2 Groundwater pH.....	15
3.2 Summary of Analytical Results .....	15
3.2.1 Explosives and Propellants .....	16
3.2.2 Inorganic Elements .....	27
3.2.3 Volatile Organic Compounds (VOCs).....	40
3.2.4 Semivolatile Organic Compounds (SVOCs) .....	40
3.2.5 Pesticides and Polychlorinated Biphenyls (PCBs) .....	41
3.3 Data Verification/Validation.....	76
<b>SECTION 4 SUMMARY OF RESULTS .....</b>	<b>82</b>
<b>SECTION 5 REFERENCES.....</b>	<b>85</b>

Table of Contents (cont.)

Section Page

**List of Figures**

1-1 RVAAP General Location Map.....2  
 1-2 RVAAP Facility Map .....3

**List of Tables**

Table 2-1 Analytical Methods ..... 8  
 Table 2-2 QA Table for April 2009 Sampling Event ..... 10  
 Table 3-1 April 2009 FWGWMP Monitoring Well Measurements..... 13  
 Table 3-2 FWGWMP April 2009 Explosive and Propellant Analytical Results..... 18  
 Table 3-3 FWGWMP April 2009 Inorganics Analytical Results..... 31  
 Table 3-4 RVAAP Facility-wide Background Criteria, (SAIC, 2001b)..... 39  
 Table 3-5 FWGWMP April 2009 VOCs Analytical Results..... 42  
 Table 3-6 FWGWMP April 2009 SVOCs Analytical Results.....50  
 Table 3-7 FWGWMP April 2009 Pesticide and PCBs Analytical Results.....67  
 Table 3-8 Percent of Acceptable Data .....80  
 Table 4-1 Inorganic Elements Detected at Levels Exceeding the MCLs, PRGs or Facility-Wide Background Criteria.....83

**Appendices**

- A Correspondence Documenting the Change in Wells to be Sampled in 2008-2009
- B List of Wells Sampled During the April 2009 Event
- C Water Level Measurements/Field Log Book and Purge Records/Daily Quality Control Reports
- D Data Verification Reports/Laboratory Data Sheets  
 Sample Delivery Group: A9D240105

**VOLUME 2**

**Appendix**

- D Data Verification Reports/Laboratory Data Sheets  
 Sample Delivery Group: A9D280104  
 Sample Delivery Group: A9D290103

Table of Contents (cont.)

**VOLUME 3**

**Appendix**

- D Data Verification Reports/Laboratory Data Sheets
  - Sample Delivery Group: A9D300104
  - Sample Delivery Group: A9D240107
  - Sample Delivery Group: A9D280114
  - Sample Delivery Group: A9D290112
  - Sample Delivery Group: A9D300107
  
- E IDW Characterization and Disposal Plan
  
- F Reporting Limits that Currently Do Not Meet the RVAAP QAPPPQLs and/or Region 9 PRGs
  
- G Comment Response Table

**PLATES**

- Plate 1 Monitoring Wells at RVAAP
- Plate 2 Potentiometric Map of Unconsolidated Aquifer (January 2009)
- Plate 3 Potentiometric Surface of Bedrock – Homewood and Sharon Aquifer (January 2009)

## LIST OF GENERAL ACRONYMS

ADR	Automatic Data Review
AOC	Area of Concern
BRAC	U.S. Army Base Realignment and Closure Office
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
DOD	Department of Defense
EQM	Environmental Quality Management, Inc.
EPA	Environmental Protection Agency
FWGWMP	Facility-Wide Groundwater Monitoring Plan
FWGWMPP	Facility-Wide Groundwater Monitoring Program Plan
FWSAP	Facility-Wide Sampling and Analysis Plan
GOCO	Government Owned, Contractor Operated
IDW	Investigative Derived Waste
IRP	Installation Restoration Program
LCS	Laboratory Control Sample
LCG	Louisville Chemistry Guidelines
MARC	Multiple Award Remediation Contract
MCL	Maximum Contaminant List
MDL	Method Detection Limit
MS/MSD	Matrix spike/matrix spike duplicate
NGB	National Guard Bureau
OHARNG	Ohio Army National Guard
PCB	Polychlorinated biphenyl
PQL	Practical Quantitation Limit
PRG	Preliminary Remediation Goal
QA	Quality Assurance
QAPP	Quality Assurance Project Plan
QC	Quality Control
RCRA	Resource Conservation and Recovery Act
RI	Remedial Investigation
RVAAP	Ravenna Army Ammunition Plant
SRC	Site Related Contaminant
SVOC	Semi-volatile Organic Compound
TAL	Target Analyte List
TOC	Top of Casing
USACE	U.S. Army Corps of Engineers
USP&FO	United States Property and Fiscal Officer
VOC	Volatile Organic Compound



## LIST OF AREA OF CONCERN ACRONYMS

B12	Building 1200
BKG	Background
CBL	C-Block
CBP	Central Burn Pits
CP	Cobbs Pond
DA2	Demolition Area #2
EBG	Erie Burning Grounds
FBQ	Fuze and Booster Quarry
LNW	Landfill North of Winklepeck
LL	Load Line
MBS	Mustard Burial Site
NACA	National Advisory Committee for Aeronautics
NTA	NACA Test Area
RQL	Ramsdell Quarry Landfill
WBG	Winklepeck Burning Grounds

## SECTION 1

### INTRODUCTION

#### 1.1 Facility Description

Past Department of Defense (DOD) activities at the Ravenna Army Ammunition Plant (RVAAP) date to 1940 and include the manufacturing, loading, handling and storage of military explosives and ammunition. Until 1999, the RVAAP was identified as a 21,419-acre installation. The property boundary was resurveyed by the Ohio Army National Guard (OHARNG) over a two year period from 2002 and 2003 and the actual total acreage of the property was found to be 21,683.289 acres. As of February 2006, a total of 20,403 acres of the former 21,683 acre RVAAP have been transferred to the United States Property and Fiscal Officer (USP&FO) for Ohio for use by the OHARNG as a military training site. The current RVAAP consists of 1,280 acres in several distinct parcels scattered throughout the confines of the OHARNG Camp Ravenna. The RVAAP and Camp Ravenna are collocated on contiguous parcels of property and the Camp Ravenna perimeter fence completely encloses the remaining parcels of the RVAAP. Camp Ravenna is in northeastern Ohio within Portage and Trumbull Counties, approximately 4.8 kilometers (3 miles) east-northeast of the city of Ravenna and approximately 1.6 kilometers (1 mile) northwest of the city of Newton Falls (Figure 1-1). The RVAAP portions of the property are solely located within Portage County. Camp Ravenna (inclusive of the RVAAP) is a parcel of property approximately 17.7 kilometers (11 miles) long and 5.6 kilometers (3.5 miles) wide bounded by State Route 5, the Michael J. Kirwan Reservoir, and the CSX System Railroad on the south; Garret, McCormick, and Berry roads on the west; the Norfolk Southern Railroad on the north; and State Route 534 on the east (see Figures 1-1 and 1-2). Camp Ravenna is surrounded by several communities: Windham on the north; Garrettsville 9.6 kilometers (6 miles) to the northwest; Newton Falls 1.6 kilometers (1 mile) to the southeast; Charlestown to the southwest; and Wayland 4.8 kilometers (3 miles) to the south. When the RVAAP was operational Camp Ravenna did not exist and the entire 21,683-acre parcel was a government-owned, contractor-operated (GOCO) industrial facility. The RVAAP Installation Restoration Program (IRP) encompasses investigation and cleanup of past activities over the entire 21,683 acres of the former RVAAP and therefore references to the RVAAP in this document are considered to be inclusive of the historical extent of the RVAAP, which is inclusive of the combined acreages of the current Camp Ravenna and RVAAP, unless otherwise specifically stated.

#### 1.2 Project Description

##### 1.2.1 Historical Monitoring

In 2004 the U.S. Army and the Ohio EPA finalized the Facility-Wide Groundwater




Fig. 1-1 General Location Map



Fig 1-2 RVAAP Facility Map

Monitoring Program (FWGWMP) Plan which details the requirements of the program. The FWGWMP was initiated in 2005 with three consecutive quarters of FWGWMP well sampling. Quarterly sampling has continued through the current monitoring event. The initial FWGWMP wells identified for monitoring were sampled once every quarter, with the exception of the 5 Resource Conservation and Recovery Act (RCRA) wells that include Ramsdell Quarry Landfill (RQL) wells RQLmw-007, -008, and -009, and two Demolition (DA) Area 2 wells, DA2mw-DETMw-003 and DETmw-004. The RQL and DA2 wells are sampled twice a year, during the second (April) and fourth (October) sampling events.

Details of the program design and requirements are contained in the *RVAAP Facility-Wide Groundwater Monitoring Program Plan*, Portage Environmental, September 2004. This document contains the Facility-Wide Sampling and Analysis Plan (FWSAP), Site Safety and Health Plan, and Quality Assurance Project Plan addenda that pertain to the proposed work. Additional details pertaining to performance of field and laboratory activities are contained in the *RVAAP Facility-Wide Sampling and Analysis Plan/Quality Assurance Project Plan (FWSAP)*, SAIC, March 2001. As detailed in the FWGWMP, the initial monitoring program consisted of the sampling of 36 wells specified in Table 4-1 of the FWGWMP. Fourteen of these wells are “Background Wells”; the remainder are wells situated at various Areas of Concern (AOCs) at RVAAP. The first sampling event for this project was conducted in April 2005. The results of the previous FWGWMP sampling events are presented in the reports referenced in Section 4 of this report. The final assessment monitoring event for the initial well sampling and analysis was completed in October 2007.

### **1.2.2 Current Monitoring**

On October 22, 2007 the United State Army Corps of Engineers (USACE) submitted to the Ohio Environmental Protection Agency (EPA) the *Draft Proposal to Update the Facility-Wide Ground Water Monitoring Program* (USACE October 2007) at the Ravenna Army Ammunition Plant. This proposal presented recommendations for modifications to the FWGWMP, the Director’s Final Findings and Orders, and the Conceptual Plan in Appendix F of the Findings and Orders as presented below.

Section 3.1.2.2 of the FWGWMP Plan establishes a protocol for adding and removing wells from the FWGWMP: “Future wells installed as part of individual AOC investigations conducted under the ongoing Comprehensive Environmental Response Compensation and Liability Act (CERCLA) process at RVAAP will be evaluated for incorporation into the FWGWMP upon completion of at least four quarterly groundwater sampling events to be conducted as part of the Remedial Investigation (RI) phase at each AOC. The frequency of the initial sampling events may be other than quarterly if agreed upon by the Army and Ohio EPA”. Based on this protocol the USACE notified the Ohio EPA on December 12, 2007 that the wells to be sampled would be changed effective with the January 2008 monitoring event. The Ohio EPA provided concurrence with this change in an email dated January 8, 2008. The Ohio EPA was notified of an additional change on February 27, 2008 increasing the number of wells to be sampled for the April

2008 event. The Ohio EPA was notified on March 21, 2008 that the number of FWGWMP wells to be sampled in April 2008 (and the July 2008, October 2008, and January 2009 events) would be increased to 132 plus the 5 RCRA wells sampled semi-annually (in order to complete 4 quarters of sampling for each of the 132 wells). Copies of this correspondence are presented in Appendix A.

Beginning with the April 2009 sampling event the remaining wells on the list contained in the *Draft Proposal to Update the Facility-Wide Ground Water Monitoring Program* (USACE October 2007) were sampled. The list of FWGWMP wells monitored for the April 2009 event is presented in Appendix B.

### **1.3 Scope of Work for the April 2009 Sampling Event**

Environmental Quality Management, Inc. (EQM) has been contracted (MARC Contract Number W912QR-04-D-0036) by the Louisville District USACE to conduct the FWGWMP monitoring program beginning in April 2007. The objective of this project is to continue quarterly monitoring under the RVAAP Facility-Wide Groundwater Monitoring Program. The following tasks were performed during the April 2009 sampling event in accordance with specifications contained in the FWGWMPP, the FWSAP, and the Scope of Work written by the USACE:

- Performed groundwater sampling at the 53 wells identified in Appendix B (including the 5 RCRA wells). This also included sampling Building 12mw-012 which did not have sufficient water for sampling during the January 2009 event.
- Performed laboratory analysis for the collected samples.
- Verified, validated and reduced the laboratory analytical data produced for the event (exclusive of the quality assurance samples analyzed by RTI).
- Prepared the Investigative Derived Waste (IDW) Characterization and Disposal Report for the IDW collected during monitoring activities.
- Prepared and submitted the quarterly monitoring report for the sampling event.

### **1.4 Report Presentation**

This report presents the results of the April 2009 sampling event. The report is structured in the following way:

- Section 1.0 – Introduction.
- Section 2.0 – Description of Project Activities. This section describes project-specific details not contained in the FWSAP and FWGWMPP on how the tasks described above were performed.
- Section 3.0 – Results of Investigation. The results of the sampling event are summarized, groundwater elevation measurements, analytical results, data verification/validation information.
- Section 4.0 – Summary of Results

- Section 5.0 – References.

The appendices contain the following items:

- Appendix A - Correspondence Documenting the Change in Wells to be Sampled in 2008-2009.
- Appendix B – List of Wells Sampled During the April 2009 Event.
- Appendix C – Water Level Measurements/Field Log Book and Purge Records/Daily Quality Control Reports.
- Appendix D – Data Verification Reports/Laboratory Data Sheets.
- Appendix E – Investigation-Derived Waste (IDW) Characterization and Disposal Plan.
- Appendix F – Reporting Limits that Currently Do Not Meet the RVAAP Quality Assurance Project Plan (QAPP) Practical Quantitation Limits (PQLs) and/or Region 9 Preliminary Remediation Goals (PRGs).

The report is contained in 3 volumes:

- Volume 1 presents the main text and Appendices A-D.
- Volume 2 presents the Appendix D analytical data sheets/validation reports.
- Volume 3 presents Appendices D-F and the plates.

## SECTION 2

### PROJECT ACTIVITIES

#### 2.1 Groundwater Level Monitoring

Depth to water from the top of the inner casing was measured in the 53 FWGWMP wells during April 22-23. Water level measurements were taken with a Herron Dipper-T water-level indicator. The depth to the bottom of the well from the top of the inner casing was also measured with the electronic water level indicator.

The results of the groundwater level monitoring for the FWGWMP wells sampled during this monitoring event are presented in Section 3.1 and Appendix C. The monitoring well location map, identified as Plate 1, is included with this report. Potentiometric maps created from groundwater measurements from all RVAAP monitoring wells in January 2009 are presented on Plates 2 and 3. The potentiometric maps were generated from the January 2009 water level measurements taken from all 237 facility wells. These maps are updated on a yearly basis. The water levels from the quarterly events are not included in these plates. The potentiometric maps will be updated again after the January 2010 water level measurement event.

#### 2.2 Groundwater Sampling

All identified wells were sampled April 22-29, 2009. Wells were sampled using micropurge techniques in accordance with the specifications contained in the FWGWMPP and FWSAP. DETmw-004 (Detonation Area 2) was sampled using a bailer because of low water volume and slow recharge. DETmw-004 has historically been sampled using a bailer. The other wells were micropurged until certain groundwater parameters (i.e., temperature, specific conductivity, pH, and dissolved oxygen) had stabilized. The groundwater parameters were measured using a Horiba U-22 with flow cells or equivalent. Groundwater parameter measurements obtained during micropurging are presented in Appendix C.

Groundwater samples were collected with bladder pump micropurge equipment with the exception of DETmw-004 which was sampled using a Teflon bailer. Equipment and sampling details are contained in Appendix C. Groundwater samples were collected in laboratory supplied containers and stored in iced coolers for shipment in accordance with FWSAP and FWGWMPP specifications. All coolers were received by the laboratory at temperatures within the prescribed limits of the FWGWMP.

On April 24, 2009 all of the Load Line 9 wells as well as LL10mw-001 were sampled, however upon receipt by the laboratory the temperatures for all of the coolers exceeded 10° C. After consulting with the USACE it was decided not to analyze these samples. The affected wells were resampled on April 28-29, 2009.



### 2.3 Laboratory Analysis

Laboratory analyses on all primary samples and associated quality control samples were performed by TestAmerica Laboratories. Table 2-1 presents the analytical methods used to analyze the groundwater samples.

**Table 2-1 Analytical Methods**

CONSTITUENTS	METHOD <sup>1</sup>
Polychlorinated Biphenyls (PCBs)	GC Semivolatile Organics (8082)
Pesticides	GC Semivolatile Organics (8081A)
Base/Neutrals and Acids (SVOCs)	GC/MS Semivolatile Organic (8270C)
Volatile Organic (VOCs)	GC/MS Volatile Organics (8260B)
Nitroguanidine (Propellants)	Organic Compounds by UV/HPLC (8330 modified)
Nitroaromatics & Nitramines: (Explosives)	GC Semivolatile Organics Explosives (8330)
Nitrocellulose as N (Propellant)	General Chemistry (353.2 modified) <sup>2</sup>
Cyanide, (Total)	General Chemistry (9012A)
Metals (Magnesium, Manganese, Barium, Nickel, Potassium, Silver, Sodium, Vanadium, Chromium, Calcium, Cobalt, Copper, Arsenic, Lead, Selenium)	Inductively Coupled Plasma (6010B)
Metals (Antimony, Iron, Beryllium, Thallium, Zinc, Cadmium, Aluminum)	Inductively Coupled Plasma Mass Spectrometry (6020)
Metals (Mercury)	(7470A, Cold Vapor) - Liquid

1 = USEPA SW846

2 = EPA Methods for Chemical Analysis of Water and Waste

All groundwater samples were analyzed for explosives, propellants (nitrocellulose and nitroguanidine), cyanide, volatile organic compounds (VOCs), semi-volatile compounds (SVOCs), target analyte list (TAL) metals (filtered), pesticides, and polychlorinated biphenyls (PCBs).

Quality control (QC) samples were collected from the following wells:

LL7mw-006 – Duplicate sample	LL7mw-003 – MS/MSD
LL8mw-005 – Duplicate sample	LL8mw-002 – MS/MSD
LL9mw-004 – Duplicate sample	LL9mw-003 – MS/MSD
LL10mw-006 - Duplicate sample	LL10mw-004 – MS/MSD
LL11mw-010 – Duplicate sample	LL11mw-004 – MS/MSD
ASYmw-008 – Duplicate sample	ASYmw-002 – MS/MSD

All samples were picked up from the facility and delivered to the laboratory in iced coolers by a TestAmerica courier under proper chain-of-custody procedures (Appendix

D). Laboratory analyses on all quality assurance (QA) samples were performed by RTI Laboratories in Livonia Michigan. Six QA samples were collected for this sampling event from the same wells where the duplicate samples were collected.

All QA samples were shipped in iced coolers via overnight delivery service under proper chain-of-custody procedures.

Table 2-2 presents the QA Table summary for all samples collected for the April 2009 monitoring event. This table presents in tabular form all analyses and associated QA/QC. The Daily Quality Control Reports are presented in Appendix C.

Laboratory results are summarized in Section 3.2. Laboratory data sheets, including QA/QC information are contained in Appendix D.

## **2.4 Data Verification/Validation**

Data from TestAmerica were verified in accordance with project specifications by EQM chemists Angye Dragotta, and Eric Corbin using the Automatic Data Review (ADR) program. Data validation/verification is summarized in Section 3.3. The Data Verification/Validation Summary Reports are presented in Appendix D.

## **2.5 Investigation Derived Waste**

Purge water was collected at each well location in 5-gallon buckets and transferred to 55-gallon drums located inside Building 1036. No more than four gallons were purged from any well. Instruments and equipment were decontaminated after purging and sampling each monitoring well. Decontamination fluids were collected in separate, AOC-designated 55-gallon drum stored inside Building 1036. Pending analysis of the monitoring well samples, IDW fluids will be stored in the 55-gallon drums until the IDW Report is approved. The IDW will then be disposed of in accordance with FWSAP requirements. The IDW Report is presented in Appendix E.

Table 2-2 QA Table for April 2009 Sampling Event

Sample Locations	Contractor Laboratory							Government Laboratory		Requested Laboratory Analysis					
	Primary Lab Sample ID	Date	Sample Type	Assoc. QC Dup Number	Assoc. QC Rinsate Number	Assoc. QC Trip Blank Number	MS / MSD	QA Lab Sample ID	Assoc. QC Trip Blank Number	VOCs	SVOCs	Explosives & Propellants	Pesticides / PCBs	Metals / Cyanide	Perchlorate
B12mw-012	FWGB12mw-012C-1344-GW/GF	04/22/09	GW		EQUIPRinse1-1362	FWGTeam1-Trip				X	X	X	X	X	
DET-003	FWGDETmw-003C-1345-GW/GF	04/22/09	GW		EQUIPRinse1-1362	FWGTeam2-Trip				X	X	X	X	X	
DET-004*	FWGDETmw-004C-1346-GW/GF	04/22/09	GW		EQUIPRinse1-1362	FWGTeam2-Trip				X	X	X	X	X	
LL6mw-004	FWGLL6mw-004C-1297-GW/GF	04/22/09	GW		EQUIPRinse1-1362	FWGTeam2-Trip				X	X	X	X	X	
LL6mw-005	FWGLL6mw-005C-1298-GW/GF	04/22/09	GW		EQUIPRinse1-1362	FWGTeam3-Trip				X	X	X	X	X	
LL6mw-007	FWGLL6mw-007C-1300-GW/GF	04/22/09	GW		EQUIPRinse1-1362	FWGTeam3-Trip				X	X	X	X	X	
LL11mw-001	FWGLL11mw-001C-1326-GW/GF	04/23/09	GW		EQUIPRinse1-1362	FWGTeam2-Trip				X	X	X	X	X	
LL11mw-003	FWGLL11mw-003C-1327-GW/GF	04/23/09	GW		EQUIPRinse1-1362	FWGTeam3-Trip				X	X	X	X	X	
LL11mw-004	FWGLL11mw-004C-1328-GW/GF	04/23/09	GW		EQUIPRinse1-1362	FWGTeam3-Trip	Yes			X	X	X	X	X	
LL11mw-005	FWGLL11mw-005C-1329-GW/GF	04/23/09	GW		EQUIPRinse1-1362	FWGTeam1-Trip				X	X	X	X	X	
LL11mw-006	FWGLL11mw-006C-1330-GW/GF	04/23/09	GW		EQUIPRinse1-1362	FWGTeam1-Trip				X	X	X	X	X	
LL11mw-008	FWGLL11mw-008C-1331-GW/GF	04/23/09	GW		EQUIPRinse1-1362	FWGTeam2-Trip				X	X	X	X	X	
LL11mw-009	FWGLL11mw-009C-1332-GW/GF	04/23/09	GW		EQUIPRinse1-1362	FWGTeam1-Trip				X	X	X	X	X	
LL11mw-010	FWGLL11mw-010C-1333-GW/GF	04/23/09	GW	DUP5-1354	EQUIPRinse1-1362	FWGTeam2-Trip		FWGLL11mw-010C-1360S-GW/GF	Trip Blank	X	X	X	X	X	
LL6mw-006	FWGLL6mw-006C-1299-GW/GF	04/23/09	GW		EQUIPRinse1-1362	FWGTeam3-Trip				X	X	X	X	X	
LL7mw-001	FWGLL7mw-001C-1301-GW/GF	04/23/09	GW		EQUIPRinse1-1362	FWGTeam3-Trip				X	X	X	X	X	
LL7mw-002	FWGLL7mw-002C-1302-GW/GF	04/23/09	GW		EQUIPRinse1-1362	FWGTeam1-Trip				X	X	X	X	X	
LL7mw-003	FWGLL7mw-003C-1303-GW/GF	04/23/09	GW		EQUIPRinse1-1362	FWGTeam1-Trip	Yes			X	X	X	X	X	
LL7mw-004	FWGLL7mw-004C-1304-GW/GF	04/23/09	GW		EQUIPRinse1-1362	FWGTeam3-Trip				X	X	X	X	X	
LL7mw-005	FWGLL7mw-005C-1305-GW/GF	04/23/09	GW		EQUIPRinse1-1362	FWGTeam1-Trip				X	X	X	X	X	
LL7mw-006	FWGLL7mw-006C-1306-GW/GF	04/23/09	GW	DUP1-1350	EQUIPRinse1-1362	FWGTeam2-Trip		FWGLL7mw-006C-1356S-GW/GF	Trip Blank	X	X	X	X	X	
LL10mw-002	FWGLL10mw-002C-1321-GW/GF	04/27/09	GW		EQUIPRinse3-1364	FWGTeam2-Trip				X	X	X	X	X	
LL10mw-003	FWGLL10mw-003C-1322-GW/GF	04/27/09	GW		EQUIPRinse3-1364	FWGTeam2-Trip				X	X	X	X	X	
LL10mw-005	FWGLL10mw-005C-1324-GW/GF	04/27/09	GW		EQUIPRinse3-1364	FWGTeam1-Trip				X	X	X	X	X	
LL10mw-006	FWGLL10mw-006C-1325-GW/GF	04/27/09	GW	DUP4-1353	EQUIPRinse3-1364	FWGTeam3-Trip		FWGLL10mw-006C-1359S-GW/GF	TripBlank	X	X	X	X	X	
LL8mw-001	FWGLL8mw-001C-1307-GW/GF	04/27/09	GW		EQUIPRinse3-1364	FWGTeam3-Trip				X	X	X	X	X	
LL8mw-002	FWGLL8mw-002C-1308-GW/GF	04/27/09	GW		EQUIPRinse3-1364	FWGTeam1-Trip	Yes			X	X	X	X	X	
LL8mw-003	FWGLL8mw-003C-1309-GW/GF	04/27/09	GW		EQUIPRinse3-1364	FWGTeam1-Trip				X	X	X	X	X	
LL8mw-004	FWGLL8mw-004C-1310-GW/GF	04/27/09	GW		EQUIPRinse3-1364	FWGTeam3-Trip				X	X	X	X	X	
LL8mw-005	FWGLL8mw-005C-1311-GW/GF	04/27/09	GW	DUP2-1351	EQUIPRinse3-1364	FWGTeam2-Trip		FWGLL8mw-005C-1357S-GW/GF	TripBlank	X	X	X	X	X	
LL8mw-006	FWGLL8mw-006C-1312-GW/GF	04/27/09	GW		EQUIPRinse3-1364	FWGTeam2-Trip				X	X	X	X	X	
RQLmw-007	FWGRQLmw-007C-1347-GW/GF	04/27/09	GW		EQUIPRinse3-1364	FWGTeam3-Trip				X	X	X	X	X	
RQLmw-008	FWGRQLmw-008C-1348-GW/GF	04/27/09	GW		EQUIPRinse3-1364	FWGTeam1-Trip				X	X	X	X	X	
RQLmw-009	FWGRQLmw-009C-1349-GW/GF	04/27/09	GW		EQUIPRinse3-1364	FWGTeam1-Trip				X	X	X	X	X	
ASYmw-001	FWGASYmw-001C-1334-GW/GF	04/28/09	GW		EQUIPRinse4-1365	FWGTeam1-Trip				X	X	X	X	X	
ASYmw-002	FWGASYmw-002C-1335-GW/GF	04/28/09	GW		EQUIPRinse4-1365	FWGTeam1-Trip				X	X	X	X	X	
ASYmw-003	FWGASYmw-003C-1336-GW/GF	04/28/09	GW		EQUIPRinse4-1365	FWGTeam1-Trip				X	X	X	X	X	
ASYmw-004	FWGASYmw-004C-1337-GW/GF	04/28/09	GW		EQUIPRinse4-1365	FWGTeam2-Trip	Yes			X	X	X	X	X	
ASYmw-005	FWGASYmw-005C-1338-GW/GF	04/28/09	GW		EQUIPRinse4-1365	FWGTeam2-Trip				X	X	X	X	X	
ASYmw-006	FWGASYmw-006C-1339-GW/GF	04/28/09	GW		EQUIPRinse4-1365	FWGTeam2-Trip				X	X	X	X	X	
ASYmw-007	FWGASYmw-007C-1340-GW/GF	04/28/09	GW		EQUIPRinse4-1365	FWGTeam3-Trip				X	X	X	X	X	
ASYmw-008	FWGASYmw-008C-1341-GW/GF	04/28/09	GW	DUP6-1355	EQUIPRinse4-1365	FWGTeam3-Trip		FWGASYmw-008C-1361S-GW/GF	FWGTeam3-Trip	X	X	X	X	X	
ASYmw-009	FWGASYmw-009C-1342-GW/GF	04/28/09	GW		EQUIPRinse4-1365	FWGTeam2-Trip				X	X	X	X	X	
ASYmw-010	FWGASYmw-010C-1343-GW/GF	04/28/09	GW		EQUIPRinse4-1365	FWGTeam3-Trip				X	X	X	X	X	
LL10mw-001	FWGLL10mw-001C-1320-GW/GF	04/28/09	GW		EQUIPRinse4-1365	FWGTeam1-Trip				X	X	X	X	X	
LL10mw-004	FWGLL10mw-004C-1323-GW/GF	04/28/09	GW		EQUIPRinse4-1365	FWGTeam1-Trip	Yes			X	X	X	X	X	
LL9mw-005	FWGLL9mw-005C-1317-GW/GF	04/28/09	GW		EQUIPRinse4-1365	FWGTeam2-Trip				X	X	X	X	X	

Table 2-2 QA Table for April 2009 Sampling Event

Sample Locations	Contractor Laboratory							Government Laboratory		Requested Laboratory Analysis					
	Primary Lab Sample ID	Date	Sample Type	Assoc. QC Dup Number	Assoc. QC Rinsate Number	Assoc. QC Trip Blank Number	MS / MSD	QA Lab Sample ID	Assoc. QC Trip Blank Number	VOCs	SVOCs	Explosives & Propellants	Pesticides / PCBs	Metals / Cyanide	Perchlorate
LL9mw-006	FWGLL9mw-006C-1318-GW/GF	04/28/09	GW		EQUIPRinse4-1365	FWGTeam1-Trip				X	X	X	X	X	
LL9mw-007	FWGLL9mw-007C-1319-GW/GF	04/28/09	GW		EQUIPRinse4-1365	FWGTeam3-Trip				X	X	X	X	X	
LL9mw-001	FWGLL9mw-001C-1313-GW/GF	04/29/09	GW		EQUIPRinse5-1366	FWGTeam2-Trip				X	X	X	X	X	
LL9mw-002	FWGLL9mw-002C-1314-GW/GF	04/29/09	GW		EQUIPRinse5-1366	FWGTeam2-Trip				X	X	X	X	X	
LL9mw-003	FWGLL9mw-003C-1315-GW/GF	04/29/09	GW		EQUIPRinse5-1366	FWGTeam1-Trip	Yes			X	X	X	X	X	
LL9mw-004	FWGLL9mw-004C-1316-GW/GF	04/29/09	GW	DUP3-1352	EQUIPRinse5-1366	FWGTeam3-Trip		FWGLL9mw-004C-1358S-GW/GF	TRIPBlank TEAM3	X	X	X	X	X	

\*Sampled by bailer and/or over multiple, successive days due to inadequate well volume to fill required sample containers.

## SECTION 3

### RESULTS

#### 3.1 Groundwater Elevations

Groundwater elevations for the 53 FWGWMP monitoring wells were obtained on April 22-23 as described in Section 2.1. The groundwater elevations for the FWGWMP wells are presented in Table 3-1. The monitoring well location map, identified as Plate 1, is included with this report. Facility-wide groundwater potentiometric maps (Plates 2, and 3) based on all RVAAP groundwater measurements taken during the January 2009 event are also included in this report.

##### 3.1.1 Sediment Accumulation

EQM has reviewed the historical sediment accumulation footages and the description of bottom for the wells currently being sampled. Based on this evaluation the following wells were identified to be redeveloped:

ASYmw-001	ASYmw-003
LL12mw-113	LL12mw-243
LL12mw-244	LL12mw-245
LL6mw-004	LL7mw-002
LL7mw-003	LL7mw-004
LL7mw-005	LL8mw-002
LL8mw-003	LL8mw-004
LL9mw-004	LL9mw-007
B12mw-010	

These wells will be redeveloped during the period June 16-18, 2009. Redevelopment will be completed by surging and pumping using a surge block, and a centrifugal and/or submersible pump. This will be performed to remove fines accumulating as sediment in the bottom well cap. Each well will be developed by at least two methods (surge and pump) with the attempt to reach stability of hydraulic conditions according to the *Technical Guidance Manual for Hydraulic Investigations and Groundwater Monitoring OEPA*, February 1995. The results of the redevelopment activities will be presented in the July 2009 groundwater report.

It should be noted that in order to minimize turbid samples, low flow purging and sampling techniques are used. The pumps are suspended at least one foot above the bottom of the well to avoid agitation of the sediment potentially accumulating in the well sump. EQM will continue to monitor any high turbidity readings and make a determination for future redevelopment and other evaluation of any affected wells.

Table 3-1 APRIL 2009 FWGMP Monitoring Well Measurements

Well	Monitoring Zone	Top of Casing (TOC) Elevation <sup>a</sup> (ft)	2008 3rd Quarter Groundwater Elevation (July/2008) (ft)	2008 4th Quarter Groundwater Elevation (Oct/2008) (ft)	2009 1st Quarter Groundwater Elevation (Jan/2009) (ft)	2009 2nd Quarter Groundwater Elevation (Apr/2009) (ft)	Depth to Water (ft below TOC) Apr/2009	Reported Construction Depth from TOC <sup>a</sup> (ft)	Apr/2009 Measured Depth from TOC (ft)	Apr/2009 Sediment Accumulation (ft)	Apr/2009 Description of Bottom
<b>Loadline 6</b>											
LL6mw-004	Homewood	1,125.39	1,108.14	1,106.76	1,108.39	1,110.84	14.55	25.1	24.48	0.62	hard
LL6mw-005	Homewood	1120.47	NM	NM	1,108.61	1,110.58	9.89	22.5	22.24	0.26	hard
LL6mw-006	Unconsolidated	1124.37	NM	NM	1,109.15	1,113.03	11.34	17	17.74	-0.74	hard
LL6mw-007	Homewood	1115.62	NM	NM	1,110.12	1,113.33	2.29	19.5	19.36	0.14	hard
<b>Loadline 7</b>											
LL7mw-001	Homewood	1129.64	NM	NM	1,109.29	1,111.55	18.09	32.2	33.05	-0.85	hard
LL7mw-002	Homewood	1129.55	NM	NM	1,113.93	1,116.57	12.98	27.8	27.15	0.65	hard
LL7mw-003	Homewood	1120.84	NM	NM	1,109.61	1,111.72	9.12	33.6	33.52	0.08	hard
LL7mw-004	Homewood	1126.32	NM	NM	1,111.57	1,113.52	12.80	32.5	32.22	0.28	hard
LL7mw-005	Homewood	1135.87	NM	NM	1,114.23	1,116.34	19.53	30.6	30.32	0.28	hard
LL7mw-006	Homewood	1123.56	NM	NM	1,113.18	1,115.04	8.52	30.4	30.26	0.14	hard
<b>Loadline 8</b>											
LL8mw-001	Unconsolidated	1121.46	NM	NM	1,110.01	1,113.54	7.92	26.8	27.50	-0.70	medium
LL8mw-002	Unconsolidated	1124.51	NM	NM	1,106.24	1,109.76	14.75	32.8	32.58	0.22	hard
LL8mw-003	Unconsolidated	1119.05	NM	NM	1,106.36	1,109.85	9.20	23.3	23.01	0.29	hard
LL8mw-004	Unconsolidated	1115.75	NM	NM	1,104.88	1,108.06	7.69	23	22.64	0.36	hard
LL8mw-005	Homewood	1115.73	NM	NM	1,101.95	1,106.15	9.58	27.2	27.09	0.11	hard
LL8mw-006	Homewood	1117.17	NM	NM	1,097.47	1,100.08	17.09	26.8	27.04	-0.24	hard
<b>Loadline 9</b>											
LL9mw-001	Homewood	1134.62	NM	NM	1,119.61	1,123.11	11.51	23.3	23.26	0.04	hard
LL9mw-002	Homewood	1127.30	NM	NM	1,116.61	1,113.43	13.87	22.4	22.66	-0.26	hard
LL9mw-003	Homewood	1135.76	NM	NM	1,124.33	1,128.47	7.29	23.8	24.14	-0.34	hard
LL9mw-004	Homewood	1131.83	NM	NM	1,110.62	1,111.08	20.75	34.9	34.62	0.28	soft
LL9mw-005	Homewood	1130.93	NM	NM	1,114.83	1,124.00	6.93	23.3	23.46	-0.16	hard
LL9mw-006	Homewood	1129.88	NM	NM	1,110.96	1,111.76	18.12	28.9	28.73	0.17	hard
LL9mw-007	Homewood	1119.99	NM	NM	1,110.69	1,103.91	16.08	18.5	18.06	0.44	hard
<b>Loadline 10</b>											
LL10mw-001	Homewood	1132.77	NM	NM	1,107.67	1,110.61	22.16	29.8	29.50	0.30	hard
LL10mw-002	Homewood	1127.13	NM	NM	1,109.33	1,113.04	14.09	29.7	29.77	-0.07	hard
LL10mw-003	Homewood	1130.28	NM	NM	1,109.33	1,113.06	17.22	28.9	28.50	0.40	hard
LL10mw-004	Homewood	1122.39	NM	NM	1,108.97	1,113.39	9.00	33.8	33.44	0.36	hard
LL10mw-005	Homewood	1125.67	NM	NM	1,109.92	1,113.48	12.19	29.3	29.20	0.10	hard
LL10mw-006	Unconsolidated	1123.83	NM	NM	1,111.64	1,114.38	9.45	26.1	26.42	-0.32	hard

Table 3-1 APRIL 2009 FWGMP Monitoring Well Measurements

Well	Monitoring Zone	Top of Casing (TOC) Elevation <sup>a</sup> (ft)	2008 3rd Quarter Groundwater Elevation (July/2008) (ft)	2008 4th Quarter Groundwater Elevation (Oct/2008) (ft)	2009 1st Quarter Groundwater Elevation (Jan/2009) (ft)	2009 2nd Quarter Groundwater Elevation (Apr/2009) (ft)	Depth to Water (ft) below TOC) Apr/2009	Reported Construction Depth from TOC <sup>a</sup> (ft)	Apr/2009 Measured Depth from TOC (ft)	Apr/2009 Sediment Accumulation (ft)	Apr/2009 Description of Bottom
<b>Loadline 11</b>											
LL11mw-001	Unconsolidated	1100.16	NM	NM	1,091.45	1,092.44	7.72	24.1	21.36	2.74	medium
LL11mw-003	Unconsolidated	1088.48	NM	NM	1,087.78	1,087.98	0.50	15.9	16.02	-0.12	hard
LL11mw-004	Unconsolidated	1084.72	NM	NM	1,084.32	1,084.63	0.09	16.2	16.13	0.07	hard
LL11mw-005	Unconsolidated	1079.40	NM	NM	1,073.00	1,075.63	3.77	16	16.38	-0.38	hard
LL11mw-006	Unconsolidated	1086.50	NM	NM	1,083.01	1,085.08	1.42	15.5	15.65	-0.15	hard
LL11mw-008	Unconsolidated	1087.74	NM	NM	1,084.06	1,087.05	0.69	15.4	16.66	-1.26	hard
LL11mw-009	Unconsolidated	1091.54	NM	NM	NM	1,089.52	2.02	16.6	19.48	-2.88	medium
LL11mw-010	Unconsolidated	1082.68	NM	NM	1,078.95	1,079.68	3.00	23.4	23.40	0.00	hard
<b>Atlas Scrap Yard</b>											
ASYmw-001	Sharon	981.13	NM	NM	NM	970.52	10.61	23.7	23.05	0.65	hard
ASYmw-002	Sharon	985.24	NM	NM	NM	974.86	10.38	22.7	22.87	-0.17	hard
ASYmw-003	Sharon	982.21	NM	NM	NM	970.89	11.32	23.5	23.45	0.05	hard
ASYmw-004	Sharon	979.66	NM	NM	NM	971.41	8.25	29.6	29.76	-0.16	hard
ASYmw-005	Sharon	979.8	NM	NM	NM	973.03	6.77	26.2	27.1	-0.90	hard
ASYmw-006	Sharon	983.01	NM	NM	NM	969.96	13.05	28.8	28.84	-0.04	hard
ASYmw-007	Unconsolidated	984.16	NM	NM	NM	969.64	14.52	28.8	28.83	-0.03	hard
ASYmw-008	Unconsolidated	978.85	NM	NM	NM	974.64	4.21	27.7	27.43	0.27	medium
ASYmw-009	Sharon	982.7	NM	NM	NM	971.73	10.97	24.3	24.49	-0.19	hard
ASYmw-010	Unconsolidated	981.05	NM	NM	NM	969.72	11.33	29.8	31.10	-1.30	hard
<b>Building 1200</b>											
BL12mw-012	Unconsolidated	1,006.32	987.61	983.86	981.60	985.57	20.75	24.9	24.81	0.09	hard
<b>Detonation Area 2</b>											
DETMw-003	Unconsolidated	1036.81	NM	1,027.02	NM	1,027.92	8.89	13.00	16.01	-3.01	medium
DETMw-004	Unconsolidated	1038.68	NM	1,027.69	NM	1,029.39	9.29	12.00	13.89	-1.89	hard
<b>Ramsdell Quarry</b>											
RQLmw-007	Sharon	965.91	NM	957.03	NM	960.16	5.75	18.2	18.57	-0.37	hard
RQLmw-008	Sharon	966.08	NM	957.35	NM	960.13	5.95	18.5	18.6	-0.10	hard
RQLmw-009	Sharon	964.58	NM	957.13	NM	960.08	4.5	18.4	18.78	-0.38	hard

a = Elevations are in feet above mean sea level (amsl)

NM = New wells added to the sampling schedule, not measured in all quarters

### 3.1.2 Groundwater pH

Groundwater pH values of less than 5 have been noted in several wells over the past two sampling events. EQM has reviewed the historical purge records for these wells. The pH readings are presented below for these wells. The low pH in some of the wells could be indicative of groundwater contamination, however a full evaluation of the conditions at these wells will be conducted once all of the wells have been sampled.

**pH Levels for Selected Wells**

<b>Well ID</b>	<b>January 2009 pH Range</b>	<b>April 2009 pH Range</b>
LL11mw-005	5.09 – 5.76	4.91 - 4.97
LL6mw-007	7.85 – 8.05	4.12 - 4.13
LL9mw-006	4.6 – 5.21	4.73 – 6.61
LL9mw-007	4.8 – 5.6	5.74 - 8.31

### 3.2 Summary of Analytical Results

Summaries of laboratory analytical results are presented in Tables 3-2, 3-3, 3-5, 3-6, and 3-7. Appendix D presents the Laboratory Data Sheets. A brief summary of the detected compounds and elements are presented in the following sub-sections. The data presented in the tables are the validated and verified data. Data verification and validation is discussed in Section 3.3 and Appendix D. While reviewing the summary of analytical results please note the following:

- The screening levels referenced in the analytical summary tables are the 40 CFR Part 141 National Primary Drinking Water Regulations, Maximum Contaminant Levels (MCLs); and the Region 9 Preliminary Remediation Goals (PRGs) for tap water. MCLs are referenced as the screening criteria (for constituents not having an MCL, the Region 9 PRG is used). Also used as screening levels for metals are the RVAAP Facility-Wide Background Criteria referenced in Table 3-4.
- As discussed in Section 3.3, under the data validation process data are qualified by EQM's validator following the guidelines and qualifier requirements set forth by the FWSAP, QAPP and the current Louisville Chemistry Guidelines (LCG) (i.e., data are either accepted or requalified per the requirements of the LCG). This results in the flags designated by EQM sometimes differing from those in the laboratory data sheets. The flags designated by the validator override any laboratory flagging of the data by the laboratory. For a complete explanation of the data qualifiers used for each constituent refer to Section 3.3 and to the Data Verification Summary Reports found in Appendix D.
- For purposes of consistency, all detected concentrations that are elevated above both the method detection limit (MDL) and the above referenced screening levels



are called out in the following text. In the tables, the compounds and elements that were detected above the method detection limit are presented in bold numbers. This includes constituents flagged as estimated.

- Several analytical methods used to analyze a number of explosives, VOCs, metals, SVOCs, and pesticides currently do not meet the RVAAP QAPP reporting limits or Region 9 preliminary remediation goals (PRGs). Tables listing the reporting limits that currently do not meet the RVAAP QAPP PQLs and/or Region 9 PRG levels are presented in Appendix F.

### 3.2.1 Explosives and Propellants

Explosive and propellant compound analytical results are summarized in Table 3-2. The following compounds were detected at concentrations above the method detection limits:

- 1,3,5-Trinitrobenzene – LL6mw-004 (0.074 µg/L J), LL7mw-002 (0.060 µg/L J), LL7mw-003 (0.067 µg/L J), LL7mw-005 (0.064 µg/L J), LL8mw-002 (0.031 µg/L J B), LL8mw-006 (0.032 µg/L J B), LL9mw-007 (0.069 µg/L J B), LL10mw-001 (0.052 µg/L J B), LL10mw-004 (0.089 µg/L J B), LL11mw-001 (0.063 µg/L J), LL11mw-008 (0.073 µg/L J), ASYmw-001 (0.063 µg/L J B), ASYmw-002 (0.051 µg/L J B), ASYmw-003 (0.058 µg/L J B), ASYmw-004 (0.099 µg/L J B), ASYmw-005 (0.062 µg/L J B), ASYmw-007 (0.061 µg/L J B), ASYmw-008 (0.063 µg/L J B), ASYmw-009 (0.061 µg/L J B), ASYmw-010 (0.070 µg/L J B), DETmw-003 (0.071 µg/L J). There is no MCL for 1,3,5-Trinitrobenzene. The Region 9 PRG is 1,100 µg/L.

Note that method blanks associated with many of these samples had contamination for 1,3,5-Trinitrobenzene below 1/2 the method reporting limit (MRL). The low level detections (i.e. < RL) in these samples are therefore attributed to low level laboratory contamination and were flagged with a B qualifier.

- 1,3-Dinitrobenzene – RQLmw-008 (0.070 µg/L J). There is no MCL for 1,3-Dinitrobenzene. The Region 9 PRG is 3.6 µg/L.
- 2,6-Dinitrotoluene – LL9mw-003 (0.85 µg/L J), LL11mw-006 (0.084 µg/L J), LL11mw-010 (0.11 µg/L J), RQLmw-007 (0.080 1,3-Dinitrobenzene J). There is no MCL for 2,6-Dinitrotoluene. The Region 9 PRG is 36 µg/L.
- 4-Amino-2,6-dinitrotoluene – DETmw-004 (0.52 µg/L J). There is no MCL or Region 9 PRG for 4-Amino-2,6-dinitrotoluene.
- HMX – LL7mw-006 (0.062 µg/L), DETmw-004 (2.1 µg/L). There is no MCL for HMX. The Region 9 PRG is 1,800 µg/L.

- Nitrobenzene – LL8mw-003 (0.066 µg/L J). There is no MCL for Nitrobenzene. The Region 9 PRG is 3.4 µg/L.
- Nitrocellulose – LL9mw-006 (0.50 µg/L J B). There is no MCL or Region 9 PRG for Nitrocellulose.
- PETN – LL7mw-003 (0.59 µg/L J B). There is no MCL or Region 9 PRG for PETN.
- RDX – LL17mw-006 (0.48 µg/L), LL9mw-006 (0.074 µg/L J), DETmw-004 (2.4 µg/L). There is no MCL for RDX. The Region 9 PRG is 0.61 µg/L.
- Tetryl – DETmw-003 (0.44 µg/L), DETmw-004 (0.61 µg/L J). There is no MCL for Tetryl. The region 9 PRG is 360 µg/L.

As shown in Table 3-2, the only explosive/propellant detected at levels above the Region 9 PRGs during the April 2009 event was:

- RDX at a concentration exceeding the Region 9 PRG of 0.61 µg/L [DETmw-004 at a concentration of 2.4 µg/L].

Table 3-2 FWGWMP April 2009 Explosive and Propellant Analytical Results

Station ID				LL6mw-004	LL6mw-005	LL6mw-006	LL6mw-007	LL7mw-001	LL7mw-002	LL7mw-003
Sample ID		MCL	Region 9 PRG	FWGLL6mw-004C-1297-GW	FWGLL6mw-005C-1298-GW	FWGLL6mw-006C-1299-GW	FWGLL6mw-007C-1300-GW	FWGLL7mw-001C-1301-GW	FWGLL7mw-002C-1302-GW	FWGLL7mw-003C-1303-GW
Date Collected				4/22/2009	4/22/2009	4/23/2009	4/22/2009	4/23/2009	4/23/2009	4/23/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units									
1,3,5-Trinitrobenzene	µg/L	NS	1100	<b>0.074 J</b>	0.10 U	0.11 U	0.11 U	0.11 U	<b>0.060 J</b>	<b>0.067 J</b>
1,3-Dinitrobenzene	µg/L	NS	3.6	0.10 U	0.10 U	0.11 U	0.11 U	0.11 U	0.10 U	0.098 U
2,4,6-Trinitrolozene	µg/L	NS	2.2	0.10 U	0.10 U	0.11 U	0.11 U	0.11 U	0.10 U	0.098 U
2,4-Dinitrotoluene	µg/L	NS	73	0.10 U	0.10 U	0.11 U	0.11 U	0.11 U	0.10 U	0.098 U
2,6-Dinitrotoluene	µg/L	NS	36	0.10 U	0.10 U	0.11 U	0.11 U	0.11 U	0.10 U	0.098 U
2-Amino-4,6-dinitrotoluene	µg/L	NS	NS	0.10 U	0.10 U	0.11 U	0.11 U	0.11 U	0.10 U	0.098 U
2-Nitrotoluene	µg/L	NS	0.049	0.50 U	0.52 U	0.54 U	0.56 U	0.53 U	0.50 U	0.49 U
3-Nitrotoluene	µg/L	NS	120	0.50 U	0.52 U	0.54 U	0.56 U	0.53 U	0.50 U	0.49 U
4-Amino-2,6-Dinitrotoluene	µg/L	NS	NS	0.10 U	0.10 U	0.11 U	0.11 U	0.11 U	0.10 U	0.098 U
4-Nitrotoluene	µg/L	NS	0.66	0.50 U	0.52 U	0.54 U	0.56 U	0.53 U	0.50 U	0.49 U
HMX	µg/L	NS	1800	0.10 U	0.10 U	0.11 U	0.11 U	0.11 U	0.10 U	0.098 U
Nitrobenzene	µg/L	NS	3.4	0.10 U	0.10 U	0.11 U	0.11 U	0.11 U	0.10 U	0.098 U
Nitrocellulose	mg/L	NS	NS	0.50 U	0.50 UJ	0.50 UJ	0.50 UJ	0.50 UJ	0.50 U	0.50 U
Nitroglycerin	µg/L	NS	4.8	0.65 U	0.68 U	0.70 U	0.73 U	0.69 U	0.65 U	0.64 U
Nitroguanidine	µg/L	NS	NS	20 U	20 U	20 U	20 U	20 U	20 U	20 U
PETN	µg/L	NS	NS	0.65 U	0.68 U	0.70 U	0.73 U	0.69 U	0.65 U	<b>0.059 JB</b>
RDX	µg/L	NS	0.61	0.10 U	0.10 U	0.11 U	0.11 U	0.11 U	0.10 U	0.098 U
Tetryl	µg/L	NS	360	0.10 U	0.10 U	0.11 U	0.11 U	0.11 U	0.10 U	0.098 U

Notes:

NS = no standard

**Bold** = detected compound above the MDL

N/A = Not Analyzed

Table 3-2 FWGWMP April 2009 Explosive and Propellant Analytical Results

Station ID				LL7mw-004	LL7mw-005	LL7mw-006	LL8mw-001	LL8mw-002	LL8mw-003	LL8mw-004
Sample ID		MCL	Region 9 PRG	FWGLL7mw-004C-1304-GW	FWGLL7mw-005C-1305-GW	FWGLL7mw-006C-1306-GW	FWGLL8mw-001C-1307-GW	FWGLL8mw-002C-1308-GW	FWGLL8mw-003C-1309-GW	FWGLL8mw-004C-1310-GW
Date Collected				4/23/2009	4/23/2009	4/23/2009	4/27/2009	4/27/2009	4/27/2009	4/27/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units									
1,3,5-Trinitrobenzene	µg/L	NS	1100	0.10 U	<b>0.064 J</b>	0.12 U	0.096 U	<b>0.031 JB</b>	0.097 U	0.096 U
1,3-Dinitrobenzene	µg/L	NS	3.6	0.10 U	0.10 U	0.12 U	0.096 U	0.097 U	0.097 U	0.096 U
2,4,6-Trinitrobenzene	µg/L	NS	2.2	0.10 U	0.10 U	0.12 U	0.096 U	0.097 U	0.097 U	0.096 U
2,4-Dinitrotoluene	µg/L	NS	73	0.10 U	0.10 U	0.12 U	0.096 U	0.097 U	0.097 U	0.096 U
2,6-Dinitrotoluene	µg/L	NS	36	0.10 U	0.10 U	0.12 U	0.096 U	0.097 U	0.097 U	0.096 U
2-Amino-4,6-dinitrotoluene	µg/L	NS	NS	0.10 U	0.10 U	0.12 U	0.096 U	0.097 U	0.097 U	0.096 U
2-Nitrotoluene	µg/L	NS	0.049	0.52 U	0.51 U	0.60 U	0.48 U	0.48 U	0.48 U	0.48 U
3-Nitrotoluene	µg/L	NS	120	0.52 U	0.51 U	0.60 U	0.48 U	0.48 U	0.48 U	0.48 U
4-Amino-2,6-Dinitrotoluene	µg/L	NS	NS	0.10 U	0.10 U	0.12 U	0.096 U	0.097 U	0.097 U	0.096 U
4-Nitrotoluene	µg/L	NS	0.66	0.52 U	0.51 U	0.60 U	0.48 U	0.48 U	0.48 U	0.48 U
HMX	µg/L	NS	1800	0.10 U	0.10 U	<b>0.062 J</b>	0.096 U	0.097 U	0.097 U	0.096 U
Nitrobenzene	µg/L	NS	3.4	0.10 U	0.10 U	0.12 U	0.096 U	0.097 U	<b>0.066 J</b>	0.096 U
Nitrocellulose	mg/L	NS	NS	0.50 UJ	0.50 UJ	0.50 UJ	0.50 U	0.50 U	0.50 U	0.50 U
Nitroglycerin	µg/L	NS	4.8	0.68 U	0.66 U	0.78 U	0.62 U	0.63 U	0.63 U	0.62 U
Nitroguanidine	µg/L	NS	NS	20 U	20 U	20 U	20 U	20 U	20 U	20 U
PETN	µg/L	NS	NS	0.68 U	0.66 U	0.78 U	0.62 U	0.63 U	0.63 U	0.62 U
RDX	µg/L	NS	0.61	0.10 U	0.10 U	<b>0.48</b>	0.096 U	0.097 U	0.097 U	0.096 U
Tetryl	µg/L	NS	360	0.10 U	0.10 U	0.12 U	0.096 U	0.097 U	0.097 U	0.096 U

Notes:

NS = no standard

**Bold** = detected compound above the MDL

N/A = Not Analyzed

Table 3-2 FWGWMP April 2009 Explosive and Propellant Analytical Results

Station ID				LL8mw-005	LL8mw-006	LL9mw-001	LL9mw-002	LL9mw-003	LL9mw-004	LL9mw-005
Sample ID		MCL	Region 9 PRG	FWGLL8mw-005C-1311-GW	FWGLL8mw-006C-1312-GW	FWGLL9mw-001C-1313-GW	FWGLL9mw-002C-1314-GW	FWGLL9mw-003C-1315-GW	FWGLL9mw-004C-1316-GW	FWGLL9mw-005C-1317-GW
Date Collected				4/27/2009	4/27/2009	4/29/2009	4/29/2009	4/29/2009	4/29/2009	4/28/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units									
1,3,5-Trinitrobenzene	µg/L	NS	1100	0.097 U	<b>0.032 JB</b>	0.10 U	0.10 U	0.10 U	0.10 U	0.11 U
1,3-Dinitrobenzene	µg/L	NS	3.6	0.097 U	0.097 U	0.10 U	0.10 U	0.10 U	0.10 U	0.11 U
2,4,6-Trinitrolozene	µg/L	NS	2.2	0.097 U	0.097 U	0.10 U	0.10 U	0.10 U	0.10 U	0.11 U
2,4-Dinitrotoluene	µg/L	NS	73	0.097 U	0.097 U	0.10 U	0.10 U	0.10 U	0.10 U	0.11 U
2,6-Dinitrotoluene	µg/L	NS	36	0.097 U	0.097 U	0.10 U	0.10 U	<b>0.085 J</b>	0.10 U	0.11 U
2-Amino-4,6-dinitrotoluene	µg/L	NS	NS	0.097 U	0.097 U	0.10 U	0.10 U	0.10 U	0.10 U	0.11 U
2-Nitrotoluene	µg/L	NS	0.049	0.48 U	0.48 U	0.52 U	0.52 U	0.50 U	0.50 U	0.54 U
3-Nitrotoluene	µg/L	NS	120	0.48 U	0.48 U	0.52 U	0.52 U	0.50 U	0.50 U	0.54 U
4-Amino-2,6-Dinitrotoluene	µg/L	NS	NS	0.097 U	0.097 U	0.10 U	0.10 U	0.10 U	0.10 U	0.11 U
4-Nitrotoluene	µg/L	NS	0.66	0.48 U	0.48 U	0.52 U	0.52 U	0.50 U	0.50 U	0.54 U
HMX	µg/L	NS	1800	0.097 U	0.097 U	0.10 U	0.10 U	0.10 U	0.10 U	0.11 U
Nitrobenzene	µg/L	NS	3.4	0.097 U	0.097 U	0.10 U	0.10 U	0.10 U	0.10 U	0.11 U
Nitrocellulose	mg/L	NS	NS	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 UJ
Nitroglycerin	µg/L	NS	4.8	0.63 U	0.63 U	0.68 U	0.68 U	0.66 U	0.65 U	0.70 U
Nitroguanidine	µg/L	NS	NS	20 U	20 U	20 U	20 U	20 U	20 U	20 U
PETN	µg/L	NS	NS	0.63 U	0.63 U	0.68 U	0.68 U	0.66 U	0.65 U	0.70 U
RDX	µg/L	NS	0.61	0.097 U	0.097 U	0.10 U	0.10 U	0.10 U	0.10 U	0.11 U
Tetryl	µg/L	NS	360	0.097 U	0.097 U	0.10 U	0.10 U	0.10 U	0.10 U	0.11 U

Notes:

NS = no standard

**Bold** = detected compound above the MDL

N/A = Not Analyzed

Table 3-2 FWGWMP April 2009 Explosive and Propellant Analytical Results

Station ID				LL9mw-006	LL9mw-007	LL10mw-001	LL10mw-002	LL10mw-003	LL10mw-004	LL10mw-005
Sample ID		MCL	Region 9 PRG	FWGLL9mw-006C-1318-GW	FWGLL9mw-007C-1319-GW	FWGLL10mw-001C-1320-GW	FWGLL10mw-002C-1321-GW	FWGLL10mw-003C-1322-GW	FWGLL10mw-004C-1323-GW	FWGLL10mw-005C-1324-GW
Date Collected				4/28/2009	4/28/2009	4/28/2009	4/27/2009	4/27/2009	4/28/2009	4/27/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units									
1,3,5-Trinitrobenzene	µg/L	NS	1100	0.10 UJ	<b>0.069 JB</b>	<b>0.052 JB</b>	0.097 U	0.10 U	<b>0.089 JB</b>	0.097 U
1,3-Dinitrobenzene	µg/L	NS	3.6	0.10 U	0.099 U	0.099 U	0.097 U	0.10 U	0.096 U	0.097 U
2,4,6-Trinitrobenzene	µg/L	NS	2.2	0.10 U	0.099 U	0.099 U	0.097 U	0.10 U	0.096 U	0.097 U
2,4-Dinitrotoluene	µg/L	NS	73	0.10 U	0.099 U	0.099 U	0.097 U	0.10 U	0.096 U	0.097 U
2,6-Dinitrotoluene	µg/L	NS	36	0.10 U	0.099 U	0.099 U	0.097 U	0.10 U	0.096 U	0.097 U
2-Amino-4,6-dinitrotoluene	µg/L	NS	NS	0.10 U	0.099 U	0.099 U	0.097 U	0.10 U	0.096 U	0.097 U
2-Nitrotoluene	µg/L	NS	0.049	0.50 U	0.50 U	0.50 U	0.48 U	0.52 U	0.48 U	0.48 U
3-Nitrotoluene	µg/L	NS	120	0.50 U	0.50 U	0.50 U	0.48 U	0.52 U	0.48 U	0.48 U
4-Amino-2,6-Dinitrotoluene	µg/L	NS	NS	0.10 U	0.099 U	0.099 U	0.097 U	0.10 U	0.096 U	0.097 U
4-Nitrotoluene	µg/L	NS	0.66	0.50 U	0.50 U	0.50 U	0.48 U	0.52 U	0.48 U	0.48 U
HMX	µg/L	NS	1800	0.10 U	0.099 U	0.099 U	0.097 U	0.10 U	0.096 U	0.097 U
Nitrobenzene	µg/L	NS	3.4	0.10 U	0.099 U	0.099 U	0.097 U	0.10 U	0.096 U	0.097 U
Nitrocellulose	mg/L	NS	NS	<b>0.50 JB</b>	0.50 UJ	0.50 UJ	0.50 U	0.50 U	0.50 UJ	0.50 U
Nitroglycerin	µg/L	NS	4.8	0.65 U	0.64 U	0.64 U	0.63 U	0.68 U	0.62 U	0.63 U
Nitroguanidine	µg/L	NS	NS	20 U	20 U	20 U	20 U	20 U	20 U	20 U
PETN	µg/L	NS	NS	0.65 U	0.64 U	0.64 U	0.63 U	0.68 U	0.62 U	0.63 U
RDX	µg/L	NS	0.61	<b>0.074 J</b>	0.099 U	0.099 U	0.097 U	0.10 U	0.096 U	0.097 U
Tetryl	µg/L	NS	360	0.10 U	0.099 U	0.099 U	0.097 U	0.10 U	0.096 U	0.097 U

Notes:

NS = no standard

**Bold** = detected compound above the MDL

N/A = Not Analyzed

Table 3-2 FWGWMP April 2009 Explosive and Propellant Analytical Results

Station ID				LL10mw-006	LL11mw-001	LL11mw-003	LL11mw-004	LL11mw-005	LL11mw-006	LL11mw-008
Sample ID		MCL	Region 9 PRG	FWGLL10mw-006C-1325-GW	FWGLL11mw-001C-1326-GW	FWGLL11mw-003C-1327-GW	FWGLL11mw-004C-1328-GW	FWGLL11mw-005C-1329-GW	FWGLL11mw-006C-1330-GW	FWGLL11mw-008C-1331-GW
Date Collected				4/27/2009	4/23/2009	4/23/2009	4/23/2009	4/23/2009	4/23/2009	4/23/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units									
1,3,5-Trinitrobenzene	µg/L	NS	1100	0.097 U	<b>0.063 J</b>	0.10 U	0.098 U	0.10 U	0.12 U	<b>0.073 J</b>
1,3-Dinitrobenzene	µg/L	NS	3.6	0.097 U	0.11 U	0.10 U	0.098 U	0.10 U	0.12 U	0.10 U
2,4,6-Trinitrobenzene	µg/L	NS	2.2	0.097 U	0.11 U	0.10 U	0.098 U	0.10 U	0.12 U	0.10 U
2,4-Dinitrotoluene	µg/L	NS	73	0.097 U	0.11 U	0.10 U	0.098 U	0.10 U	0.12 U	0.10 U
2,6-Dinitrotoluene	µg/L	NS	36	0.097 U	0.11 U	0.10 U	0.098 U	0.10 U	<b>0.084 J</b>	0.10 U
2-Amino-4,6-dinitrotoluene	µg/L	NS	NS	0.097 U	0.11 U	0.10 U	0.098 U	0.10 U	0.12 U	0.10 U
2-Nitrotoluene	µg/L	NS	0.049	0.48 U	0.54 U	0.52 U	0.49 UJ	0.51 U	0.59 U	0.52 U
3-Nitrotoluene	µg/L	NS	120	0.48 U	0.54 U	0.52 U	0.49 U	0.51 U	0.59 U	0.52 U
4-Amino-2,6-Dinitrotoluene	µg/L	NS	NS	0.097 U	0.11 U	0.10 U	0.098 U	0.10 U	0.12 U	0.10 U
4-Nitrotoluene	µg/L	NS	0.66	0.48 U	0.54 U	0.52 U	0.49 U	0.51 U	0.59 U	0.52 U
HMX	µg/L	NS	1800	0.097 U	0.11 U	0.10 U	0.098 U	0.10 U	0.12 U	0.10 U
Nitrobenzene	µg/L	NS	3.4	0.097 U	0.11 U	0.10 U	0.098 U	0.10 U	0.12 U	0.10 U
Nitrocellulose	mg/L	NS	NS	0.50 U	0.50 U	0.50 UJ	0.50 UJ	0.50 U	0.50 UJ	0.50 U
Nitroglycerin	µg/L	NS	4.8	0.63 U	0.70 U	0.68 U	0.64 U	0.66 U	0.77 U	0.68 U
Nitroguanidine	µg/L	NS	NS	20 U	20 U	20 U	20 U	20 U	20 U	20 U
PETN	µg/L	NS	NS	0.63 U	0.70 U	0.68 U	0.64 U	0.66 U	0.77 U	0.68 U
RDX	µg/L	NS	0.61	0.097 U	0.11 U	0.10 U	0.098 U	0.10 U	0.12 U	0.10 U
Tetryl	µg/L	NS	360	0.097 U	0.11 U	0.10 U	0.098 U	0.10 U	0.12 U	0.10 U

Notes:

NS = no standard

**Bold** = detected compound above the MDL

N/A = Not Analyzed

Table 3-2 FWGWMP April 2009 Explosive and Propellant Analytical Results

Station ID				LL11mw-009	LL11mw-010	ASYmw-001	ASYmw-002	ASYmw-003	ASYmw-004	ASYmw-005
Sample ID		MCL	Region 9 PRG	FWGLL11mw-009C-1332-GW	FWGLL11mw-010C-1333-GW	FWGASYmw-001C-1334-GW	FWGASYmw-002C-1335-GW	FWGASYmw-003C-1336-GW	FWGASYmw-004C-1337-GW	FWGASYmw-005C-1338-GW
Date Collected				4/23/2009	4/23/2009	4/28/2009	4/28/2009	4/28/2009	4/28/2009	4/28/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units									
1,3,5-Trinitrobenzene	µg/L	NS	1100	0.099 U	0.12 U	<b>0.063 JB</b>	<b>0.051 JB</b>	<b>0.058 JB</b>	<b>0.099 JB</b>	<b>0.062 JB</b>
1,3-Dinitrobenzene	µg/L	NS	3.6	0.099 U	0.12 U	0.097 U	0.10 U	0.10 U	0.10 U	0.10 U
2,4,6-Trinitrobenzene	µg/L	NS	2.2	0.099 U	0.12 U	0.097 U	0.10 U	0.10 U	0.10 U	0.10 U
2,4-Dinitrotoluene	µg/L	NS	73	0.099 U	0.12 U	0.097 U	0.10 U	0.10 U	0.10 U	0.10 U
2,6-Dinitrotoluene	µg/L	NS	36	0.099 U	<b>0.11 J</b>	0.097 U	0.10 U	0.10 U	0.10 U	0.10 U
2-Amino-4,6-dinitrotoluene	µg/L	NS	NS	0.099 U	0.12 U	0.097 U	0.10 U	0.10 U	0.10 U	0.10 U
2-Nitrotoluene	µg/L	NS	0.049	0.50 U	0.60 U	0.48 U	0.52 U	0.51 U	0.50 U	0.52 U
3-Nitrotoluene	µg/L	NS	120	0.50 U	0.60 U	0.48 U	0.52 U	0.51 U	0.50 U	0.52 U
4-Amino-2,6-Dinitrotoluene	µg/L	NS	NS	0.099 U	0.12 U	0.097 U	0.10 U	0.10 U	0.10 U	0.10 U
4-Nitrotoluene	µg/L	NS	0.66	0.50 U	0.60 U	0.48 U	0.52 U	0.51 U	0.50 U	0.52 U
HMX	µg/L	NS	1800	0.099 U	0.12 U	0.097 U	0.10 U	0.10 U	0.10 U	0.10 U
Nitrobenzene	µg/L	NS	3.4	0.099 U	0.12 U	0.097 U	0.10 U	0.10 U	0.10 U	0.10 U
Nitrocellulose	mg/L	NS	NS	0.50 UJ	0.50 UJ	0.50 UJ	0.50 UJ	0.50 UJ	0.50 UJ	0.50 UJ
Nitroglycerin	µg/L	NS	4.8	0.64 U	0.77 U	0.63 U	0.68 U	0.66 U	0.65 U	0.67 U
Nitroguanidine	µg/L	NS	NS	20 U	20 U	20 U	20 U	20 U	20 U	20 U
PETN	µg/L	NS	NS	0.64 U	0.77 U	0.63 U	0.68 U	0.66 U	0.65 U	0.67 U
RDX	µg/L	NS	0.61	0.099 U	0.12 U	0.097 U	0.10 U	0.10 U	0.10 U	0.10 U
Tetryl	µg/L	NS	360	0.099 U	0.12 U	0.097 U	0.10 U	0.10 U	0.10 U	0.10 U

Notes:

NS = no standard

**Bold** = detected compound above the MDL

N/A = Not Analyzed



Table 3-2 FWGWMP April 2009 Explosive and Propellant Analytical Results

Station ID				ASYmw-006	ASYmw-007	ASYmw-008	ASYmw-009	ASYmw-010	B12mw-010	DETMw-003
Sample ID		MCL	Region 9 PRG	FWGASYmw-006C-1339-GW	FWGASYmw-007C-1340-GW	FWGASYmw-008C-1341-GW	FWGASYmw-009C-1342-GW	FWGASYmw-010C-1343-GW	FWGB12mw-012C-1344-GW	FWGDETMw-003C-1345-GW
Date Collected				4/28/2009	4/28/2009	4/28/2009	4/28/2009	4/28/2009	4/22/2009	4/22/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units									
1,3,5-Trinitrobenzene	µg/L	NS	1100	0.10 U	<b>0.061 JB</b>	<b>0.063 JB</b>	<b>0.061 JB</b>	<b>0.07 JB</b>	0.10 U	<b>0.071 J</b>
1,3-Dinitrobenzene	µg/L	NS	3.6	0.10 U	0.098 U	0.096 U	0.099 U	0.10 U	0.10 U	0.10 U
2,4,6-Trinitroloeuene	µg/L	NS	2.2	0.10 U	0.098 U	0.096 U	0.099 U	0.10 U	0.10 U	0.10 U
2,4-Dinitrotoluene	µg/L	NS	73	0.10 U	0.098 U	0.096 U	0.099 U	0.10 U	0.10 U	0.10 U
2,6-Dinitrotoluene	µg/L	NS	36	0.10 U	0.098 U	0.096 U	0.099 U	0.10 U	0.10 U	0.10 U
2-Amino-4,6-dinitrotoluene	µg/L	NS	NS	0.10 U	0.098 U	0.096 U	0.099 U	0.10 U	0.10 U	0.10 U
2-Nitrotoluene	µg/L	NS	0.049	0.52 U	0.49 U	0.48 U	0.50 U	0.52 U	0.52 U	0.52 U
3-Nitrotoluene	µg/L	NS	120	0.52 U	0.49 U	0.48 U	0.50 U	0.52 U	0.52 U	0.52 U
4-Amino-2,6-Dinitrotoluene	µg/L	NS	NS	0.10 U	0.098 U	0.096 U	0.099 U	0.10 U	0.10 U	0.10 U
4-Nitrotoluene	µg/L	NS	0.66	0.52 U	0.49 U	0.48 U	0.50 U	0.52 U	0.52 U	0.52 U
HMX	µg/L	NS	1800	0.10 U	0.098 U	0.096 U	0.099 U	0.10 U	<b>0.16 J</b>	0.10 U
Nitrobenzene	µg/L	NS	3.4	0.10 U	0.098 U	0.096 U	0.099 U	0.10 U	0.10 U	0.10 U
Nitrocellulose	mg/L	NS	NS	0.50 UJ	0.50 UJ	0.50 UJ	0.50 UJ	0.50 UJ	0.50 U	0.50 U
Nitroglycerin	µg/L	NS	4.8	0.68 U	0.64 U	0.62 U	0.64 U	0.67 U	0.68 U	0.67 U
Nitroguanidine	µg/L	NS	NS	20 U	20 U	20 U	20 U	20 U	20 U	20 U
PETN	µg/L	NS	NS	0.68 U	0.64 U	0.62 U	0.64 U	0.67 U	0.68 U	0.67 U
RDX	µg/L	NS	0.61	0.10 U	0.098 U	0.096 U	0.099 U	0.10 U	0.10 U	0.10 U
Tetryl	µg/L	NS	360	0.10 U	0.098 U	0.096 U	0.099 U	0.10 U	0.10 U	<b>0.44</b>

Notes:

NS = no standard

**Bold** = detected compound above the MDL

N/A = Not Analyzed

Table 3-2 FWGWMP April 2009 Explosive and Propellant Analytical Results

Station ID				DETMw-004	RQLmw-007	RQLmw-008	RQLmw-009
Sample ID		MCL	Region 9 PRG	FWGDETMw- 004C-1346-GW	FWGRQLmw- 007C-1347-GW	FWGRQLmw- 008C-1348-GW	FWGRQLmw- 009C-1349-GW
Date Collected				4/22/2009	4/27/2009	4/27/2009	4/27/2009
Sample Type				Grab	Grab	Grab	Grab
Analyte	Units						
1,3,5-Trinitrobenzene	µg/L	NS	1100	0.099 U	0.097 U	0.099 U	0.097 U
1,3-Dinitrobenzene	µg/L	NS	3.6	0.099 U	0.097 U	<b>0.070 J</b>	0.097 U
2,4,6-Trinitrobenzene	µg/L	NS	2.2	0.099 U	0.097 U	0.099 U	0.097 U
2,4-Dinitrotoluene	µg/L	NS	73	0.099 U	0.097 U	0.099 U	0.097 U
2,6-Dinitrotoluene	µg/L	NS	36	0.099 U	<b>0.080 J</b>	0.099 U	0.097 U
2-Amino-4,6-dinitrotoluene	µg/L	NS	NS	0.099 U	0.097 U	0.099 U	0.097 U
2-Nitrotoluene	µg/L	NS	0.049	0.50 U	0.48 U	0.50 U	0.48 U
3-Nitrotoluene	µg/L	NS	120	0.50 U	0.48 U	0.50 U	0.48 U
4-Amino-2,6-Dinitrotoluene	µg/L	NS	NS	<b>0.52 J</b>	0.097 U	0.099 U	0.097 U
4-Nitrotoluene	µg/L	NS	0.66	0.50 U	0.48 U	0.50 U	0.48 U
HMX	µg/L	NS	1800	<b>2.1</b>	0.097 U	0.099 U	0.097 U
Nitrobenzene	µg/L	NS	3.4	0.099 U	0.097 U	0.099 U	0.097 U
Nitrocellulose	mg/L	NS	NS	0.50 U	0.50 U	0.50 U	0.50 U
Nitroglycerin	µg/L	NS	4.8	0.64 U	0.63 U	0.64 U	0.63 U
Nitroguanidine	µg/L	NS	NS	20 U	20 U	20 U	20 U
PETN	µg/L	NS	NS	0.64 U	0.63 U	0.64 U	0.63 U
RDX	µg/L	NS	0.61	<b>2.4</b>	0.097 U	0.099 U	0.097 U
Tetryl	µg/L	NS	360	0.099 U	0.097 U	<b>0.061 J</b>	0.097 U

Notes:

NS = no standard

**Bold** = detected compound above the MDL

N/A = Not Analyzed

## Table 3-2 FWGWMP April 2009 Explosive and Propellant Analytical Results

### Data Qualifiers

Data qualifier flags are used in an effort to describe the quality of each piece of data for each constituent. These flags are letter codes appended to the numerical data. The following data qualifiers are specified in the USACE Louisville Chemistry Guidelines (LCG). For a complete explanation of qualifiers used for each constituent please refer to the Data Verification Summaries in Appendix B.

- U- The analyte was analyzed for but not detected. The numerical value preceding the U is the associated reporting limit.
- J- The identification of the analyte is acceptable, but the quality assurance criteria indicate that the quantitative values may be outside the normal expected range of precision (i.e., the quantitative value is estimated). Examples include:
  - Results detected above the laboratory MDL but less than the laboratory reporting limit.
  - MS/MSD percent recoveries outside the acceptance criteria.
  - Laboratory control sample (LCS) percent recoveries outside acceptance criteria.
- R- Data are considered to be rejected and shall not be used. This flag denotes the failure of quality control criteria such that it cannot be determined if the analyte is present or absent from the sample [e.g., the method reporting limit (MRL) verification standard was below quality control guidelines; associated sample results that were non-detect are unusable].
- UJ- This flag is a combination of the U and J qualifiers which indicate that the analyte is not present. The reported value is considered to be an estimated reporting limit (RL).
- B- The B flag is used for both organic and inorganic analyses when the analyte is found in the method blank or any of the field blanks. This designation overrides the Contract Laboratory Program (CLP) "B" designation when used by the laboratory as an estimated value for inorganics.

### 3.2.2 Inorganic Elements

Inorganic elements analytical results are presented in Table 3-3. The inorganics detected in the samples included: aluminum, antimony, arsenic, barium, cadmium, chromium, calcium, cobalt, copper, iron, magnesium, manganese, nickel, potassium, sodium, vanadium, and zinc. The inorganic elements that were detected were compared to facility-wide background levels, and against elements that are considered as essential nutrients to determine if they are to be considered as Site Related Contaminants (SRCs). Calcium, magnesium, iron, potassium, and sodium were eliminated as potential SRCs because they are considered as essential nutrients. Site-specific background levels for inorganic elements are presented in Table 3-4. The inorganic elements that were detected were compared to the appropriate background criteria to determine if they were SRCs. The following inorganic elements were detected above the method detection limits and the background levels reported in Table 3-4:

#### **Aluminum**

- Bedrock Zone – LL9mw-002 (122 µg/L), LL9mw-005 (84.0 µg/L), LL9mw-006 (28.7 µg/L J), ASYmw-006 (506 µg/L). The Groundwater Bedrock Zone Background Criteria (filtered) is 0 µg/L.
- Unconsolidated Zone – LL8mw-001 (103 µg/L), LL11mw-005 (46.6 µg/L), ASYmw-008 (7,700 µg/L J). The Groundwater Unconsolidated Zone Background Criteria (filtered) is 0 µg/L. There MCL for aluminum is 200 µg/L. The Region 9 PRG is 36,000 µg/L.

#### **Antimony**

- Bedrock Zone – LL9mw-004 (0.18 µg/L J), ASYmw-0.76 µg/L J), ASYmw-0.27 µg/L J), RQLmw-007 (0.25 µg/L J). The Groundwater Bedrock Zone Background Criteria (filtered) is 0 µg/L.
- Unconsolidated Zone – LL11mw-005 (0.15 µg/L J B), LL11mw-008 (0.15 µg/L J B), LL11mw-009 (0.13 µg/L J B), ASYmw-007 (0.20 µg/L), ASYmw-008 (1.1 µg/L J), ASYmw-010 (37.2 µg/L), DETmw-004 (0.34 µg/L J B). The Groundwater Unconsolidated Zone Background Criteria (filtered) is 0 µg/L. The MCL for antimony is 6 µg/L. The Region 9 PRG is 15 µg/L.

#### **Arsenic**

- Bedrock Zone – LL6mw-005 (14.9 µg/L), ASYmw-004 (18.4 µg/L), RQLmw-007 (4.6 µg/L J), RQLmw-008 (13.4 µg/L). The Groundwater Bedrock Zone Background Criteria (filtered) is 0 µg/L.
- Unconsolidated Zone – ASYmw-008 (24.6 µg/L), ASYmw-010 (37.2 µg/L) The Groundwater Unconsolidated Zone Background Criteria (filtered) is 11.7 µg/L. The MCL for arsenic is 10 µg /L. The Region 9 PRG is 1.045 µg/L.

### **Barium**

- Bedrock Zone: - None.  
The Groundwater Bedrock Zone Background Criteria (filtered) is 256 µg/L.
- Unconsolidated Zone: - LL7mw-005 (119 µg/L), RQLmw-008 (103 µg/L). The Groundwater Unconsolidated Zone Background Criteria (filtered) is 82.1 µg/L.  
The MCL for barium is 2,000 µg/L. The Region 9 PRG is 2,600 µg/L.

### **Cadmium**

- Bedrock Zone: - LL6mw-007 (0.24 µg/L J), LL7mw-006 (0.36 µg/L J), RQLmw-007 (0.55 µg/L). The Groundwater Bedrock Zone Background Criteria (filtered) is 0 µg/L.
- Unconsolidated Zone: - LL6mw-006 (0.36 µg/L J), LL11mw-003 (0.32 µg/L J), LL11mw-004 (5.1 µg/L), LL11mw-005 (0.22 µg/L J). The Groundwater Unconsolidated Zone Background Criteria (filtered) is 0 µg/L.  
The MCL for cadmium is 5 µg/L. There Region 9 PRG is 18 µg/L.

### **Chromium**

- Bedrock Zone: - B12mw-012 (2.4 µg/L J). The Groundwater Bedrock Zone Background Criteria (filtered) is 0 µg/L.
- Unconsolidated Zone: - ASYmw-008 (10.2 µg/L). The Groundwater Unconsolidated Zone Background Criteria (filtered) is 7.3 µg/L.  
The MCL is 100 µg/L. There Region 9 PRG is 110 µg/L.

### **Cobalt**

- Bedrock Zone: - LL7mw-001 (6.9 µg/L), LL7mw-003 (4.2 µg/L J), LL7mw-004 (7.1 µg/L), LL7mw-005 (11.3 µg/L), LL9mw-004 (6.2 µg/L J), LL9mw-007 (2.9 µg/L), RQLmw-007 (2.7 µg/L J), RQLmw-008 (2.9 µg/L J), RQLmw-009 (2.1 µg/L J). The Groundwater Bedrock Zone Background Criteria (filtered) is 0 µg/L.
- Unconsolidated Zone: - ASYmw-008 (7.4 µg/L). The Groundwater Unconsolidated Zone Background Criteria (filtered) is 0 µg/L.  
There is no MCL for cobalt. The Region 9 PRG is 730 µg/L.

### **Copper**

- Bedrock Zone: - None. The Groundwater Bedrock Zone Background Criteria (filtered) is 0 µg/L.  
The Groundwater Bedrock Zone Background Criteria is 0 µg/L.
- Unconsolidated Zone: - ASYmw-008 (12.5 µg/L). The Groundwater Unconsolidated Zone Background Criteria (filtered) is 0 µg/L.  
The MCL is 1,300 µg/L. The Region 9 PRG is 1,500 µg/L.

### **Cyanide**

- Bedrock Zone: - LL10mw-001 (0.0071 µg/L J), ASYmw-004 (0.0059 µg/L J). The Groundwater Bedrock Zone Background Criteria (filtered) is 0 mg/L.
- Unconsolidated Zone: - LL8mw-001 (0.0057 µg/L J). The Groundwater Unconsolidated Zone Background Criteria (filtered) is 0 µg/L.  
The MCL for cyanide is 0.2 mg/L. The Region 9 PRG is 0.73 mg/L.

### **Lead**

- Bedrock Zone: - None. The Groundwater Bedrock Zone Background Criteria (filtered) is 0 µg/L.
- Unconsolidated Zone: - ASYmw-008 (5.3 µg/L). The Groundwater Unconsolidated Zone Background Criteria (filtered) is 0 µg/L.  
The MCL is 15 µg/L. The Region 9 PRG is 880 µg/L.

### **Manganese**

- Bedrock Zone: - LL7mw-003 (1,430 µg/L J), LL7mw-004 (1,340 µg/L J), LL7mw-005 (1,650 µg/L J), LL8mw-005 (2,760 µg/L), LL9mw-004 (2,330 µg/L). The Groundwater Bedrock Zone Background Criteria (filtered) is 1,340 µg/L.
- Unconsolidated Zone: - None. The Groundwater Unconsolidated Zone Background Criteria (filtered) is 1,020 µg/L.  
The MCL for Manganese is 50 µg/L. The Region 9 PRG is 880 µg/L.

### **Nickel**

- Bedrock Zone: - None. The Groundwater Bedrock Zone Background Criteria (filtered) is 83.4 µg/L.
- Unconsolidated Zone: - LL8mw-002 (7.7 µg/L J), LL11mw-005 (7.2 µg/L J), ASYmw-008 (15.8 µg/L). The Groundwater Unconsolidated Zone Background Criteria (filtered) is 0 µg/L.  
There is no MCL for Nickel. The Region 9 PRG is 730 µg/L.

### **Vanadium**

- Bedrock Zone: - None. The Groundwater Bedrock Zone Background Criteria (filtered) is 0 µg/L.
- Unconsolidated Zone: - LL10mw-001 (0.84 µg/L J), ASYmw-008 (11.7 µg/L J). The Groundwater Unconsolidated Zone Background Criteria (filtered) is 0 µg/L. There is no MCL for Vanadium. The Region 9 PRG is 36 µg/L.

### **Zinc**

- Bedrock Zone: - None. The Groundwater Bedrock Zone Background Criteria (filtered) is 52.3 µg/L.

- Unconsolidated Zone: - LL11mw-004 (66.6 µg/L J). The Groundwater Unconsolidated Zone Background Criteria (filtered) is 60.9 µg/L. The MCL for zinc is 5,000 µg/L. The Region 9 PRG is 11,000 µg/L.

Several inorganic compounds were detected at levels exceeding the MCLs and/or Region 9 PRGs. These included aluminum, manganese, arsenic, cadmium, and iron for wells from all areas sampled. These compounds were also detected at concentrations exceeding the Facility-Wide Background Criteria for many of the wells. Table 4-1 in Section 4 presents a summary of all inorganic compounds and the associated wells that had detections exceeding MCLs, Region 9 PRGs and/or Facility-Wide Background Criteria.

The facility-wide groundwater conditions are still being evaluated, including background levels for all inorganic compounds. This will also include an evaluation of aluminum, arsenic, cadmium, iron, and manganese related to exceedances of the MCLs. The elevated concentrations of the subject parameters will be evaluated with respect to Ravenna's Draft Facility-Wide Clean Up Goals (CUGs).

Table 3-3 FWGWMP April 2009 Inorganics Analytical Results

Station ID				LL6mw-004	LL6mw-005	LL6mw-006	LL6mw-007	LL7mw-001	LL7mw-002	LL7mw-003	LL7mw-004
Sample ID	MCL	Region 9 PRG		FWGLL6mw-004C-1297-GF	FWGLL6mw-005C-1298-GF	FWGLL6mw-006C-1299-GF	FWGLL6mw-007C-1300-GF	FWGLL7mw-001C-1301-GF	FWGLL7mw-002C-1302-GF	FWGLL7mw-003C-1303-GF	FWGLL7mw-004C-1304-GF
Date Collected				4/22/2009	4/22/2009	4/23/2009	4/22/2009	4/23/2009	4/23/2009	4/23/2009	4/23/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units										
Aluminum	µg/L	200	36000	50.0 U	50.0 U	50.0 U	50.0 U	50.0 U	50.0 U	50.0 U	50.0 U
Antimony	µg/L	6	15	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Arsenic	µg/L	10	0.045	5.0 U	<b>14.9</b>	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Barium	µg/L	2000	2600	<b>36.4</b>	<b>66.1</b>	<b>17.8</b>	<b>13.8</b>	<b>22.8</b>	<b>56.2</b>	<b>50.2</b>	<b>43.2</b>
Beryllium	µg/L	4	73	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Cadmium	µg/L	5	18	0.50 U	0.50 U	<b>0.36 J</b>	<b>0.24 J</b>	0.50 U	0.50 U	0.50 U	0.50 U
Calcium	µg/L	NS	NS	<b>72100</b>	<b>79800</b>	<b>72900</b>	<b>56200</b>	<b>33200</b>	<b>33100</b>	<b>16400</b>	<b>9230</b>
Chromium	µg/L	100	110	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Cobalt	µg/L	NS	730	5.0 U	5.0 U	5.0 U	5.0 U	<b>6.9</b>	5.0 U	<b>4.2 J</b>	<b>7.1</b>
Copper	µg/L	1300	1500	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Cyanide	mg/L	0.2	0.73	0.010 U	0.010 U	0.010 U	0.010 U	0.010 U	0.010 U	0.010 U	0.010 U
Iron	µg/L	300	11000	<b>1310 B</b>	<b>949 B</b>	50.0 U	50.0 U	<b>8240 J</b>	50.0 U	<b>22100</b>	<b>20000 J</b>
Lead	µg/L	15	NS	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U
Magnesium	µg/L	NS	NS	<b>32500</b>	<b>25200</b>	<b>26900</b>	<b>23800</b>	<b>11700</b>	<b>6800</b>	<b>5910</b>	<b>7070</b>
Manganese	µg/L	50	880	<b>183 J</b>	<b>579 J</b>	<b>0.86 JB</b>	<b>393 J</b>	<b>488 J</b>	<b>2.4 JB</b>	<b>1430 J</b>	<b>1340 J</b>
Mercury	µg/L	2	11	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Nickel	µg/L	NS	730	10.0 U	10.0 U	10.0 U	10.0 U	<b>10.0 B</b>	<b>4.2 J</b>	<b>5.9 J</b>	<b>9.8 JB</b>
Potassium	µg/L	NS	NS	<b>1200 J</b>	<b>1010 J</b>	<b>1180 J</b>	757 UJB	<b>1030 J</b>	<b>1620 J</b>	<b>1190 J</b>	<b>1270 J</b>
Selenium	µg/L	50	180	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Silver	µg/L	100	180	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Sodium	µg/L	NS	NS	<b>12000</b>	<b>8760</b>	<b>7220</b>	<b>7930</b>	<b>5160</b>	<b>2040</b>	<b>5200</b>	<b>15700</b>
Thallium	µg/L	2	2.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.16 UJ
Vanadium	µg/L	NS	36	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Zinc	µg/L	5000	11000	<b>4.9 JB</b>	<b>4.3 JB</b>	<b>6.0 JB</b>	<b>3.8 JB</b>	<b>56.7 J</b>	<b>14.3 B</b>	<b>15.8 B</b>	<b>18.6 B</b>

Notes:

NS = no standard

**Bold** = detected compound above the MDL

N/A = Not Analyzed



Table 3-3 FWGWMP April 2009 Inorganics Analytical Results

Station ID				LL7mw-005	LL7mw-006	LL8mw-001	LL8mw-002	LL8mw-003	LL8mw-004	LL8mw-005	LL8mw-006
Sample ID	MCL	Region 9 PRG		FWGLL7mw-005C-1305-GF	FWGLL7mw-006C-1306-GF	FWGLL8mw-001C-1307-GF	FWGLL8mw-002C-1308-GF	FWGLL8mw-003C-1309-GF	FWGLL8mw-004C-1310-GF	FWGLL8mw-005C-1311-GF	FWGLL8mw-006C-1312-GF
Date Collected				4/23/2009	4/23/2009	4/27/2009	4/27/2009	4/27/2009	4/27/2009	4/27/2009	4/27/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units										
Aluminum	µg/L	200	36000	50.0 U	50.0 U	<b>103</b>	50.0 U	50.0 U	50.0 U	50.0 U	50.0 U
Antimony	µg/L	6	15	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Arsenic	µg/L	10	0.045	5.0 U	5.0 U	5.0 U	<b>5.5</b>	5.0 U	5.0 U	5.0 U	5.0 U
Barium	µg/L	2000	2600	<b>119</b>	<b>17.6</b>	<b>22.6</b>	<b>34.3</b>	<b>23.7</b>	<b>10.4</b>	<b>11.4</b>	<b>14.1</b>
Beryllium	µg/L	4	73	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Cadmium	µg/L	5	18	0.50 U	<b>0.36 J</b>	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U
Calcium	µg/L	NS	NS	<b>6690</b>	<b>10700</b>	<b>72400 J</b>	<b>99100 J</b>	<b>137000 J</b>	<b>78900 J</b>	<b>63100 J</b>	<b>71100 J</b>
Chromium	µg/L	100	110	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Cobalt	µg/L	NS	730	<b>11.3</b>	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Copper	µg/L	1300	1500	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Cyanide	mg/L	0.2	0.73	0.010 U	0.010 U	<b>0.0057 J</b>	0.010 U	0.010 U	0.010 U	0.010 U	0.010 U
Iron	µg/L	300	11000	<b>211 B</b>	<b>1030 B</b>	<b>238</b>	<b>3390</b>	<b>515</b>	50.0 U	<b>790</b>	50.0 U
Lead	µg/L	15	NS	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U
Magnesium	µg/L	NS	NS	<b>3220</b>	<b>6860</b>	<b>40700</b>	<b>44500</b>	<b>49400</b>	<b>38800</b>	<b>21900</b>	<b>28600</b>
Manganese	µg/L	50	880	<b>1650 J</b>	<b>1210 J</b>	<b>62.3</b>	<b>315</b>	<b>367</b>	<b>23.5</b>	<b>2760</b>	0.88 UJB
Mercury	µg/L	2	11	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Nickel	µg/L	NS	730	<b>12.1</b>	<b>8.3 J</b>	10.0 U	<b>7.7 J</b>	10.0 U	10.0 U	<b>3.4 J</b>	10.0 U
Potassium	µg/L	NS	NS	<b>984 J</b>	<b>858 J</b>	<b>1280 J</b>	<b>4540 J</b>	<b>3800 J</b>	<b>1050 J</b>	668 UJB	<b>1380 J</b>
Selenium	µg/L	50	180	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Silver	µg/L	100	180	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Sodium	µg/L	NS	NS	<b>5450</b>	<b>6580</b>	<b>11700</b>	<b>31800</b>	<b>44900</b>	<b>19100</b>	<b>11200</b>	<b>5460</b>
Thallium	µg/L	2	2.4	0.17 UJ	1.0 U	1.0 U	1.0 U	0.15 UJ	1.0 U	1.0 U	1.0 U
Vanadium	µg/L	NS	36	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Zinc	µg/L	5000	11000	<b>14.1 B</b>	<b>17.5 B</b>	<b>3.0 JB</b>	<b>2.9 JB</b>	<b>2.3 JB</b>	<b>2.5 JB</b>	<b>5.2 JB</b>	<b>2.6 JB</b>

Notes:

NS = no standard

**Bold** = detected compound above the MDL

N/A = Not Analyzed

Table 3-3 FWGWMP April 2009 Inorganics Analytical Results

Station ID				LL9mw-001	LL9mw-002	LL9mw-003	LL9mw-004	LL9mw-005	LL9mw-006	LL9mw-007	LL10mw-001
Sample ID	MCL	Region 9 PRG		FWGLL9mw-001C-1313-GF	FWGLL9mw-002C-1314-GF	FWGLL9mw-003C-1315-GF	FWGLL9mw-004C-1316-GF	FWGLL9mw-005C-1317-GF	FWGLL9mw-006C-1318-GF	FWGLL9mw-007C-1319-GF	FWGLL10mw-001C-1320-GF
Date Collected				4/29/2009	4/29/2009	4/29/2009	4/29/2009	4/28/2009	4/28/2009	4/28/2009	4/28/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units										
Aluminum	µg/L	200	36000	50.0 U	<b>122</b>	50.0 U	50.0 U	<b>84.0</b>	<b>28.7 J</b>	50.0 U	50.0 U
Antimony	µg/L	6	15	2.0 U	2.0 U	2.0 U	<b>0.18 J</b>	2.0 U	2.0 U	2.0 U	2.0 U
Arsenic	µg/L	10	0.045	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Barium	µg/L	2000	2600	<b>9.9 J</b>	<b>1.2 J</b>	<b>10.2</b>	<b>35.2</b>	<b>3.1 JB</b>	<b>68.3 J</b>	<b>14.5 J</b>	<b>4.4 J</b>
Beryllium	µg/L	4	73	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Cadmium	µg/L	5	18	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U
Calcium	µg/L	NS	NS	<b>34300</b>	<b>18100</b>	<b>38200</b>	<b>12600</b>	<b>7880 J</b>	<b>4660 J</b>	<b>8410 J</b>	<b>77200 J</b>
Chromium	µg/L	100	110	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Cobalt	µg/L	NS	730	5.0 U	5.0 U	5.0 U	<b>6.2</b>	5.0 U	5.0 U	<b>2.9 J</b>	5.0 U
Copper	µg/L	1300	1500	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Cyanide	mg/L	0.2	0.73	0.010 UJ	0.010 U	0.010 UJ	0.010 UJ	0.010 UJ	0.010 UJ	0.010 UJ	<b>0.0071 J</b>
Iron	µg/L	300	11000	50.0 U	50.0 U	50.0 U	<b>8160</b>	<b>168</b>	<b>519</b>	<b>2380</b>	50.0 U
Lead	µg/L	15	NS	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U
Magnesium	µg/L	NS	NS	<b>9630</b>	<b>6950</b>	<b>9390</b>	<b>10600</b>	<b>3320 J</b>	<b>5290 J</b>	<b>6310 J</b>	<b>28600 J</b>
Manganese	µg/L	50	880	<b>1.6 J</b>	<b>121</b>	<b>9.4 J</b>	<b>2330</b>	<b>2.5 JB</b>	<b>96.9 J</b>	<b>306 J</b>	<b>0.59 JB</b>
Mercury	µg/L	2	11	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Nickel	µg/L	NS	730	10.0 U	<b>20.7</b>	10.0 U	<b>8.7 J</b>	10.0 U	<b>11.0</b>	<b>11.3</b>	10.0 U
Potassium	µg/L	NS	NS	<b>859 J</b>	<b>1130 J</b>	<b>2750 J</b>	829 UJB	592 UJB	<b>1260 J</b>	<b>1400 J</b>	<b>1070 J</b>
Selenium	µg/L	50	180	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Silver	µg/L	100	180	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Sodium	µg/L	NS	NS	<b>3360</b>	<b>2530</b>	<b>5420</b>	<b>4810</b>	<b>2200</b>	<b>1990</b>	<b>2810</b>	<b>9940</b>
Thallium	µg/L	2	2.4	1.0 U	0.14 UJB	0.28 UJB	1.0 U	1.0 UJ	1.0 UJ	1.0 UJ	0.31 UJ
Vanadium	µg/L	NS	36	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	<b>0.84 J</b>
Zinc	µg/L	5000	11000	<b>8.7 JB</b>	<b>11.5 B</b>	<b>6.8 JB</b>	<b>21.8 B</b>	<b>22.8 B</b>	<b>20.2 B</b>	<b>43.4 J</b>	<b>5.3 JB</b>

Notes:

NS = no standard

**Bold** = detected compound above the MDL

N/A = Not Analyzed

Table 3-3 FWGWMP April 2009 Inorganics Analytical Results

Station ID				LL10mw-002	LL10mw-003	LL10mw-004	LL10mw-005	LL10mw-006	LL11mw-001	LL11mw-003	LL11mw-004
Sample ID	MCL	Region 9 PRG		FWGLL10mw-002C-1321-GF	FWGLL10mw-003C-1322-GF	FWGLL10mw-004C-1323-GF	FWGLL10mw-005C-1324-GF	FWGLL10mw-006C-1325-GF	FWGLL11mw-001C-1326-GF	FWGLL11mw-003C-1327-GF	FWGLL11mw-004C-1328-GF
Date Collected				4/27/2009	4/27/2009	4/28/2009	4/27/2009	4/27/2009	4/23/2009	4/23/2009	4/23/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units										
Aluminum	µg/L	200	36000	50.0 U	50.0 U	50.0 U	50.0 U	50.0 U	50.0 U	50.0 U	50.0 U
Antimony	µg/L	6	15	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Arsenic	µg/L	10	0.045	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Barium	µg/L	2000	2600	<b>16.5</b>	<b>3.8 J</b>	<b>3.2 JB</b>	<b>4.6 J</b>	<b>12.2</b>	<b>25.5</b>	<b>29.1</b>	<b>54.7</b>
Beryllium	µg/L	4	73	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Cadmium	µg/L	5	18	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	<b>0.32 J</b>	<b>5.1</b>
Calcium	µg/L	NS	NS	<b>26900 J</b>	<b>70400 J</b>	<b>72300 J</b>	<b>62000 J</b>	<b>17800 J</b>	<b>73100</b>	<b>93900</b>	<b>79400</b>
Chromium	µg/L	100	110	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Cobalt	µg/L	NS	730	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Copper	µg/L	1300	1500	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Cyanide	mg/L	0.2	0.73	0.010 U	0.010 U	0.010 U	0.010 U	0.010 U	0.010 U	0.010 U	0.010 U
Iron	µg/L	300	11000	50.0 U	50.0 U	<b>51.4</b>	50.0 U	50.0 U	50.0 U	50.0 U	<b>43.9 JB</b>
Lead	µg/L	15	NS	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U
Magnesium	µg/L	NS	NS	<b>7390</b>	<b>23800</b>	<b>21800 J</b>	<b>14700</b>	<b>7050</b>	<b>26300</b>	<b>26700</b>	<b>26800</b>
Manganese	µg/L	50	880	0.91 UJB	0.75 UJB	<b>11.2 J</b>	<b>9.7 J</b>	<b>2.1 JB</b>	<b>146 J</b>	<b>333 J</b>	<b>572 J</b>
Mercury	µg/L	2	11	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Nickel	µg/L	NS	730	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Potassium	µg/L	NS	NS	<b>822 UJ</b>	630 UJB	701 UJB	635 UJB	<b>876 J</b>	<b>823 J</b>	<b>1270 J</b>	<b>1010 J</b>
Selenium	µg/L	50	180	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Silver	µg/L	100	180	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Sodium	µg/L	NS	NS	<b>4110</b>	<b>5840</b>	<b>4080</b>	<b>3220</b>	<b>2470</b>	<b>19600</b>	<b>8880</b>	<b>12400</b>
Thallium	µg/L	2	2.4	1.0 U	1.0 U	0.31 UJ	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Vanadium	µg/L	NS	36	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Zinc	µg/L	5000	11000	4.7 UJ	<b>4.5 JB</b>	<b>5.7 JB</b>	<b>2.7 JB</b>	<b>4.0 JB</b>	<b>6.0 JB</b>	<b>47.2 B</b>	<b>66.6 J</b>

Notes:

NS = no standard

**Bold** = detected compound above the MDL

N/A = Not Analyzed

Table 3-3 FWGWMP April 2009 Inorganics Analytical Results

Station ID				LL11mw-005	LL11mw-006	LL11mw-008	LL11mw-009	LL11mw-010	ASYmw-001	ASYmw-002	ASYmw-003
Sample ID	MCL	Region 9 PRG		FWGLL11mw-005C-1329-GF	FWGLL11mw-006C-1330-GF	FWGLL11mw-008C-1331-GF	FWGLL11mw-009C-1332-GF	FWGLL11mw-010C-1333-GF	FWGASYmw-001C-1334-GF	FWGASYmw-002C-1335-GF	FWGASYmw-003C-1336-GF
Date Collected				4/23/2009	4/23/2009	4/23/2009	4/23/2009	4/23/2009	4/28/2009	4/28/2009	4/28/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units										
Aluminum	µg/L	200	36000	<b>46.6 J</b>	50.0 U	50.0 U	50.0 U	50.0 U	50.0 U	50.0 U	50.0 U
Antimony	µg/L	6	15	<b>0.15 JB</b>	2.0 U	<b>0.15 JB</b>	<b>0.13 JB</b>	2.0 U	<b>0.76 J</b>	2.0 U	2.0 U
Arsenic	µg/L	10	0.045	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Barium	µg/L	2000	2600	<b>33.3</b>	<b>19.1</b>	<b>32.9</b>	<b>77.6</b>	<b>74.4</b>	<b>16.1 J</b>	<b>9.2 J</b>	<b>17.6 J</b>
Beryllium	µg/L	4	73	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Cadmium	µg/L	5	18	<b>0.22 J</b>	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U
Calcium	µg/L	NS	NS	<b>8400</b>	<b>75200</b>	<b>114000</b>	<b>90200</b>	<b>76900</b>	<b>174000 J</b>	<b>83000 J</b>	<b>167000 J</b>
Chromium	µg/L	100	110	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Cobalt	µg/L	NS	730	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Copper	µg/L	1300	1500	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Cyanide	mg/L	0.2	0.73	0.010 U	0.010 U	0.010 U	0.010 U	0.010 U	0.010 UJ	0.010 UJ	0.010 UJ
Iron	µg/L	300	11000	50.0 U	50.0 U	50.0 U	50.0 U	50.0 U	50.0 U	50.0 U	50.0 U
Lead	µg/L	15	NS	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U
Magnesium	µg/L	NS	NS	<b>4010</b>	<b>16200</b>	<b>32300</b>	<b>29600</b>	<b>30500</b>	<b>56800 J</b>	<b>19200 J</b>	<b>53400 J</b>
Manganese	µg/L	50	880	<b>41.8 J</b>	<b>0.85 JB</b>	<b>14.0 J</b>	<b>900 J</b>	<b>130 J</b>	<b>94.7 J</b>	<b>0.54 JB</b>	<b>49.2 J</b>
Mercury	µg/L	2	11	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Nickel	µg/L	NS	730	<b>7.2 J</b>	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Potassium	µg/L	NS	NS	409 UJB	555 UJB	771 UJ	<b>935 J</b>	<b>1320 J</b>	<b>1210 J</b>	<b>911 J</b>	<b>903 J</b>
Selenium	µg/L	50	180	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Silver	µg/L	100	180	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Sodium	µg/L	NS	NS	<b>2470</b>	<b>7240</b>	<b>4210</b>	<b>12300</b>	<b>14400</b>	<b>9220</b>	<b>5570</b>	<b>28200</b>
Thallium	µg/L	2	2.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.14 UJ	1.0 UJ	1.0 UJ
Vanadium	µg/L	NS	36	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Zinc	µg/L	5000	11000	<b>12.1 B</b>	<b>9.4 JB</b>	<b>8.8 JB</b>	<b>3.8 JB</b>	<b>5.3 JB</b>	<b>5.0 JB</b>	<b>4.0 JB</b>	<b>4.4 JB</b>

Notes:

NS = no standard

**Bold** = detected compound above the MDL

N/A = Not Analyzed

Table 3-3 FWGWMP April 2009 Inorganics Analytical Results

Station ID				ASYmw-004	ASYmw-005	ASYmw-006	ASYmw-007	ASYmw-008	ASYmw-009	ASYmw-010	B12mw-012
Sample ID	MCL	Region 9 PRG	FWGASYmw-004C-1337-GF	FWGASYmw-005C-1338-GF	FWGASYmw-006C-1339-GF	FWGASYmw-007C-1340-GF	FWGASYmw-008C-1341-GF	FWGASYmw-009C-1342-GF	FWGASYmw-010C-1343-GF	FWGASYmw-012C-1344-GF	
Date Collected			4/28/2009	4/28/2009	4/28/2009	4/28/2009	4/28/2009	4/28/2009	4/28/2009	4/28/2009	4/22/2009
Sample Type			Grab	Grab	Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units										
Aluminum	µg/L	200	36000	50.0 U	50.0 U	<b>506</b>	50.0 U	<b>7700 J</b>	50.0 U	50.0 U	50.0 U
Antimony	µg/L	6	15	<b>0.27 J</b>	2.0 U	2.0 U	<b>0.20 J</b>	<b>1.1 J</b>	<b>1.2 J</b>	2.0 U	2.0 U
Arsenic	µg/L	10	0.045	<b>18.4</b>	5.0 U	<b>20.1</b>	5.0 U	<b>24.6</b>	5.0 U	<b>37.2</b>	5.0 U
Barium	µg/L	2000	2600	<b>13.1 J</b>	<b>25.6 J</b>	<b>16.5 J</b>	<b>19.2 J</b>	<b>42.2 J</b>	<b>26.5 J</b>	<b>54.4 J</b>	<b>8.2 J</b>
Beryllium	µg/L	4	73	1.0 U	1.0 U	1.0 U	1.0 U	0.31 UJ	1.0 U	1.0 U	1.0 U
Cadmium	µg/L	5	18	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U
Calcium	µg/L	NS	NS	<b>160000 J</b>	<b>138000 J</b>	<b>120000 J</b>	<b>134000 J</b>	<b>189000 J</b>	<b>198000 J</b>	<b>109000 J</b>	<b>37500</b>
Chromium	µg/L	100	110	5.0 U	5.0 U	5.0 U	5.0 U	<b>10.2</b>	5.0 U	5.0 U	<b>2.4 J</b>
Cobalt	µg/L	NS	730	5.0 U	5.0 U	5.0 U	5.0 U	<b>7.4</b>	5.0 U	5.0 U	5.0 U
Copper	µg/L	1300	1500	5.0 U	5.0 U	5.0 U	5.0 U	<b>12.5</b>	5.0 U	5.0 U	5.0 U
Cyanide	mg/L	0.2	0.73	<b>0.0059 J</b>	0.010 UJ	0.010 UJ	0.010 UJ	0.010 UJ	0.010 UJ	0.010 UJ	0.010 U
Iron	µg/L	300	11000	<b>1650</b>	50.0 U	<b>1960</b>	50.0 U	<b>17300</b>	40.6 UJ	<b>1950</b>	50.0 U
Lead	µg/L	15	NS	3.0 U	3.0 U	3.0 U	3.0 U	<b>5.3</b>	3.0 U	3.0 U	3.0 U
Magnesium	µg/L	NS	NS	<b>81500 J</b>	<b>41300 J</b>	<b>77300 J</b>	<b>52200 J</b>	<b>90200 J</b>	<b>75400 J</b>	<b>97500 J</b>	<b>27700</b>
Manganese	µg/L	50	880	<b>244 J</b>	<b>132 J</b>	<b>195 J</b>	<b>149 J</b>	<b>375 J</b>	<b>580 J</b>	<b>65.3 J</b>	<b>163 J</b>
Mercury	µg/L	2	11	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Nickel	µg/L	NS	730	10.0 U	10.0 U	10.0 U	10.0 U	<b>15.8</b>	10.0 U	10.0 U	<b>9.9 J</b>
Potassium	µg/L	NS	NS	<b>2900 J</b>	<b>2070 J</b>	<b>2940 J</b>	<b>1140 J</b>	<b>5340 J</b>	<b>1340 J</b>	<b>2820 J</b>	<b>1850 J</b>
Selenium	µg/L	50	180	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Silver	µg/L	100	180	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Sodium	µg/L	NS	NS	<b>49500</b>	<b>42800</b>	<b>40500</b>	<b>31600</b>	<b>32200</b>	<b>23600</b>	<b>51200</b>	<b>18100</b>
Thallium	µg/L	2	2.4	1.0 UJ	0.30 UJ	1.0 UJ	1.0 UJ	1.0 UJ	0.14 UJ	1.0 UJ	0.15 UJ
Vanadium	µg/L	NS	36	10.0 U	10.0 U	10.0 U	10.0 U	<b>11.7</b>	10.0 U	10.0 U	10.0 U
Zinc	µg/L	5000	11000	<b>9.4 JB</b>	<b>4.7 JB</b>	<b>12.6 B</b>	<b>3.9 JB</b>	<b>40.8 J</b>	<b>6.1 JB</b>	<b>3.8 JB</b>	<b>8.9 JB</b>

Notes:

NS = no standard

**Bold** = detected compound above the MDL

N/A = Not Analyzed

Table 3-3 FWGWMP April 2009 Inorganics Analytical Results

Station ID				DEtmw-003	DEtmw-004	RQLmw-007	RQLmw-008	RQLmw-009
Sample ID	MCL	Region 9 PRG	FWGDEtmw-003C-1345-GF	FWGDEtmw-004C-1346-GF	FWGRQLmw-007C-1347-GF	FWGRQLmw-008C-1348-GF	FWGRQLmw-009C-1349-GF	
Date Collected			4/22/2009	4/22/2009	4/27/2009	4/27/2009	4/27/2009	4/27/2009
Sample Type			Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units							
Aluminum	µg/L	200	36000	50.0 U	50.0 U	50.0 U	50.0 U	50.0 U
Antimony	µg/L	6	15	2.0 U	<b>0.34 JB</b>	<b>0.25 J</b>	2.0 U	2.0 U
Arsenic	µg/L	10	0.045	<b>10.5</b>	5.0 U	<b>4.6 J</b>	<b>13.4</b>	5.0 U
Barium	µg/L	2000	2600	<b>48.6</b>	<b>50.7</b>	<b>34.1</b>	<b>103</b>	<b>20.1</b>
Beryllium	µg/L	4	73	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Cadmium	µg/L	5	18	0.50 U	0.50 U	<b>0.55</b>	0.50 U	0.50 U
Calcium	µg/L	NS	NS	<b>90300</b>	<b>119000</b>	<b>105000 J</b>	<b>53900 J</b>	<b>19600 J</b>
Chromium	µg/L	100	110	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Cobalt	µg/L	NS	730	5.0 U	5.0 U	<b>2.7 J</b>	<b>2.9 J</b>	<b>2.1 J</b>
Copper	µg/L	1300	1500	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Cyanide	mg/L	0.2	0.73	0.010 U	0.010 UJ	0.010 U	0.010 U	0.010 U
Iron	µg/L	300	11000	<b>1770</b>	50.0 U	<b>381</b>	<b>73400</b>	<b>1990</b>
Lead	µg/L	15	NS	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U
Magnesium	µg/L	NS	NS	<b>33900</b>	<b>24800</b>	<b>42900</b>	<b>55900</b>	<b>11500</b>
Manganese	µg/L	50	880	<b>281 J</b>	<b>1.2 JB</b>	<b>969</b>	<b>717</b>	<b>907</b>
Mercury	µg/L	2	11	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Nickel	µg/L	NS	730	10.0 U	10.0 U	<b>15.6</b>	<b>5.1 J</b>	10.0 U
Potassium	µg/L	NS	NS	<b>1610 J</b>	<b>1450 J</b>	<b>3710 J</b>	<b>3040 J</b>	<b>2770 J</b>
Selenium	µg/L	50	180	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Silver	µg/L	100	180	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Sodium	µg/L	NS	NS	<b>12800</b>	<b>2890</b>	<b>4390</b>	<b>4040</b>	<b>2020</b>
Thallium	µg/L	2	2.4	1.0 U	1.0 U	1.0 U	0.28 UJ	0.24 UJ
Vanadium	µg/L	NS	36	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Zinc	µg/L	5000	11000	<b>7.0 JB</b>	<b>12.4 B</b>	<b>37.5 J</b>	<b>11.6 B</b>	<b>11.6 B</b>

Notes:

NS = no standard

**Bold** = detected compound above the MDL

N/A = Not Analyzed

### Table 3-3 FWGWMP April 2009 Inorganics Analytical Results

#### Data Qualifiers

Data qualifier flags are used in an effort to describe the quality of each piece of data for each constituent. These flags are letter codes appended to the numerical data. The following data qualifiers are specified in the USACE Louisville Chemistry Guidelines (LCG). For a complete explanation of qualifiers used for each constituent please refer to the Data Verification Summaries in Appendix B.

- U- The analyte was analyzed for but not detected. The numerical value preceding the U is the associated reporting limit.
- J- The identification of the analyte is acceptable, but the quality assurance criteria indicate that the quantitative values may be outside the normal expected range of precision (i.e., the quantitative value is estimated). Examples include:
  - Results detected above the laboratory MDL but less than the laboratory reporting limit.
  - MS/MSD percent recoveries outside the acceptance criteria.
  - Laboratory control sample (LCS) percent recoveries outside acceptance criteria.
- R- Data are considered to be rejected and shall not be used. This flag denotes the failure of quality control criteria such that it cannot be determined if the analyte is present or absent from the sample [e.g., the method reporting limit (MRL) verification standard was below quality control guidelines; associated sample results that were non-detect are unusable].
- UJ- This flag is a combination of the U and J qualifiers which indicate that the analyte is not present. The reported value is considered to be an estimated reporting limit (RL).
- B- The B flag is used for both organic and inorganic analyses when the analyte is found in the method blank or any of the field blanks. This designation overrides the Contract Laboratory Program (CLP) "B" designation when used by the laboratory as an estimated value for inorganics.

**Table 3-4 RVAAP Facility-wide Background Criteria, (SAIC, 2001b)**

Media Units	Surface Soil mg/kg	Subsurface Soil mg/kg	Sediment mg/kg	Surface Water ug/L	Groundwater Bedrock Zone Filtered ug/L	Groundwater Bedrock Zone Unfiltered ug/L	Groundwater Unconsolidated Zone Filtered ug/L	Groundwater Unconsolidated Unfiltered ug/L
<b>Analyte</b>								
Cyanide	0	0	0	0	0	0	0	0
Aluminum	17700	19500	13900	3370	0	9410	0	0
Antimony	0.96	0.96	0	0	0	0	0	0
Arsenic	15.4	19.8	19.5	3.2	0	19.1	11.7	11.7
Barium	88.4	124	123	47.5	256	241	82.1	82.1
Beryllium	0.88	0.88	0.38	0	0	0	0	0
Cadmium	0	0	0	0	0	0	0	0
Calcium	15800	35500	5510	41400	53100	48200	115000	115000
Chromium	17.4	27.2	18.1	0	0	19.5	7.3	7.3
Cobalt	10.4	23.2	9.1	0	0	0	0	0
Copper	17.7	32.3	27.6	7.9	0	17	0	0
Iron	23100	35200	28200	2560	1430	21500	279	279
Lead	26.1	19.1	27.4	0	0	23	0	0
Magnesium	3030	8790	2760	10800	15000	13700	43300	43300
Manganese	1450	3030	1950	391	1340	1260	1020	1020
Mercury	0.036	0.044	0.059	0	0	0	0	0
Nickel	21.1	60.7	17.7	0	83.4	85.3	0	0
Potassium	927	3350	1950	3170	5770	6060	2890	2890
Selenium	104	105	107	0	0	0	0	0
Silver	0	0	0	0	0	0	0	0
Sodium	123	145	112	21300	51400	49700	45700	45700
Thallium	0	0.91	0.89	0	0	0	0	0
Vanadium	31.1	37.6	26.1	0	0	15.5	0	0
Zinc	61.8	93.3	532	42	52.3	193	60.9	60.9



### 3.2.3 Volatile Organic Compounds (VOCs)

VOC analytical results are summarized in Table 3-5. The following VOCs were detected above the MDL for this sampling event.

- 1,1-Dichloroethane – LL7mw-001 (3.1 µg/L). There is no MCL for 1,1-dichloroethane. The Region 9 PRG is 810 µg/L.
- 1,1-Dichloroethene – LL7mw-001 (6.5 µg/L). The MCL for 1,1-dichloroethene is 7 µg/L. The Region 9 PRG is 340 µg/L.
- Carbon Tetrachloride – LL10mw-001 (0.94 µg/L), LL10mw-003 (0.63 µg/L). The MCL for Carbon tetrachloride is 5 µg/L. The Region 9 PRG is 0.17 µg/L.
- 1,1,1-Trichloroethane – LL7mw-001 (8.8 µg/L J). There is no MCL for 1,1,1-trichloroethane. The Region 9 PRG is 3,200 µg/L.
- Tetrachloroethene – LL11mw-009 (3.6 µg/L). The MCL for Tetrachloroethene is 5 µg/L. The Region 9 PRG is 0.1 µg/L.

As shown in Table 3-5, the only VOCs detected at levels above the MCLs or Region 9 PRGs during the April 2009 event were:

- Carbon Tetrachloride at a concentration exceeding the Region 9 PRG of 0.17 µg/L [LL10mw-003 (3.7 µg/L)].
- Tetrachloroethene at a concentration exceeding the Region 9 PRG of 0.1 µg/L [LL11mw-009 (3.6 µg/L)].

### 3.2.4 Semivolatile Organic Compounds (SVOCs)

SVOC analytical results are summarized in Table 3-6. The following SVOCs were detected above the MDL for this sampling event. Note that 2,4-Dinitrotoluene and 2,6-Dinitrotoluene are analyzed and reported under both SW-846 Methods 8330 (explosives and propellants and 8270 (SVOCs).

- Phenanthrene – LL9mw-002 (0.57 µg/L B), LL9mw-004 (0.26 µg/L J B). There is no MCL or Region 9 PRG for Phenanthrene.
- Bis(2-Ethylhexyl)phthalate – LL6mw-004 (69 µg/L B), LL 6mw-005 (0.97 µg/L J), LL6mw-006 (5.9 µg/L J), LL6mw-007 (6.7 µg/L J B), LL7mw-001 (4.1 µg/L J), LL7mw-003 (1.8 µg/L J B), LL7mw-004 (1.0 µg/L J), LL7mw-005 (2.0 µg/L J B), LL8mw-001 (3.9 µg/L J B), LL8mw-002 (1.7 µg/L J B), LL8mw-003 (1.1 µg/L J B), LL8mw-004 (3.1 µg/L J B), LL8mw-005 (1.2 µg/L J B), LL8mw-006 (1.6 µg/L J B), LL9mw-001 (1.1 µg/L J B), LL9mw-002 (1.0 µg/L J B), LL9mw-003 (2.6 µg/L J B), LL9mw-004 (1.3 µg/L J B), LL9mw-005 (2.3 µg/L J B),

LL9mw-006 (2.3 µg/L J B), LL9mw-007 (1.9 µg/L J B), LL10mw-001 (5.5 µg/L J B), LL10MW-002 (1.5 µg/L J B), LL10mw-003 (0.88 µg/L J B), LL10mw-004 (3.9 µg/L J B), LL10mw-005 (4.1 µg/L J B), LL10mw-006 (1.2 µg/L J B), LL11mw-001 (1.6 µg/L J B), LL11mw-003 (0.93 µg/L J B), LL11mw-004 (1.0 µg/L J), LL11mw-008 (1.0 µg/L J B), ASYmw-002 (1.3 µg/L J B), ASYmw-003 (1.5 µg/L J B), ASYmw-004 (1.6 µg/L J B), ASYmw-005 (1.5 µg/L J B), ASYmw-006 (2.1 µg/L J B), ASYmw-009 (2.3 µg/L J B), B12mw-012 (1.8 µg/L J B), DETmw-003 (5.5 µg/L J B), DETmw-004 (0.91 µg/L J B), RQLmw-008 (7.5 µg/L J B), RQLmw-009 (47 µg/L) There is no MCL for Bis(2-Ethylhexyl)phthalate. The Region 9 PRG is 4.8 µg/L.

Note that method blanks associated with many of these samples had contamination for bis(2-ethylhexyl)phthalate below 1/2 the method reporting limit (MRL). The low level detections (i.e. < RL) in these samples are therefore attributed to low level laboratory contamination and were flagged with a B qualifier.

As shown in Table 3-6 the only SVOC detected at levels above the Region 9 PRGs was bis(2-Ethylhexyl)phthalate at the following wells:

- LL6mw-004 (69 µg/L B), LL6mw-006 (5.9 µg/L J), L16mw-007 (6.7 µg/L J B), LL10mw-001 (5.5 µg/L J B), DETmw-003 (5.5 µg/L J B), RQLmw-008 (7.5 µg/L J B), RQLmw-009 (47 µg/L) The Region 9 PRG is 4.8 µg/L.

Note that several other wells had detected concentrations of bis(2-Ethylhexyl)phthalate above the Region 9 PRG but these were attributed to method blank contamination.

### **3.2.5 Pesticides and Polychlorinated Biphenyls (PCBs)**

Pesticides and PCBs analytical results are summarized in Table 3-7. The following pesticides and PCBs were detected above the MDL for this sampling event.

- beta-BHC – LL9mw-001 (0.014 µg/L J), LL0mw-006 (0.0086 µg/L J), LL10mw-001 (0.0085 µg/L J), ASYmw-006 (0.019 µg/L J). There is no MCL for beta-BHC. The Region 9 PRG is 0.037 µg/L.

As shown in Table 3-7 the no pesticides/PCBs were detected at levels above the Region 9 PRGs.

Table 3-5 FWGWMP April 2009 VOCs Analytical Results

Station ID				LL6mw-004	LL6mw-005	LL6mw-006	LL6mw-007	LL7mw-001	LL7mw-002	LL7mw-003	LL7mw-004
Sample ID		MCL	Region 9 PRG	FWGLL6mw-004C-1297-GW	FWGLL6mw-005C-1298-GW	FWGLL6mw-006C-1299-GW	FWGLL6mw-007C-1300-GW	FWGLL7mw-001C-1301-GW	FWGLL7mw-002C-1302-GW	FWGLL7mw-003C-1303-GW	FWGLL7mw-004C-1304-GW
Date Collected				4/22/2009	4/22/2009	4/23/2009	4/22/2009	4/23/2009	4/23/2009	4/23/2009	4/23/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units										
1,1,1-Trichloroethane	µg/L	NS	3200	1.0 U	1.0 U	1.0 U	1.0 U	<b>8.8</b>	1.0 U	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	µg/L	NS	0.052	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-Trichloroethane	µg/L	NS	0.2	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethane	µg/L	NS	810	1.0 U	1.0 U	1.0 U	1.0 U	<b>3.1</b>	1.0 U	1.0 U	1.0 U
1,1-Dichloroethene (total)	µg/L	7	340	1.0 U	1.0 U	1.0 U	1.0 U	<b>6.5</b>	1.0 U	1.0 U	1.0 U
1,2-Dibromoethane	µg/L	NS	0.0056	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethane	µg/L	5	0.12	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethene (total)	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloropropane	µg/L	5	0.16	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Butanone	µg/L	NS	7000	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	µg/L	NS	NS	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
4-Methyl-2-pentanone	µg/L	NS	NS	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Acetone	µg/L	NS	5500	10 U	10 UJ	10 UJ	10 UJ	10 UJ	10 U	10 U	10 UJ
Benzene	µg/L	5	0.35	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromochloromethane	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromodichloromethane	µg/L	NS	0.18	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromoform	µg/L	NS	8.5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromomethane	µg/L	NS	8.7	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon disulfide	µg/L	NS	1000	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon tetrachloride	µg/L	5	0.17	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chlorobenzene	µg/L	NS	110	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroethane	µg/L	NS	4.6	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroform	µg/L	NS	0.17	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloromethane	µg/L	NS	160	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
cis-1,2-dichloroethene	µg/L	70	61	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
cis-1,3-Dichloropropene	µg/L	NS	0.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Dibromochloromethane	µg/L	NS	0.13	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Ethylbenzene	µg/L	700	1300	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
m&p-xylenes	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Methylene chloride	µg/L	NS	4.3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
o-xylene	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Styrene	µg/L	100	1600	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Tetrachloroethene	µg/L	5	0.1	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Toluene	µg/L	1000	720	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Total Xylenes	µg/L	10000	210	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
trans-1,2-dichloroethene	µg/L	100	120	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
trans-1,3-Dichloropropene	µg/L	NS	0.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Trichloroethene	µg/L	5	0.028	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Vinyl chloride	µg/L	2	0.02	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U

Notes:

NS = no standard

**Bold** = detected compound above the MDL

Table 3-5 FWGWMP April 2009 VOCs Analytical Results

Station ID				LL7mw-005	LL7mw-006	LL8mw-001	LL8mw-002	LL8mw-003	LL8mw-004	LL8mw-005	LL8mw-006
Sample ID		MCL	Region 9 PRG	FWGLL7mw-005C-1305-GW	FWGLL7mw-006C-1306-GW	FWGLL8mw-001C-1307-GW	FWGLL8mw-002C-1308-GW	FWGLL8mw-003C-1309-GW	FWGLL8mw-004C-1310-GW	FWGLL8mw-005C-1311-GW	FWGLL8mw-006C-1312-GW
Date Collected				4/23/2009	4/23/2009	4/27/2009	4/27/2009	4/27/2009	4/27/2009	4/27/2009	4/27/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units										
1,1,1-Trichloroethane	µg/L	NS	3200	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	µg/L	NS	0.052	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-Trichloroethane	µg/L	NS	0.2	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethane	µg/L	NS	810	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethene (total)	µg/L	7	340	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dibromoethane	µg/L	NS	0.0056	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethane	µg/L	5	0.12	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethene (total)	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloropropane	µg/L	5	0.16	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Butanone	µg/L	NS	7000	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	µg/L	NS	NS	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
4-Methyl-2-pentanone	µg/L	NS	NS	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Acetone	µg/L	NS	5500	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Benzene	µg/L	5	0.35	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromochloromethane	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromodichloromethane	µg/L	NS	0.18	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromoform	µg/L	NS	8.5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromomethane	µg/L	NS	8.7	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon disulfide	µg/L	NS	1000	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon tetrachloride	µg/L	5	0.17	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chlorobenzene	µg/L	NS	110	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroethane	µg/L	NS	4.6	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroform	µg/L	NS	0.17	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloromethane	µg/L	NS	160	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
cis-1,2-dichloroethene	µg/L	70	61	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
cis-1,3-Dichloropropene	µg/L	NS	0.4	1.0 U	1.0 U	1.0 UJ	1.0 UJ	1.0 UJ	1.0 UJ	1.0 UJ	1.0 UJ
Dibromochloromethane	µg/L	NS	0.13	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Ethylbenzene	µg/L	700	1300	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
m&p-xylenes	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Methylene chloride	µg/L	NS	4.3	2.0 U	2.0 U	2.0 UJ	2.0 UJ	2.0 UJ	2.0 UJ	2.0 UJ	2.0 UJ
o-xylene	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Styrene	µg/L	100	1600	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Tetrachloroethene	µg/L	5	0.1	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Toluene	µg/L	1000	720	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Total Xylenes	µg/L	10000	210	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
trans-1,2-dichloroethene	µg/L	100	120	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
trans-1,3-Dichloropropene	µg/L	NS	0.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Trichloroethene	µg/L	5	0.028	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Vinyl chloride	µg/L	2	0.02	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U

Notes:

NS = no standard

**Bold** = detected compound above the MDL

Table 3-5 FWGWMP April 2009 VOCs Analytical Results

Station ID				LL9mw-001	LL9mw-002	LL9mw-003	LL9mw-004	LL9mw-005	LL9mw-006	LL9mw-007	LL10mw-001
Sample ID		MCL	Region 9 PRG	FWGLL9mw-001C-1313-GW	FWGLL9mw-002C-1314-GW	FWGLL9mw-003C-1315-GW	FWGLL9mw-004C-1316-GW	FWGLL9mw-005C-1317-GW	FWGLL9mw-006C-1318-GW	FWGLL9mw-007C-1319-GW	FWGLL10mw-001C-1320-GW
Date Collected				4/29/2009	4/29/2009	4/29/2009	4/29/2009	4/28/2009	4/28/2009	4/28/2009	4/28/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units										
1,1,1-Trichloroethane	µg/L	NS	3200	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	µg/L	NS	0.052	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-Trichloroethane	µg/L	NS	0.2	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethane	µg/L	NS	810	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethene (total)	µg/L	7	340	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dibromoethane	µg/L	NS	0.0056	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethane	µg/L	5	0.12	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethene (total)	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloropropane	µg/L	5	0.16	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Butanone	µg/L	NS	7000	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	µg/L	NS	NS	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
4-Methyl-2-pentanone	µg/L	NS	NS	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Acetone	µg/L	NS	5500	10 UJ	10 UJ	10 UJ	10 UJ	10 UJ	10 UJ	10 UJ	10 UJ
Benzene	µg/L	5	0.35	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromochloromethane	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromodichloromethane	µg/L	NS	0.18	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromoform	µg/L	NS	8.5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromomethane	µg/L	NS	8.7	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon disulfide	µg/L	NS	1000	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon tetrachloride	µg/L	5	0.17	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	<b>0.94 J</b>
Chlorobenzene	µg/L	NS	110	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroethane	µg/L	NS	4.6	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroform	µg/L	NS	0.17	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloromethane	µg/L	NS	160	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
cis-1,2-dichloroethene	µg/L	70	61	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
cis-1,3-Dichloropropene	µg/L	NS	0.4	1.0 UJ	1.0 UJ	1.0 UJ	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U
Dibromochloromethane	µg/L	NS	0.13	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Ethylbenzene	µg/L	700	1300	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
m&p-xylenes	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Methylene chloride	µg/L	NS	4.3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
o-xylene	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Styrene	µg/L	100	1600	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Tetrachloroethene	µg/L	5	0.1	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Toluene	µg/L	1000	720	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Total Xylenes	µg/L	10000	210	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
trans-1,2-dichloroethene	µg/L	100	120	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
trans-1,3-Dichloropropene	µg/L	NS	0.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Trichloroethene	µg/L	5	0.028	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Vinyl chloride	µg/L	2	0.02	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U

Notes:

NS = no standard

**Bold** = detected compound above the MDL

Table 3-5 FWGWMP April 2009 VOCs Analytical Results

Station ID				LL10mw-002	LL10mw-003	LL10mw-004	LL10mw-005	LL10mw-006	LL11mw-001	LL11mw-003	LL11mw-004
Sample ID		MCL	Region 9 PRG	FWGLL10mw-002C-1321-GW	FWGLL10mw-003C-1322-GW	FWGLL10mw-004C-1323-GW	FWGLL10mw-005C-1324-GW	FWGLL10mw-006C-1325-GW	FWGLL11mw-001C-1326-GW	FWGLL11mw-003C-1327-GW	FWGLL11mw-004C-1328-GW
Date Collected				4/27/2009	4/27/2009	4/28/2009	4/27/2009	4/27/2009	4/23/2009	4/23/2009	4/23/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units										
1,1,1-Trichloroethane	µg/L	NS	3200	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	µg/L	NS	0.052	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-Trichloroethane	µg/L	NS	0.2	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethane	µg/L	NS	810	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethene (total)	µg/L	7	340	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dibromoethane	µg/L	NS	0.0056	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethane	µg/L	5	0.12	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethene (total)	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloropropane	µg/L	5	0.16	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Butanone	µg/L	NS	7000	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	µg/L	NS	NS	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
4-Methyl-2-pentanone	µg/L	NS	NS	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Acetone	µg/L	NS	5500	10 U	10 U	10 UJ	10 U	10 U	10 U	10 UJ	10 UJ
Benzene	µg/L	5	0.35	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromochloromethane	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromodichloromethane	µg/L	NS	0.18	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromoform	µg/L	NS	8.5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromomethane	µg/L	NS	8.7	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon disulfide	µg/L	NS	1000	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon tetrachloride	µg/L	5	0.17	1.0 U	<b>0.63 J</b>	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chlorobenzene	µg/L	NS	110	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroethane	µg/L	NS	4.6	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroform	µg/L	NS	0.17	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloromethane	µg/L	NS	160	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
cis-1,2-dichloroethene	µg/L	70	61	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
cis-1,3-Dichloropropene	µg/L	NS	0.4	1.0 UJ	1.0 UJ	1.0 U	1.0 UJ	1.0 UJ	1.0 U	1.0 U	1.0 U
Dibromochloromethane	µg/L	NS	0.13	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Ethylbenzene	µg/L	700	1300	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
m&p-xylenes	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Methylene chloride	µg/L	NS	4.3	2.0 UJ	2.0 UJ	2.0 U	2.0 UJ	2.0 UJ	2.0 U	2.0 U	2.0 U
o-xylene	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Styrene	µg/L	100	1600	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Tetrachloroethene	µg/L	5	0.1	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Toluene	µg/L	1000	720	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Total Xylenes	µg/L	10000	210	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
trans-1,2-dichloroethene	µg/L	100	120	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
trans-1,3-Dichloropropene	µg/L	NS	0.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Trichloroethene	µg/L	5	0.028	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Vinyl chloride	µg/L	2	0.02	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U

Notes:

NS = no standard

**Bold** = detected compound above the MDL

Table 3-5 FWGWMP April 2009 VOCs Analytical Results

Station ID				LL11mw-005	LL11mw-006	LL11mw-008	LL11mw-009	LL11mw-010	ASYmw-001	ASYmw-002	ASYmw-003
Sample ID		MCL	Region 9 PRG	FWGLL11mw-005C-1329-GW	FWGLL11mw-006C-1330-GW	FWGLL11mw-008C-1331-GW	FWGLL11mw-009C-1332-GW	FWGLL11mw-010C-1333-GW	FWGASYmw-001C-1334-GW	FWGASYmw-002C-1335-GW	FWGASYmw-003C-1336-GW
Date Collected				4/23/2009	4/23/2009	4/23/2009	4/23/2009	4/23/2009	4/28/2009	4/28/2009	4/28/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units										
1,1,1-Trichloroethane	µg/L	NS	3200	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	µg/L	NS	0.052	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-Trichloroethane	µg/L	NS	0.2	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethane	µg/L	NS	810	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethene (total)	µg/L	7	340	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dibromoethane	µg/L	NS	0.0056	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethane	µg/L	5	0.12	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethene (total)	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloropropane	µg/L	5	0.16	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Butanone	µg/L	NS	7000	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	µg/L	NS	NS	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
4-Methyl-2-pentanone	µg/L	NS	NS	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Acetone	µg/L	NS	5500	10 U	10 U	10 U	10 U	10 U	10 UJ	10 UJ	10 UJ
Benzene	µg/L	5	0.35	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromochloromethane	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromodichloromethane	µg/L	NS	0.18	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromoform	µg/L	NS	8.5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromomethane	µg/L	NS	8.7	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon disulfide	µg/L	NS	1000	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon tetrachloride	µg/L	5	0.17	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chlorobenzene	µg/L	NS	110	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroethane	µg/L	NS	4.6	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroform	µg/L	NS	0.17	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloromethane	µg/L	NS	160	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
cis-1,2-dichloroethene	µg/L	70	61	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
cis-1,3-Dichloropropene	µg/L	NS	0.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Dibromochloromethane	µg/L	NS	0.13	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Ethylbenzene	µg/L	700	1300	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
m&p-xylenes	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Methylene chloride	µg/L	NS	4.3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
o-xylene	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Styrene	µg/L	100	1600	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Tetrachloroethene	µg/L	5	0.1	1.0 U	1.0 U	1.0 U	<b>3.6</b>	1.0 U	1.0 U	1.0 U	1.0 U
Toluene	µg/L	1000	720	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Total Xylenes	µg/L	10000	210	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
trans-1,2-dichloroethene	µg/L	100	120	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
trans-1,3-Dichloropropene	µg/L	NS	0.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Trichloroethene	µg/L	5	0.028	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Vinyl chloride	µg/L	2	0.02	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U

Notes:

NS = no standard

**Bold** = detected compound above the MDL

Table 3-5 FWGWMP April 2009 VOCs Analytical Results

Station ID				ASYmw-004	ASYmw-005	ASYmw-006	ASYmw-007	ASYmw-008	ASYmw-009	ASYmw-010	B12mw-012
Sample ID		MCL	Region 9 PRG	FWGASYmw-004C-1337-GW	FWGASYmw-005C-1338-GW	FWGASYmw-006C-1339-GW	FWGASYmw-007C-1340-GW	FWGASYmw-008C-1341-GW	FWGASYmw-009C-1342-GW	FWGASYmw-010C-1343-GW	FWGB12mw-012C-1344-GW
Date Collected				4/28/2009	4/28/2009	4/28/2009	4/28/2009	4/28/2009	4/28/2009	4/28/2009	4/22/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units										
1,1,1-Trichloroethane	µg/L	NS	3200	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	µg/L	NS	0.052	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-Trichloroethane	µg/L	NS	0.2	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethane	µg/L	NS	810	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethene (total)	µg/L	7	340	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dibromoethane	µg/L	NS	0.0056	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethane	µg/L	5	0.12	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethene (total)	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloropropane	µg/L	5	0.16	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Butanone	µg/L	NS	7000	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	µg/L	NS	NS	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
4-Methyl-2-pentanone	µg/L	NS	NS	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Acetone	µg/L	NS	5500	10 UJ	10 UJ	10 UJ	10 UJ	10 UJ	10 UJ	10 UJ	10 U
Benzene	µg/L	5	0.35	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromochloromethane	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromodichloromethane	µg/L	NS	0.18	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromoform	µg/L	NS	8.5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromomethane	µg/L	NS	8.7	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon disulfide	µg/L	NS	1000	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon tetrachloride	µg/L	5	0.17	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chlorobenzene	µg/L	NS	110	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroethane	µg/L	NS	4.6	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroform	µg/L	NS	0.17	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloromethane	µg/L	NS	160	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
cis-1,2-dichloroethene	µg/L	70	61	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
cis-1,3-Dichloropropene	µg/L	NS	0.4	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Dibromochloromethane	µg/L	NS	0.13	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Ethylbenzene	µg/L	700	1300	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
m&p-xylenes	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Methylene chloride	µg/L	NS	4.3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
o-xylene	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Styrene	µg/L	100	1600	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Tetrachloroethene	µg/L	5	0.1	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Toluene	µg/L	1000	720	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Total Xylenes	µg/L	10000	210	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
trans-1,2-dichloroethene	µg/L	100	120	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
trans-1,3-Dichloropropene	µg/L	NS	0.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Trichloroethene	µg/L	5	0.028	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Vinyl chloride	µg/L	2	0.02	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U

Notes:

NS = no standard

**Bold** = detected compound above the MDL



Table 3-5 FWGWMP April 2009 VOCs Analytical Results

Station ID				DETMw-003	DETMw-004	RQLmw-007	RQLmw-008	RQLmw-009
Sample ID		MCL	Region 9 PRG	FWGDETMw-003C-1345-GW	FWGDETMw-004C-1346-GW	FWGRQLmw-007C-1347-GW	FWGRQLmw-008C-1348-GW	FWGRQLmw-009C-1349-GW
Date Collected				4/22/2009	4/22/2009	4/27/2009	4/27/2009	4/27/2009
Sample Type				Grab	Grab	Grab	Grab	Grab
Analyte	Units							
1,1,1-Trichloroethane	µg/L	NS	3200	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	µg/L	NS	0.052	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-Trichloroethane	µg/L	NS	0.2	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethane	µg/L	NS	810	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethene (total)	µg/L	7	340	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dibromoethane	µg/L	NS	0.0056	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethane	µg/L	5	0.12	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethene (total)	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloropropane	µg/L	5	0.16	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Butanone	µg/L	NS	7000	10 U	10 U	10 U	10 U	10 U
2-Hexanone	µg/L	NS	NS	10 U	10 U	10 U	10 U	10 U
4-Methyl-2-pentanone	µg/L	NS	NS	10 U	10 U	10 U	10 U	10 U
Acetone	µg/L	NS	5500	10 U	10 U	10 U	10 U	10 U
Benzene	µg/L	5	0.35	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromochloromethane	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromodichloromethane	µg/L	NS	0.18	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromoform	µg/L	NS	8.5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromomethane	µg/L	NS	8.7	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon disulfide	µg/L	NS	1000	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon tetrachloride	µg/L	5	0.17	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chlorobenzene	µg/L	NS	110	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroethane	µg/L	NS	4.6	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroform	µg/L	NS	0.17	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloromethane	µg/L	NS	160	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
cis-1,2-dichloroethene	µg/L	70	61	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
cis-1,3-Dichloropropene	µg/L	NS	0.4	1.0 U	1.0 U	1.0 UJ	1.0 UJ	1.0 UJ
Dibromochloromethane	µg/L	NS	0.13	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Ethylbenzene	µg/L	700	1300	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
m&p-xylenes	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Methylene chloride	µg/L	NS	4.3	2.0 U	2.0 U	2.0 UJ	2.0 UJ	2.0 UJ
o-xylene	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Styrene	µg/L	100	1600	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Tetrachloroethene	µg/L	5	0.1	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Toluene	µg/L	1000	720	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Total Xylenes	µg/L	10000	210	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
trans-1,2-dichloroethene	µg/L	100	120	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
trans-1,3-Dichloropropene	µg/L	NS	0.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Trichloroethene	µg/L	5	0.028	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Vinyl chloride	µg/L	2	0.02	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U

Notes:

NS = no standard

**Bold** = detected compound above the MDL

### Table 3-5 FWGWMP April 2009 VOCs Analytical Results

#### Data Qualifiers

Data qualifier flags are used in an effort to describe the quality of each piece of data for each constituent. These flags are letter codes appended to the numerical data. The following data qualifiers are specified in the USACE Louisville Chemistry Guidelines (LCG). For a complete explanation of qualifiers used for each constituent please refer to the Data Verification Summaries in Appendix B.

- U- The analyte was analyzed for but not detected. The numerical value preceding the U is the associated reporting limit.
- J- The identification of the analyte is acceptable, but the quality assurance criteria indicate that the quantitative values may be outside the normal expected range of precision (i.e., the quantitative value is estimated). Examples include:
  - Results detected above the laboratory MDL but less than the laboratory reporting limit.
  - MS/MSD percent recoveries outside the acceptance criteria.
  - Laboratory control sample (LCS) percent recoveries outside acceptance criteria.
- R- Data are considered to be rejected and shall not be used. This flag denotes the failure of quality control criteria such that it cannot be determined if the analyte is present or absent from the sample [e.g., the method reporting limit (MRL) verification standard was below quality control guidelines; associated sample results that were non-detect are unusable].
- UJ- This flag is a combination of the U and J qualifiers which indicate that the analyte is not present. The reported value is considered to be an estimated reporting limit (RL).
- B- The B flag is used for both organic and inorganic analyses when the analyte is found in the method blank or any of the field blanks. This designation overrides the Contract Laboratory Program (CLP) "B" designation when used by the laboratory as an estimated value for inorganics.

Table 3-6 FWGWMP April 2009 SVOCs Analytical Results

Station ID				LL6mw-004	LL6mw-005	LL6mw-006	LL6mw-007	LL7mw-001	LL7mw-002	LL7mw-003
Sample ID		MCL	Region 9 PRG	FWGLL6mw-004C-1297-GW	FWGLL6mw-005C-1298-GW	FWGLL6mw-006C-1299-GW	FWGLL6mw-007C-1300-GW	FWGLL7mw-001C-1301-GW	FWGLL7mw-002C-1302-GW	FWGLL7mw-003C-1303-GW
Date Collected				4/22/2009	4/22/2009	4/23/2009	4/22/2009	4/23/2009	4/23/2009	4/23/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units									
1,2,4-Trichlorobenzene	µg/L	NS	7.2	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichlorobenzene	µg/L	NS	370	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,3-Dichlorobenzene	µg/L	NS	180	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,4-Dichlorobenzene	µg/L	NS	0.5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2,2-oxybis (1-chloropropane)	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2,4,5-Trichlorophenol	µg/L	NS	3600	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,4,6-Trichlorophenol	µg/L	NS	3.6	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,4-Dichlorophenol	µg/L	NS	110	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
2,4-Dimethylphenol	µg/L	NS	730	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
2,4-Dinitrophenol	µg/L	NS	73	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,4-Dinitrotoluene	µg/L	NS	73	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,6-Dinitrotoluene	µg/L	NS	36	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2-Chloronaphthalene	µg/L	NS	490	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Chlorophenol	µg/L	NS	30	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Methylnaphthalene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
2-Methylphenol	µg/L	NS	1800	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Nitroaniline	µg/L	NS	110	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
2-Nitrophenol	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
3,3'-Dichlorobenzidine	µg/L	NS	0.15	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
3-Nitroaniline	µg/L	NS	3.2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4,6-Dinitro-2-methylphenol	µg/L	NS	NS	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
4-Bromophenyl phenyl ether	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Chloro-3-methylphenol	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Chloroaniline	µg/L	NS	150	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Chlorophenyl phenyl ether	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Methylphenol	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
4-Nitroaniline	µg/L	NS	3.2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Nitrophenol	µg/L	NS	NS	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Acenaphthene	µg/L	NS	370	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Acenaphthylene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Anthracene	µg/L	NS	1800	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo(a)anthracene	µg/L	NS	0.092	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo(a)pyrene	µg/L	0.2	0.0092	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo(b)fluoranthene	µg/L	NS	0.092	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo(g,h,i)perylene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U

Table 3-6 FWGWMP April 2009 SVOCs Analytical Results

Station ID				LL6mw-004	LL6mw-005	LL6mw-006	LL6mw-007	LL7mw-001	LL7mw-002	LL7mw-003
Sample ID	MCL	Region 9 PRG	FWGLL6mw-004C-1297-GW	FWGLL6mw-005C-1298-GW	FWGLL6mw-006C-1299-GW	FWGLL6mw-007C-1300-GW	FWGLL7mw-001C-1301-GW	FWGLL7mw-002C-1302-GW	FWGLL7mw-003C-1303-GW	
Date Collected			4/22/2009	4/22/2009	4/23/2009	4/22/2009	4/23/2009	4/23/2009	4/23/2009	
Sample Type			Grab	Grab	Grab	Grab	Grab	Grab	Grab	
Analyte	Units									
Benzo(k)fluoranthene	µg/L	NS	0.92	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzoic acid	µg/L	NS	150000	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Benzyl alcohol	µg/L	NS	NS	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
bis(2-Chloroethoxy)methane	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
bis(2-Chloroethyl) ether	µg/L	NS	0.001	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
bis(2-Ethylhexyl) phthalate	µg/L	NS	4.8	<b>69 B</b>	<b>0.97 J</b>	<b>5.9 J</b>	<b>6.7 JB</b>	<b>4.1 J</b>	10 U	<b>1.8 JB</b>
Butyl benzyl phthalate	µg/L	NS	7300	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbazole	µg/L	NS	3.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chrysene	µg/L	NS	9.2	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Dibenzo(a,h)anthracene	µg/L	NS	0.0093	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Dibenzofuran	µg/L	NS	12	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Diethyl phthalate	µg/L	NS	29,000	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Dimethyl phthalate	µg/L	NS	360000	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Di-n-butyl phthalate	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Di-n-octyl phthalate	µg/L	NS	1500	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Fluoranthene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Fluorene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Hexachlorobenzene	µg/L	1	0.042	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Hexachlorobutadiene	µg/L	NS	0.86	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Hexachlorocyclopentadiene	µg/L	50	220	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Hexachloroethane	µg/L	NS	4.8	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Indeno(1,2,3-cd)pyrene	µg/L	NS	0.092	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Isophorone	µg/L	NS	71	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Naphthalene	µg/L	NS	6.2	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Nitrobenzene	µg/L	NS	3.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
N-Nitroso-di-n-propylamine	µg/L	NS	9600	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
N-Nitrosodiphenylamine	µg/L	NS	14	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Pentachlorophenol	µg/L	1	0.56	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Phenanthrene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Phenol	µg/L	NS	11000	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Pyrene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U

Notes:

NS = no standard

**Bold** = detected compound above the MDL

N/A = Not Analyzed

Table 3-6 FWGWMP April 2009 SVOCs Analytical Results

Station ID				LL7mw-004	LL7mw-005	LL7mw-006	LL8mw-001	LL8mw-002	LL8mw-003	LL8mw-004
Sample ID		MCL	Region 9 PRG	FWGLL7mw-004C-1304-GW	FWGLL7mw-005C-1305-GW	FWGLL7mw-006C-1306-GW	FWGLL8mw-001C-1307-GW	FWGLL8mw-002C-1308-GW	FWGLL8mw-003C-1309-GW	FWGLL8mw-004C-1310-GW
Date Collected				4/23/2009	4/23/2009	4/23/2009	4/27/2009	4/27/2009	4/27/2009	4/27/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units									
1,2,4-Trichlorobenzene	µg/L	NS	7.2	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichlorobenzene	µg/L	NS	370	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,3-Dichlorobenzene	µg/L	NS	180	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,4-Dichlorobenzene	µg/L	NS	0.5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2,2-oxybis (1-chloropropane)	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2,4,5-Trichlorophenol	µg/L	NS	3600	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,4,6-Trichlorophenol	µg/L	NS	3.6	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,4-Dichlorophenol	µg/L	NS	110	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
2,4-Dimethylphenol	µg/L	NS	730	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
2,4-Dinitrophenol	µg/L	NS	73	5.0 U	5.0 UJ	5.0 UJ	5.0 UJ	5.0 UJ	5.0 UJ	5.0 UJ
2,4-Dinitrotoluene	µg/L	NS	73	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,6-Dinitrotoluene	µg/L	NS	36	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2-Chloronaphthalene	µg/L	NS	490	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Chlorophenol	µg/L	NS	30	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Methylnaphthalene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
2-Methylphenol	µg/L	NS	1800	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Nitroaniline	µg/L	NS	110	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
2-Nitrophenol	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
3,3'-Dichlorobenzidine	µg/L	NS	0.15	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
3-Nitroaniline	µg/L	NS	3.2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4,6-Dinitro-2-methylphenol	µg/L	NS	NS	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
4-Bromophenyl phenyl ether	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Chloro-3-methylphenol	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Chloroaniline	µg/L	NS	150	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Chlorophenyl phenyl ether	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Methylphenol	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
4-Nitroaniline	µg/L	NS	3.2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Nitrophenol	µg/L	NS	NS	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Acenaphthene	µg/L	NS	370	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Acenaphthylene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Anthracene	µg/L	NS	1800	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo(a)anthracene	µg/L	NS	0.092	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo(a)pyrene	µg/L	0.2	0.0092	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo(b)fluoranthene	µg/L	NS	0.092	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo(g,h,i)perylene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U

Table 3-6 FWGWMP April 2009 SVOCs Analytical Results

Station ID				LL7mw-004	LL7mw-005	LL7mw-006	LL8mw-001	LL8mw-002	LL8mw-003	LL8mw-004
Sample ID		MCL	Region 9 PRG	FWGLL7mw-004C-1304-GW	FWGLL7mw-005C-1305-GW	FWGLL7mw-006C-1306-GW	FWGLL8mw-001C-1307-GW	FWGLL8mw-002C-1308-GW	FWGLL8mw-003C-1309-GW	FWGLL8mw-004C-1310-GW
Date Collected				4/23/2009	4/23/2009	4/23/2009	4/27/2009	4/27/2009	4/27/2009	4/27/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units									
Benzo(k)fluoranthene	µg/L	NS	0.92	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzoic acid	µg/L	NS	150000	10 U	10 U	10 U	10 UJ	10 UJ	10 UJ	10 UJ
Benzyl alcohol	µg/L	NS	NS	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
bis(2-Chloroethoxy)methane	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
bis(2-Chloroethyl) ether	µg/L	NS	0.001	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
bis(2-Ethylhexyl) phthalate	µg/L	NS	4.8	<b>1.0 J</b>	<b>2.0 JB</b>	10 U	<b>3.9 JB</b>	<b>1.7 JB</b>	<b>1.1 JB</b>	<b>3.1 JB</b>
Butyl benzyl phthalate	µg/L	NS	7300	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbazole	µg/L	NS	3.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chrysene	µg/L	NS	9.2	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Dibenzo(a,h)anthracene	µg/L	NS	0.0093	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Dibenzofuran	µg/L	NS	12	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Diethyl phthalate	µg/L	NS	29,000	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Dimethyl phthalate	µg/L	NS	360000	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Di-n-butyl phthalate	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Di-n-octyl phthalate	µg/L	NS	1500	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Fluoranthene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Fluorene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Hexachlorobenzene	µg/L	1	0.042	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Hexachlorobutadiene	µg/L	NS	0.86	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Hexachlorocyclopentadiene	µg/L	50	220	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Hexachloroethane	µg/L	NS	4.8	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Indeno(1,2,3-cd)pyrene	µg/L	NS	0.092	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Isophorone	µg/L	NS	71	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Naphthalene	µg/L	NS	6.2	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Nitrobenzene	µg/L	NS	3.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
N-Nitroso-di-n-propylamine	µg/L	NS	9600	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
N-Nitrosodiphenylamine	µg/L	NS	14	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Pentachlorophenol	µg/L	1	0.56	5.0 U	5.0 U	5.0 U	5.0 UJ	5.0 UJ	5.0 UJ	5.0 UJ
Phenanthrene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Phenol	µg/L	NS	11000	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Pyrene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U

Notes:

NS = no standard

**Bold** = detected compound above the MDL

N/A = Not Analyzed

Table 3-6 FWGWMP April 2009 SVOCs Analytical Results

Station ID				LL8mw-005	LL8mw-006	LL9mw-001	LL9mw-002	LL9mw-003	LL9mw-004	LL9mw-005
Sample ID		MCL	Region 9 PRG	FWGLL8mw-005C-1311-GW	FWGLL8mw-006C-1312-GW	FWGLL9mw-001C-1313-GW	FWGLL9mw-002C-1314-GW	FWGLL9mw-003C-1315-GW	FWGLL9mw-004C-1316-GW	FWGLL9mw-005C-1317-GW
Date Collected				4/27/2009	4/27/2009	4/29/2009	4/29/2009	4/29/2009	4/29/2009	4/28/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units									
1,2,4-Trichlorobenzene	µg/L	NS	7.2	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichlorobenzene	µg/L	NS	370	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,3-Dichlorobenzene	µg/L	NS	180	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,4-Dichlorobenzene	µg/L	NS	0.5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2,2-oxybis (1-chloropropane)	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2,4,5-Trichlorophenol	µg/L	NS	3600	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 UJ	5.0 U
2,4,6-Trichlorophenol	µg/L	NS	3.6	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 UJ	5.0 U
2,4-Dichlorophenol	µg/L	NS	110	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 UJ	2.0 U
2,4-Dimethylphenol	µg/L	NS	730	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 UJ	2.0 U
2,4-Dinitrophenol	µg/L	NS	73	5.0 UJ	5.0 UJ	5.0 UJ	5.0 UJ	5.0 UJ	5.0 UJ	5.0 UJ
2,4-Dinitrotoluene	µg/L	NS	73	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,6-Dinitrotoluene	µg/L	NS	36	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2-Chloronaphthalene	µg/L	NS	490	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Chlorophenol	µg/L	NS	30	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U
2-Methylnaphthalene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
2-Methylphenol	µg/L	NS	1800	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U
2-Nitroaniline	µg/L	NS	110	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
2-Nitrophenol	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 UJ	2.0 U
3,3'-Dichlorobenzidine	µg/L	NS	0.15	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
3-Nitroaniline	µg/L	NS	3.2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4,6-Dinitro-2-methylphenol	µg/L	NS	NS	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 UJ	5.0 U
4-Bromophenyl phenyl ether	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Chloro-3-methylphenol	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 UJ	2.0 U
4-Chloroaniline	µg/L	NS	150	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Chlorophenyl phenyl ether	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Methylphenol	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U
4-Nitroaniline	µg/L	NS	3.2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Nitrophenol	µg/L	NS	NS	5.0 U	5.0 U	5.0 UJ	5.0 UJ	5.0 UJ	5.0 UJ	5.0 U
Acenaphthene	µg/L	NS	370	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 UJ	0.20 U
Acenaphthylene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Anthracene	µg/L	NS	1800	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo(a)anthracene	µg/L	NS	0.092	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo(a)pyrene	µg/L	0.2	0.0092	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo(b)fluoranthene	µg/L	NS	0.092	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo(g,h,i)perylene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U

Table 3-6 FWGWMP April 2009 SVOCs Analytical Results

Station ID				LL8mw-005	LL8mw-006	LL9mw-001	LL9mw-002	LL9mw-003	LL9mw-004	LL9mw-005
Sample ID	MCL	Region 9 PRG	FWGLL8mw-005C-1311-GW	FWGLL8mw-006C-1312-GW	FWGLL9mw-001C-1313-GW	FWGLL9mw-002C-1314-GW	FWGLL9mw-003C-1315-GW	FWGLL9mw-004C-1316-GW	FWGLL9mw-005C-1317-GW	
Date Collected			4/27/2009	4/27/2009	4/29/2009	4/29/2009	4/29/2009	4/29/2009	4/28/2009	
Sample Type			Grab	Grab	Grab	Grab	Grab	Grab	Grab	
Analyte	Units									
Benzo(k)fluoranthene	µg/L	NS	0.92	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzoic acid	µg/L	NS	150000	10 UJ	10 UJ	10 UJ	10 UJ	10 UJ	10 UJ	10 U
Benzyl alcohol	µg/L	NS	NS	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 UJ	5.0 U
bis(2-Chloroethoxy)methane	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
bis(2-Chloroethyl) ether	µg/L	NS	0.001	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
bis(2-Ethylhexyl) phthalate	µg/L	NS	4.8	<b>1.2 JB</b>	<b>1.6 JB</b>	<b>1.1 JB</b>	<b>1.0 JB</b>	<b>2.6 JB</b>	<b>1.3 JB</b>	<b>2.3 JB</b>
Butyl benzyl phthalate	µg/L	NS	7300	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbazole	µg/L	NS	3.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chrysene	µg/L	NS	9.2	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Dibenzo(a,h)anthracene	µg/L	NS	0.0093	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Dibenzofuran	µg/L	NS	12	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Diethyl phthalate	µg/L	NS	29,000	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Dimethyl phthalate	µg/L	NS	360000	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Di-n-butyl phthalate	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Di-n-octyl phthalate	µg/L	NS	1500	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Fluoranthene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Fluorene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 UJ	0.20 U
Hexachlorobenzene	µg/L	1	0.042	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Hexachlorobutadiene	µg/L	NS	0.86	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Hexachlorocyclopentadiene	µg/L	50	220	10 U	10 U	10 UJ	10 UJ	10 UJ	10 UJ	10 U
Hexachloroethane	µg/L	NS	4.8	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Indeno(1,2,3-cd)pyrene	µg/L	NS	0.092	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Isophorone	µg/L	NS	71	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Naphthalene	µg/L	NS	6.2	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Nitrobenzene	µg/L	NS	3.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
N-Nitroso-di-n-propylamine	µg/L	NS	9600	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
N-Nitrosodiphenylamine	µg/L	NS	14	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Pentachlorophenol	µg/L	1	0.56	5.0 UJ	5.0 UJ	5.0 UJ	5.0 UJ	5.0 UJ	5.0 UJ	5.0 U
Phenanthrene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	<b>0.57 B</b>	0.20 U	<b>0.26 JB</b>	0.20 U
Phenol	µg/L	NS	11000	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U
Pyrene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U

Notes:

NS = no standard

**Bold** = detected compound above the MDL

N/A = Not Analyzed



Table 3-6 FWGWMP April 2009 SVOCs Analytical Results

Station ID				LL9mw-006	LL9mw-007	LL10mw-001	LL10mw-002	LL10mw-003	LL10mw-004	LL10mw-005
Sample ID		MCL	Region 9 PRG	FWGLL9mw-006C-1318-GW	FWGLL9mw-007C-1319-GW	FWGLL10mw-001C-1320-GW	FWGLL10mw-002C-1321-GW	FWGLL10mw-003C-1322-GW	FWGLL10mw-004C-1323-GW	FWGLL10mw-005C-1324-GW
Date Collected				4/28/2009	4/28/2009	4/28/2009	4/27/2009	4/27/2009	4/28/2009	4/27/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units									
1,2,4-Trichlorobenzene	µg/L	NS	7.2	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichlorobenzene	µg/L	NS	370	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,3-Dichlorobenzene	µg/L	NS	180	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,4-Dichlorobenzene	µg/L	NS	0.5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2,2-oxybis (1-chloropropane)	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2,4,5-Trichlorophenol	µg/L	NS	3600	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,4,6-Trichlorophenol	µg/L	NS	3.6	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,4-Dichlorophenol	µg/L	NS	110	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
2,4-Dimethylphenol	µg/L	NS	730	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
2,4-Dinitrophenol	µg/L	NS	73	5.0 UJ	5.0 UJ	5.0 UJ	5.0 UJ	5.0 UJ	5.0 UJ	5.0 UJ
2,4-Dinitrotoluene	µg/L	NS	73	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,6-Dinitrotoluene	µg/L	NS	36	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2-Chloronaphthalene	µg/L	NS	490	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Chlorophenol	µg/L	NS	30	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Methylnaphthalene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
2-Methylphenol	µg/L	NS	1800	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Nitroaniline	µg/L	NS	110	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
2-Nitrophenol	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
3,3'-Dichlorobenzidine	µg/L	NS	0.15	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
3-Nitroaniline	µg/L	NS	3.2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4,6-Dinitro-2-methylphenol	µg/L	NS	NS	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
4-Bromophenyl phenyl ether	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Chloro-3-methylphenol	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Chloroaniline	µg/L	NS	150	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Chlorophenyl phenyl ether	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Methylphenol	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
4-Nitroaniline	µg/L	NS	3.2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Nitrophenol	µg/L	NS	NS	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Acenaphthene	µg/L	NS	370	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Acenaphthylene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Anthracene	µg/L	NS	1800	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo(a)anthracene	µg/L	NS	0.092	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo(a)pyrene	µg/L	0.2	0.0092	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo(b)fluoranthene	µg/L	NS	0.092	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo(g,h,i)perylene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U

Table 3-6 FWGWMP April 2009 SVOCs Analytical Results

Station ID				LL9mw-006	LL9mw-007	LL10mw-001	LL10mw-002	LL10mw-003	LL10mw-004	LL10mw-005
Sample ID		MCL	Region 9 PRG	FWGLL9mw-006C-1318-GW	FWGLL9mw-007C-1319-GW	FWGLL10mw-001C-1320-GW	FWGLL10mw-002C-1321-GW	FWGLL10mw-003C-1322-GW	FWGLL10mw-004C-1323-GW	FWGLL10mw-005C-1324-GW
Date Collected				4/28/2009	4/28/2009	4/28/2009	4/27/2009	4/27/2009	4/28/2009	4/27/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units									
Benzo(k)fluoranthene	µg/L	NS	0.92	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzoic acid	µg/L	NS	150000	10 U	10 U	10 U	10 UJ	10 UJ	10 U	10 UJ
Benzyl alcohol	µg/L	NS	NS	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
bis(2-Chloroethoxy)methane	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
bis(2-Chloroethyl) ether	µg/L	NS	0.001	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
bis(2-Ethylhexyl) phthalate	µg/L	NS	4.8	<b>2.3 JB</b>	<b>1.9 JB</b>	<b>5.5 JB</b>	<b>1.5 JB</b>	<b>0.88 JB</b>	<b>3.9 JB</b>	<b>4.1 JB</b>
Butyl benzyl phthalate	µg/L	NS	7300	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbazole	µg/L	NS	3.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chrysene	µg/L	NS	9.2	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Dibenzo(a,h)anthracene	µg/L	NS	0.0093	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Dibenzofuran	µg/L	NS	12	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Diethyl phthalate	µg/L	NS	29,000	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Dimethyl phthalate	µg/L	NS	360000	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Di-n-butyl phthalate	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Di-n-octyl phthalate	µg/L	NS	1500	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Fluoranthene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Fluorene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Hexachlorobenzene	µg/L	1	0.042	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Hexachlorobutadiene	µg/L	NS	0.86	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Hexachlorocyclopentadiene	µg/L	50	220	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Hexachloroethane	µg/L	NS	4.8	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Indeno(1,2,3-cd)pyrene	µg/L	NS	0.092	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Isophorone	µg/L	NS	71	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Naphthalene	µg/L	NS	6.2	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Nitrobenzene	µg/L	NS	3.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
N-Nitroso-di-n-propylamine	µg/L	NS	9600	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
N-Nitrosodiphenylamine	µg/L	NS	14	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Pentachlorophenol	µg/L	1	0.56	5.0 U	5.0 U	5.0 U	5.0 UJ	5.0 UJ	5.0 U	5.0 UJ
Phenanthrene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Phenol	µg/L	NS	11000	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Pyrene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U

Notes:

NS = no standard

**Bold** = detected compound above the MDL

N/A = Not Analyzed

Table 3-6 FWGWMP April 2009 SVOCs Analytical Results

Station ID				LL10mw-006	LL11mw-001	LL11mw-003	LL11mw-004	LL11mw-005	LL11mw-006	LL11mw-008
Sample ID		MCL	Region 9 PRG	FWGLL10mw-006C-1325-GW	FWGLL11mw-001C-1326-GW	FWGLL11mw-003C-1327-GW	FWGLL11mw-004C-1328-GW	FWGLL11mw-005C-1329-GW	FWGLL11mw-006C-1330-GW	FWGLL11mw-008C-1331-GW
Date Collected				4/27/2009	4/23/2009	4/23/2009	4/23/2009	4/23/2009	4/23/2009	4/23/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units									
1,2,4-Trichlorobenzene	µg/L	NS	7.2	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichlorobenzene	µg/L	NS	370	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,3-Dichlorobenzene	µg/L	NS	180	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,4-Dichlorobenzene	µg/L	NS	0.5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2,2-oxybis (1-chloropropane)	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2,4,5-Trichlorophenol	µg/L	NS	3600	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,4,6-Trichlorophenol	µg/L	NS	3.6	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,4-Dichlorophenol	µg/L	NS	110	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
2,4-Dimethylphenol	µg/L	NS	730	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
2,4-Dinitrophenol	µg/L	NS	73	5.0 UJ	5.0 U	5.0 U	5.0 U	5.0 UJ	5.0 UJ	5.0 UJ
2,4-Dinitrotoluene	µg/L	NS	73	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,6-Dinitrotoluene	µg/L	NS	36	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2-Chloronaphthalene	µg/L	NS	490	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Chlorophenol	µg/L	NS	30	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Methylnaphthalene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
2-Methylphenol	µg/L	NS	1800	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Nitroaniline	µg/L	NS	110	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
2-Nitrophenol	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
3,3'-Dichlorobenzidine	µg/L	NS	0.15	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
3-Nitroaniline	µg/L	NS	3.2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4,6-Dinitro-2-methylphenol	µg/L	NS	NS	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
4-Bromophenyl phenyl ether	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Chloro-3-methylphenol	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Chloroaniline	µg/L	NS	150	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Chlorophenyl phenyl ether	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Methylphenol	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
4-Nitroaniline	µg/L	NS	3.2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Nitrophenol	µg/L	NS	NS	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Acenaphthene	µg/L	NS	370	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Acenaphthylene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Anthracene	µg/L	NS	1800	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo(a)anthracene	µg/L	NS	0.092	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo(a)pyrene	µg/L	0.2	0.0092	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo(b)fluoranthene	µg/L	NS	0.092	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo(g,h,i)perylene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U

Table 3-6 FWGWMP April 2009 SVOCs Analytical Results

Station ID				LL10mw-006	LL11mw-001	LL11mw-003	LL11mw-004	LL11mw-005	LL11mw-006	LL11mw-008
Sample ID		MCL	Region 9 PRG	FWGLL10mw-006C-1325-GW	FWGLL11mw-001C-1326-GW	FWGLL11mw-003C-1327-GW	FWGLL11mw-004C-1328-GW	FWGLL11mw-005C-1329-GW	FWGLL11mw-006C-1330-GW	FWGLL11mw-008C-1331-GW
Date Collected				4/27/2009	4/23/2009	4/23/2009	4/23/2009	4/23/2009	4/23/2009	4/23/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units									
Benzo(k)fluoranthene	µg/L	NS	0.92	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzoic acid	µg/L	NS	150000	10 UJ	10 U	10 U	10 U	10 U	10 U	10 U
Benzyl alcohol	µg/L	NS	NS	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
bis(2-Chloroethoxy)methane	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
bis(2-Chloroethyl) ether	µg/L	NS	0.001	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
bis(2-Ethylhexyl) phthalate	µg/L	NS	4.8	<b>1.2 JB</b>	<b>1.6 JB</b>	<b>0.93 J</b>	<b>1.0 J</b>	10 U	10 U	<b>1.0 JB</b>
Butyl benzyl phthalate	µg/L	NS	7300	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbazole	µg/L	NS	3.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chrysene	µg/L	NS	9.2	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Dibenzo(a,h)anthracene	µg/L	NS	0.0093	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Dibenzofuran	µg/L	NS	12	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Diethyl phthalate	µg/L	NS	29,000	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Dimethyl phthalate	µg/L	NS	360000	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Di-n-butyl phthalate	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Di-n-octyl phthalate	µg/L	NS	1500	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Fluoranthene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Fluorene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Hexachlorobenzene	µg/L	1	0.042	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Hexachlorobutadiene	µg/L	NS	0.86	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Hexachlorocyclopentadiene	µg/L	50	220	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Hexachloroethane	µg/L	NS	4.8	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Indeno(1,2,3-cd)pyrene	µg/L	NS	0.092	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Isophorone	µg/L	NS	71	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Naphthalene	µg/L	NS	6.2	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Nitrobenzene	µg/L	NS	3.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
N-Nitroso-di-n-propylamine	µg/L	NS	9600	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
N-Nitrosodiphenylamine	µg/L	NS	14	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Pentachlorophenol	µg/L	1	0.56	5.0 UJ	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Phenanthrene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Phenol	µg/L	NS	11000	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Pyrene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U

Notes:

NS = no standard

**Bold** = detected compound above the MDL

N/A = Not Analyzed

Table 3-6 FWGWMP April 2009 SVOCs Analytical Results

Station ID				LL11mw-009	LL11mw-010	ASYmw-001	ASYmw-002	ASYmw-003	ASYmw-004	ASYmw-005
Sample ID		MCL	Region 9 PRG	FWGLL11mw-009C-1332-GW	FWGLL11mw-010C-1333-GW	FWGASYmw-001C-1334-GW	FWGASYmw-002C-1335-GW	FWGASYmw-003C-1336-GW	FWGASYmw-004C-1337-GW	FWGASYmw-005C-1338-GW
Date Collected				4/23/2009	4/23/2009	4/28/2009	4/28/2009	4/28/2009	4/28/2009	4/28/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units									
1,2,4-Trichlorobenzene	µg/L	NS	7.2	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichlorobenzene	µg/L	NS	370	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,3-Dichlorobenzene	µg/L	NS	180	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,4-Dichlorobenzene	µg/L	NS	0.5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2,2-oxybis (1-chloropropane)	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2,4,5-Trichlorophenol	µg/L	NS	3600	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,4,6-Trichlorophenol	µg/L	NS	3.6	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,4-Dichlorophenol	µg/L	NS	110	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
2,4-Dimethylphenol	µg/L	NS	730	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
2,4-Dinitrophenol	µg/L	NS	73	5.0 UJ	5.0 U	5.0 UJ	5.0 UJ	5.0 UJ	5.0 UJ	5.0 UJ
2,4-Dinitrotoluene	µg/L	NS	73	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,6-Dinitrotoluene	µg/L	NS	36	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2-Chloronaphthalene	µg/L	NS	490	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Chlorophenol	µg/L	NS	30	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Methylnaphthalene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
2-Methylphenol	µg/L	NS	1800	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Nitroaniline	µg/L	NS	110	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
2-Nitrophenol	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
3,3'-Dichlorobenzidine	µg/L	NS	0.15	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
3-Nitroaniline	µg/L	NS	3.2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4,6-Dinitro-2-methylphenol	µg/L	NS	NS	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
4-Bromophenyl phenyl ether	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Chloro-3-methylphenol	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Chloroaniline	µg/L	NS	150	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Chlorophenyl phenyl ether	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Methylphenol	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
4-Nitroaniline	µg/L	NS	3.2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Nitrophenol	µg/L	NS	NS	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Acenaphthene	µg/L	NS	370	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Acenaphthylene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Anthracene	µg/L	NS	1800	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo(a)anthracene	µg/L	NS	0.092	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo(a)pyrene	µg/L	0.2	0.0092	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo(b)fluoranthene	µg/L	NS	0.092	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo(g,h,i)perylene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U

Table 3-6 FWGWMP April 2009 SVOCs Analytical Results

Station ID				LL11mw-009	LL11mw-010	ASYmw-001	ASYmw-002	ASYmw-003	ASYmw-004	ASYmw-005
Sample ID		MCL	Region 9 PRG	FWGLL11mw-009C-1332-GW	FWGLL11mw-010C-1333-GW	FWGASYmw-001C-1334-GW	FWGASYmw-002C-1335-GW	FWGASYmw-003C-1336-GW	FWGASYmw-004C-1337-GW	FWGASYmw-005C-1338-GW
Date Collected				4/23/2009	4/23/2009	4/28/2009	4/28/2009	4/28/2009	4/28/2009	4/28/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units									
Benzo(k)fluoranthene	µg/L	NS	0.92	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzoic acid	µg/L	NS	150000	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Benzyl alcohol	µg/L	NS	NS	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
bis(2-Chloroethoxy)methane	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
bis(2-Chloroethyl) ether	µg/L	NS	0.001	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
bis(2-Ethylhexyl) phthalate	µg/L	NS	4.8	10 U	10 U	10 UJ	<b>1.3 JB</b>	<b>1.5 JB</b>	<b>1.6 JB</b>	<b>1.5 JB</b>
Butyl benzyl phthalate	µg/L	NS	7300	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbazole	µg/L	NS	3.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chrysene	µg/L	NS	9.2	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Dibenzo(a,h)anthracene	µg/L	NS	0.0093	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Dibenzofuran	µg/L	NS	12	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Diethyl phthalate	µg/L	NS	29,000	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Dimethyl phthalate	µg/L	NS	360000	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Di-n-butyl phthalate	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Di-n-octyl phthalate	µg/L	NS	1500	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Fluoranthene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Fluorene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Hexachlorobenzene	µg/L	1	0.042	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Hexachlorobutadiene	µg/L	NS	0.86	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Hexachlorocyclopentadiene	µg/L	50	220	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Hexachloroethane	µg/L	NS	4.8	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Indeno(1,2,3-cd)pyrene	µg/L	NS	0.092	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Isophorone	µg/L	NS	71	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Naphthalene	µg/L	NS	6.2	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Nitrobenzene	µg/L	NS	3.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
N-Nitroso-di-n-propylamine	µg/L	NS	9600	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
N-Nitrosodiphenylamine	µg/L	NS	14	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Pentachlorophenol	µg/L	1	0.56	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Phenanthrene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Phenol	µg/L	NS	11000	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Pyrene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U

Notes:

NS = no standard

**Bold** = detected compound above the MDL

N/A = Not Analyzed

Table 3-6 FWGWMP April 2009 SVOCs Analytical Results

Station ID				ASYmw-006	ASYmw-007	ASYmw-008	ASYmw-009	ASYmw-010	B12mw-012	DETMw-003
Sample ID		MCL	Region 9 PRG	FWGASYmw-006C-1339-GW	FWGASYmw-007C-1340-GW	FWGASYmw-008C-1341-GW	FWGASYmw-009C-1342-GW	FWGASYmw-010C-1343-GW	FWGB12mw-012C-1344-GW	FWGDETMw-003C-1345-GW
Date Collected				4/28/2009	4/28/2009	4/28/2009	4/28/2009	4/28/2009	4/22/2009	4/22/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units									
1,2,4-Trichlorobenzene	µg/L	NS	7.2	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichlorobenzene	µg/L	NS	370	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,3-Dichlorobenzene	µg/L	NS	180	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,4-Dichlorobenzene	µg/L	NS	0.5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2,2-oxybis (1-chloropropane)	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2,4,5-Trichlorophenol	µg/L	NS	3600	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,4,6-Trichlorophenol	µg/L	NS	3.6	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,4-Dichlorophenol	µg/L	NS	110	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
2,4-Dimethylphenol	µg/L	NS	730	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
2,4-Dinitrophenol	µg/L	NS	73	5.0 UJ	5.0 UJ	5.0 UJ	5.0 UJ	5.0 UJ	5.0 U	5.0 UJ
2,4-Dinitrotoluene	µg/L	NS	73	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,6-Dinitrotoluene	µg/L	NS	36	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2-Chloronaphthalene	µg/L	NS	490	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Chlorophenol	µg/L	NS	30	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Methylnaphthalene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
2-Methylphenol	µg/L	NS	1800	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Nitroaniline	µg/L	NS	110	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
2-Nitrophenol	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
3,3'-Dichlorobenzidine	µg/L	NS	0.15	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
3-Nitroaniline	µg/L	NS	3.2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4,6-Dinitro-2-methylphenol	µg/L	NS	NS	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
4-Bromophenyl phenyl ether	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Chloro-3-methylphenol	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Chloroaniline	µg/L	NS	150	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Chlorophenyl phenyl ether	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Methylphenol	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
4-Nitroaniline	µg/L	NS	3.2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Nitrophenol	µg/L	NS	NS	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Acenaphthene	µg/L	NS	370	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Acenaphthylene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Anthracene	µg/L	NS	1800	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo(a)anthracene	µg/L	NS	0.092	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo(a)pyrene	µg/L	0.2	0.0092	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo(b)fluoranthene	µg/L	NS	0.092	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo(g,h,i)perylene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U

Table 3-6 FWGWMP April 2009 SVOCs Analytical Results

Station ID				ASYmw-006	ASYmw-007	ASYmw-008	ASYmw-009	ASYmw-010	B12mw-012	DETMw-003
Sample ID		MCL	Region 9 PRG	FWGASYmw-006C-1339-GW	FWGASYmw-007C-1340-GW	FWGASYmw-008C-1341-GW	FWGASYmw-009C-1342-GW	FWGASYmw-010C-1343-GW	FWGB12mw-012C-1344-GW	FWGDETMw-003C-1345-GW
Date Collected				4/28/2009	4/28/2009	4/28/2009	4/28/2009	4/28/2009	4/22/2009	4/22/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units									
Benzo(k)fluoranthene	µg/L	NS	0.92	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzoic acid	µg/L	NS	150000	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Benzyl alcohol	µg/L	NS	NS	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
bis(2-Chloroethoxy)methane	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
bis(2-Chloroethyl) ether	µg/L	NS	0.001	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
bis(2-Ethylhexyl) phthalate	µg/L	NS	4.8	<b>2.1 JB</b>	10 U	10 U	<b>2.3 JB</b>	10 U	<b>1.8 JB</b>	<b>5.5 JB</b>
Butyl benzyl phthalate	µg/L	NS	7300	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbazole	µg/L	NS	3.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chrysene	µg/L	NS	9.2	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Dibenzo(a,h)anthracene	µg/L	NS	0.0093	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Dibenzofuran	µg/L	NS	12	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Diethyl phthalate	µg/L	NS	29,000	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Dimethyl phthalate	µg/L	NS	360000	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Di-n-butyl phthalate	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Di-n-octyl phthalate	µg/L	NS	1500	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Fluoranthene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Fluorene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Hexachlorobenzene	µg/L	1	0.042	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Hexachlorobutadiene	µg/L	NS	0.86	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Hexachlorocyclopentadiene	µg/L	50	220	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Hexachloroethane	µg/L	NS	4.8	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Indeno(1,2,3-cd)pyrene	µg/L	NS	0.092	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Isophorone	µg/L	NS	71	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Naphthalene	µg/L	NS	6.2	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Nitrobenzene	µg/L	NS	3.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
N-Nitroso-di-n-propylamine	µg/L	NS	9600	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
N-Nitrosodiphenylamine	µg/L	NS	14	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Pentachlorophenol	µg/L	1	0.56	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Phenanthrene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Phenol	µg/L	NS	11000	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Pyrene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U

Notes:

NS = no standard

**Bold** = detected compound above the MDL

N/A = Not Analyzed



Table 3-6 FWGWMP April 2009 SVOCs Analytical Results

Station ID				DETmw-004	RQLmw-007	RQLmw-008	RQLmw-009
Sample ID		MCL	Region 9 PRG	FWGDETmw-004C-1346-GW	FWGRQLmw-007C-1347-GW	FWGRQLmw-008C-1348-GW	FWGRQLmw-009C-1349-GW
Date Collected				4/22/2009	4/27/2009	4/27/2009	4/27/2009
Sample Type				Grab	Grab	Grab	Grab
Analyte	Units						
1,2,4-Trichlorobenzene	µg/L	NS	7.2	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichlorobenzene	µg/L	NS	370	1.0 U	1.0 U	1.0 U	1.0 U
1,3-Dichlorobenzene	µg/L	NS	180	1.0 U	1.0 U	1.0 U	1.0 U
1,4-Dichlorobenzene	µg/L	NS	0.5	1.0 U	1.0 U	1.0 U	1.0 U
2,2-oxybis (1-chloropropane)	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U
2,4,5-Trichlorophenol	µg/L	NS	3600	5.0 U	5.0 U	5.0 U	5.0 U
2,4,6-Trichlorophenol	µg/L	NS	3.6	5.0 U	5.0 U	5.0 U	5.0 U
2,4-Dichlorophenol	µg/L	NS	110	2.0 U	2.0 U	2.0 U	2.0 U
2,4-Dimethylphenol	µg/L	NS	730	2.0 U	2.0 U	2.0 U	2.0 U
2,4-Dinitrophenol	µg/L	NS	73	5.0 UJ	5.0 UJ	5.0 UJ	5.0 UJ
2,4-Dinitrotoluene	µg/L	NS	73	5.0 U	5.0 U	5.0 U	5.0 U
2,6-Dinitrotoluene	µg/L	NS	36	5.0 U	5.0 U	5.0 U	5.0 U
2-Chloronaphthalene	µg/L	NS	490	1.0 U	1.0 U	1.0 U	1.0 U
2-Chlorophenol	µg/L	NS	30	1.0 U	1.0 U	1.0 U	1.0 U
2-Methylnaphthalene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U
2-Methylphenol	µg/L	NS	1800	1.0 U	1.0 U	1.0 U	1.0 U
2-Nitroaniline	µg/L	NS	110	2.0 U	2.0 U	2.0 U	2.0 U
2-Nitrophenol	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U
3,3'-Dichlorobenzidine	µg/L	NS	0.15	5.0 U	5.0 U	5.0 U	5.0 U
3-Nitroaniline	µg/L	NS	3.2	2.0 U	2.0 U	2.0 U	2.0 U
4,6-Dinitro-2-methylphenol	µg/L	NS	NS	5.0 U	5.0 U	5.0 U	5.0 U
4-Bromophenyl phenyl ether	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U
4-Chloro-3-methylphenol	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U
4-Chloroaniline	µg/L	NS	150	2.0 U	2.0 U	2.0 U	2.0 U
4-Chlorophenyl phenyl ether	µg/L	NS	NS	2.0 U	2.0 U	2.0 U	2.0 U
4-Methylphenol	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U
4-Nitroaniline	µg/L	NS	3.2	2.0 U	2.0 U	2.0 U	2.0 U
4-Nitrophenol	µg/L	NS	NS	5.0 U	5.0 U	5.0 U	5.0 U
Acenaphthene	µg/L	NS	370	0.20 U	0.20 U	0.20 U	0.20 U
Acenaphthylene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U
Anthracene	µg/L	NS	1800	0.20 U	0.20 U	0.20 U	0.20 U
Benzo(a)anthracene	µg/L	NS	0.092	0.20 U	0.20 U	0.20 U	0.20 U
Benzo(a)pyrene	µg/L	0.2	0.0092	0.20 U	0.20 U	0.20 U	0.20 U
Benzo(b)fluoranthene	µg/L	NS	0.092	0.20 U	0.20 U	0.20 U	0.20 U
Benzo(g,h,i)perylene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U

Table 3-6 FWGWMP April 2009 SVOCs Analytical Results

Station ID				DETMw-004	RQLmw-007	RQLmw-008	RQLmw-009
Sample ID		MCL	Region 9 PRG	FWGDETMw-004C-1346-GW	FWGRQLmw-007C-1347-GW	FWGRQLmw-008C-1348-GW	FWGRQLmw-009C-1349-GW
Date Collected				4/22/2009	4/27/2009	4/27/2009	4/27/2009
Sample Type				Grab	Grab	Grab	Grab
Analyte	Units						
Benzo(k)fluoranthene	µg/L	NS	0.92	0.20 U	0.20 U	0.20 U	0.20 U
Benzoic acid	µg/L	NS	150000	10 U	10 UJ	10 UJ	10 UJ
Benzyl alcohol	µg/L	NS	NS	5.0 U	5.0 U	5.0 U	5.0 U
bis(2-Chloroethoxy)methane	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U
bis(2-Chloroethyl) ether	µg/L	NS	0.001	1.0 U	1.0 U	1.0 U	1.0 U
bis(2-Ethylhexyl) phthalate	µg/L	NS	4.8	<b>1.5 JB</b>	10 U	<b>7.5 JB</b>	<b>47</b>
Butyl benzyl phthalate	µg/L	NS	7300	1.0 U	1.0 U	1.0 U	1.0 U
Carbazole	µg/L	NS	3.4	1.0 U	1.0 U	1.0 U	1.0 U
Chrysene	µg/L	NS	9.2	0.20 U	0.20 U	0.20 U	0.20 U
Dibenzo(a,h)anthracene	µg/L	NS	0.0093	0.20 U	0.20 U	0.20 U	0.20 U
Dibenzofuran	µg/L	NS	12	1.0 U	1.0 U	1.0 U	1.0 U
Diethyl phthalate	µg/L	NS	29,000	1.0 U	1.0 U	1.0 U	1.0 U
Dimethyl phthalate	µg/L	NS	360000	1.0 U	1.0 U	1.0 U	1.0 U
Di-n-butyl phthalate	µg/L	NS	NS	1.0 U	1.0 U	1.0 U	1.0 U
Di-n-octyl phthalate	µg/L	NS	1500	1.0 U	1.0 U	1.0 U	1.0 U
Fluoranthene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U
Fluorene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U
Hexachlorobenzene	µg/L	1	0.042	0.20 U	0.20 U	0.20 U	0.20 U
Hexachlorobutadiene	µg/L	NS	0.86	1.0 U	1.0 U	1.0 U	1.0 U
Hexachlorocyclopentadiene	µg/L	50	220	10 U	10 U	10 U	10 U
Hexachloroethane	µg/L	NS	4.8	1.0 U	1.0 U	1.0 U	1.0 U
Indeno(1,2,3-cd)pyrene	µg/L	NS	0.092	0.20 U	0.20 U	0.20 U	0.20 U
Isophorone	µg/L	NS	71	1.0 U	1.0 U	1.0 U	1.0 U
Naphthalene	µg/L	NS	6.2	0.20 U	0.20 U	0.20 U	0.20 U
Nitrobenzene	µg/L	NS	3.4	1.0 U	1.0 U	1.0 U	1.0 U
N-Nitroso-di-n-propylamine	µg/L	NS	9600	1.0 U	1.0 U	1.0 U	1.0 U
N-Nitrosodiphenylamine	µg/L	NS	14	1.0 U	1.0 U	1.0 U	1.0 U
Pentachlorophenol	µg/L	1	0.56	5.0 U	5.0 UJ	5.0 UJ	5.0 UJ
Phenanthrene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U
Phenol	µg/L	NS	11000	1.0 U	1.0 U	1.0 U	1.0 U
Pyrene	µg/L	NS	NS	0.20 U	0.20 U	0.20 U	0.20 U

Notes:

NS = no standard

**Bold** = detected compound above the MDL

N/A = Not Analyzed

### Table 3-6 FWGWMP April 2009 SVOCs Analytical Results

#### Data Qualifiers

Data qualifier flags are used in an effort to describe the quality of each piece of data for each constituent. These flags are letter codes appended to the numerical data. The following data qualifiers are specified in the USACE Louisville Chemistry Guidelines (LCG). For a complete explanation of qualifiers used for each constituent please refer to the Data Verification Summaries in Appendix B.

- U- The analyte was analyzed for but not detected. The numerical value preceding the U is the associated reporting limit.
- J- The identification of the analyte is acceptable, but the quality assurance criteria indicate that the quantitative values may be outside the normal expected range of precision (i.e., the quantitative value is estimated). Examples include:
  - Results detected above the laboratory MDL but less than the laboratory reporting limit.
  - MS/MSD percent recoveries outside the acceptance criteria.
  - Laboratory control sample (LCS) percent recoveries outside acceptance criteria.
- R- Data are considered to be rejected and shall not be used. This flag denotes the failure of quality control criteria such that it cannot be determined if the analyte is present or absent from the sample [e.g., the method reporting limit (MRL) verification standard was below quality control guidelines; associated sample results that were non-detect are unusable].
- UJ- This flag is a combination of the U and J qualifiers which indicate that the analyte is not present. The reported value is considered to be an estimated reporting limit (RL).
- B- The B flag is used for both organic and inorganic analyses when the analyte is found in the method blank or any of the field blanks. This designation overrides the Contract Laboratory Program (CLP) "B" designation when used by the laboratory as an estimated value for inorganics.

Table 3-7 FWGWMP April 2009 Pesticides and PCBs Analytical Results

Station ID				LL6mw-004	LL6mw-005	LL6mw-006	LL6mw-007	LL7mw-001	LL7mw-002	LL7mw-003
Sample ID		MCL	Region 9 PRG	FWGLL6mw-004C-1297-GW	FWGLL6mw-005C-1298-GW	FWGLL6mw-006C-1299-GW	FWGLL6mw-007C-1300-GW	FWGLL7mw-001C-1301-GW	FWGLL7mw-002C-1302-GW	FWGLL7mw-003C-1303-GW
Date Collected				4/22/2009	4/22/2009	4/23/2009	4/22/2009	4/23/2009	4/23/2009	4/23/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units									
4,4'-DDD	µg/L	NS	0.28	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 UJ	0.030 U	0.030 UJ
4,4'-DDE	µg/L	NS	0.2	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 UJ	0.030 U	0.030 UJ
4,4'-DDT	µg/L	NS	0.2	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 UJ	0.030 U	0.030 UJ
Aldrin	µg/L	NS	0.004	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 UJ	0.030 U	0.030 UJ
alpha-BHC	µg/L	NS	0.011	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 UJ	0.030 U	0.030 UJ
alpha-Chordane	µg/L	NS	NS	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 UJ	0.030 U	0.030 UJ
beta-BHC	µg/L	NS	0.037	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 UJ	0.030 U	0.030 UJ
delta-BHC	µg/L	NS	NS	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 UJ	0.030 U	0.030 UJ
Dieldrin	µg/L	NS	0.0042	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 UJ	0.030 U	0.030 UJ
Endosulfan I	µg/L	NS	0.022	0.025 UJ	0.025 UJ	0.025 U	0.025 UJ	0.025 UJ	0.025 UJ	0.025 UJ
Endosulfan II	µg/L	NS	0.022	0.025 UJ	0.025 UJ	0.025 U	0.025 U	0.025 UJ	0.025 U	0.025 UJ
Endosulfan sulfate	µg/L	NS	NS	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 UJ	0.030 U	0.030 UJ
Endrin	µg/L	2	11	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 UJ	0.030 U	0.030 UJ
Endrin aldehyde	µg/L	NS	11	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 UJ	0.030 U	0.030 UJ
Endrin ketone	µg/L	NS	NS	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 UJ	0.030 U	0.030 UJ
Gamma-BHC	µg/L	0.2	0.052	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 UJ	0.030 U	0.030 UJ
gamma-Chlordane	µg/L	NS	NS	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 UJ	0.030 U	0.030 UJ
Heptachlor	µg/L	0.4	0.015	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 UJ	0.030 U	0.030 UJ
Heptachlor epoxide	µg/L	0.2	0.0074	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 UJ	0.030 U	0.030 UJ
Methoxychlor	µg/L	40	180	0.10 UJ	0.10 UJ	0.10 U	0.10 U	0.10 UJ	0.10 U	0.10 UJ
Toxaphene	µg/L	3	0.061	2.0 UJ	2.0 UJ	2.0 U	2.0 U	2.0 UJ	2.0 U	2.0 UJ
PCB- 1016	µg/L	0.5	0.96	0.50 UJ	0.50 U	0.50 UJ	0.50 U	0.50 UJ	0.50 U	0.50 UJ
PCB- 1221	µg/L	0.5	0.034	0.50 UJ	0.50 U	0.50 UJ	0.50 U	0.50 UJ	0.50 U	0.50 UJ
PCB- 1232	µg/L	0.5	0.034	0.50 UJ	0.50 U	0.50 UJ	0.50 U	0.50 UJ	0.50 U	0.50 UJ
PCB- 1242	µg/L	0.5	0.034	0.50 UJ	0.50 U	0.50 UJ	0.50 U	0.50 UJ	0.50 U	0.50 UJ
PCB- 1248	µg/L	0.5	0.034	0.50 UJ	0.50 U	0.50 UJ	0.50 U	0.50 UJ	0.50 U	0.50 UJ
PCB- 1254	µg/L	0.5	0.034	0.50 UJ	0.50 U	0.50 UJ	0.50 U	0.50 UJ	0.50 U	0.50 UJ
PCB- 1260	µg/L	0.5	0.034	0.50 UJ	0.50 U	0.50 UJ	0.50 U	0.50 UJ	0.50 U	0.50 UJ

Notes:

NS = no standard

**Bold** = detected compound above the MDL

N/A = Not Analyzed

Table 3-7 FWGWMP April 2009 Pesticides and PCBs Analytical Results

Station ID				LL7mw-004	LL7mw-005	LL7mw-006	LL8mw-001	LL8mw-002	LL8mw-003	LL8mw-004
Sample ID		MCL	Region 9 PRG	FWGLL7mw-004C-1304-GW	FWGLL7mw-005C-1305-GW	FWGLL7mw-006C-1306-GW	FWGLL8mw-001C-1307-GW	FWGLL8mw-002C-1308-GW	FWGLL8mw-003C-1309-GW	FWGLL8mw-004C-1310-GW
Date Collected				4/23/2009	4/23/2009	4/23/2009	4/27/2009	4/27/2009	4/27/2009	4/27/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units									
4,4'-DDD	µg/L	NS	0.28	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ
4,4'-DDE	µg/L	NS	0.2	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ
4,4'-DDT	µg/L	NS	0.2	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ
Aldrin	µg/L	NS	0.004	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ
alpha-BHC	µg/L	NS	0.011	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ
alpha-Chordane	µg/L	NS	NS	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ
beta-BHC	µg/L	NS	0.037	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ
delta-BHC	µg/L	NS	NS	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ
Dieldrin	µg/L	NS	0.0042	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ
Endosulfan I	µg/L	NS	0.022	0.025 U	0.025 UJ	0.025 UJ	0.025 UJ	0.025 UJ	0.025 U	0.025 UJ
Endosulfan II	µg/L	NS	0.022	0.025 U	0.025 UJ	0.025 UJ	0.025 UJ	0.025 UJ	0.025 U	0.025 UJ
Endosulfan sulfate	µg/L	NS	NS	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ
Endrin	µg/L	2	11	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ
Endrin aldehyde	µg/L	NS	11	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ
Endrin ketone	µg/L	NS	NS	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ
Gamma-BHC	µg/L	0.2	0.052	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ
gamma-Chlordane	µg/L	NS	NS	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ
Heptachlor	µg/L	0.4	0.015	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ
Heptachlor epoxide	µg/L	0.2	0.0074	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ
Methoxychlor	µg/L	40	180	0.10 U	0.10 UJ	0.10 U	0.10 UJ	0.10 UJ	0.10 U	0.10 UJ
Toxaphene	µg/L	3	0.061	2.0 U	2.0 UJ	2.0 U	2.0 UJ	2.0 UJ	2.0 U	2.0 UJ
PCB- 1016	µg/L	0.5	0.96	0.50 UJ	0.50 UJ	0.50 UJ	0.50 UJ	0.50 UJ	0.50 U	0.50 U
PCB- 1221	µg/L	0.5	0.034	0.50 UJ	0.50 UJ	0.50 UJ	0.50 UJ	0.50 UJ	0.50 U	0.50 U
PCB- 1232	µg/L	0.5	0.034	0.50 UJ	0.50 UJ	0.50 UJ	0.50 UJ	0.50 UJ	0.50 U	0.50 U
PCB- 1242	µg/L	0.5	0.034	0.50 UJ	0.50 UJ	0.50 UJ	0.50 UJ	0.50 UJ	0.50 U	0.50 U
PCB- 1248	µg/L	0.5	0.034	0.50 UJ	0.50 UJ	0.50 UJ	0.50 UJ	0.50 UJ	0.50 U	0.50 U
PCB- 1254	µg/L	0.5	0.034	0.50 UJ	0.50 UJ	0.50 UJ	0.50 UJ	0.50 UJ	0.50 U	0.50 U
PCB- 1260	µg/L	0.5	0.034	0.50 UJ	0.50 UJ	0.50 UJ	0.50 UJ	0.50 UJ	0.50 U	0.50 U

Notes:

NS = no standard

**Bold** = detected compound above the MDL

N/A = Not Analyzed

Table 3-7 FWGWMP April 2009 Pesticides and PCBs Analytical Results

Station ID				LL8mw-005	LL8mw-006	LL9mw-001	LL9mw-002	LL9mw-003	LL9mw-004	LL9mw-005
Sample ID		MCL	Region 9 PRG	FWGLL8mw-005C-1311-GW	FWGLL8mw-006C-1312-GW	FWGLL9mw-001C-1313-GW	FWGLL9mw-002C-1314-GW	FWGLL9mw-003C-1315-GW	FWGLL9mw-004C-1316-GW	FWGLL9mw-005C-1317-GW
Date Collected				4/27/2009	4/27/2009	4/29/2009	4/29/2009	4/29/2009	4/29/2009	4/28/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units									
4,4'-DDD	µg/L	NS	0.28	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 UJ	0.030 UJ	0.030 U
4,4'-DDE	µg/L	NS	0.2	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 UJ	0.030 UJ	0.030 U
4,4'-DDT	µg/L	NS	0.2	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 UJ	0.030 UJ	0.030 U
Aldrin	µg/L	NS	0.004	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 UJ	0.030 UJ	0.030 U
alpha-BHC	µg/L	NS	0.011	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 UJ	0.030 UJ	0.030 U
alpha-Chordane	µg/L	NS	NS	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 UJ	0.030 UJ	0.030 U
beta-BHC	µg/L	NS	0.037	0.030 UJ	0.030 UJ	<b>0.014 J</b>	0.030 U	0.030 UJ	0.030 UJ	0.030 U
delta-BHC	µg/L	NS	NS	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 UJ	0.030 UJ	0.030 U
Dieldrin	µg/L	NS	0.0042	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 UJ	0.030 UJ	0.030 U
Endosulfan I	µg/L	NS	0.022	0.025 UJ	0.025 UJ	0.025 U	0.025 U	0.025 UJ	0.025 UJ	0.025 U
Endosulfan II	µg/L	NS	0.022	0.025 UJ	0.025 UJ	0.025 U	0.025 U	0.025 UJ	0.025 UJ	0.025 U
Endosulfan sulfate	µg/L	NS	NS	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 UJ	0.030 UJ	0.030 U
Endrin	µg/L	2	11	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 UJ	0.030 UJ	0.030 U
Endrin aldehyde	µg/L	NS	11	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 UJ	0.030 UJ	0.030 U
Endrin ketone	µg/L	NS	NS	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 UJ	0.030 UJ	0.030 U
Gamma-BHC	µg/L	0.2	0.052	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 UJ	0.030 UJ	0.030 U
gamma-Chlordane	µg/L	NS	NS	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 UJ	0.030 UJ	0.030 U
Heptachlor	µg/L	0.4	0.015	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 UJ	0.030 UJ	0.030 U
Heptachlor epoxide	µg/L	0.2	0.0074	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 UJ	0.030 UJ	0.030 U
Methoxychlor	µg/L	40	180	0.10 UJ	0.10 UJ	0.10 U	0.10 U	0.10 UJ	0.10 UJ	0.10 U
Toxaphene	µg/L	3	0.061	2.0 UJ	2.0 UJ	2.0 U	2.0 U	2.0 UJ	2.0 UJ	2.0 U
PCB- 1016	µg/L	0.5	0.96	0.50 UJ	0.50 UJ	0.50 U	0.50 UJ	0.50 UJ	0.50 UJ	0.50 U
PCB- 1221	µg/L	0.5	0.034	0.50 UJ	0.50 UJ	0.50 U	0.50 UJ	0.50 UJ	0.50 UJ	0.50 U
PCB- 1232	µg/L	0.5	0.034	0.50 UJ	0.50 UJ	0.50 U	0.50 UJ	0.50 UJ	0.50 UJ	0.50 U
PCB- 1242	µg/L	0.5	0.034	0.50 UJ	0.50 UJ	0.50 U	0.50 UJ	0.50 UJ	0.50 UJ	0.50 U
PCB- 1248	µg/L	0.5	0.034	0.50 UJ	0.50 UJ	0.50 U	0.50 UJ	0.50 UJ	0.50 UJ	0.50 U
PCB- 1254	µg/L	0.5	0.034	0.50 UJ	0.50 UJ	0.50 U	0.50 UJ	0.50 UJ	0.50 UJ	0.50 U
PCB- 1260	µg/L	0.5	0.034	0.50 UJ	0.50 UJ	0.50 U	0.50 UJ	0.50 UJ	0.50 UJ	0.50 U

Notes:

NS = no standard

**Bold** = detected compound above the MDL

N/A = Not Analyzed

Table 3-7 FWGWMP April 2009 Pesticides and PCBs Analytical Results

Station ID				LL9mw-006	LL9mw-007	LL10mw-001	LL10mw-002	LL10mw-003	LL10mw-004	LL10mw-005
Sample ID		MCL	Region 9 PRG	FWGLL9mw-006C-1318-GW	FWGLL9mw-007C-1319-GW	FWGLL10mw-001C-1320-GW	FWGLL10mw-002C-1321-GW	FWGLL10mw-003C-1322-GW	FWGLL10mw-004C-1323-GW	FWGLL10mw-005C-1324-GW
Date Collected				4/28/2009	4/28/2009	4/28/2009	4/27/2009	4/27/2009	4/28/2009	4/27/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units									
4,4'-DDD	µg/L	NS	0.28	0.030 U	0.030 U	0.030 UJ	0.030 U	0.030 U	0.030 U	0.030 U
4,4'-DDE	µg/L	NS	0.2	0.030 U	0.030 U	0.030 UJ	0.030 U	0.030 U	0.030 U	0.030 U
4,4'-DDT	µg/L	NS	0.2	0.030 U	0.030 U	0.030 UJ	0.030 U	0.030 U	0.030 U	0.030 U
Aldrin	µg/L	NS	0.004	0.030 U	0.030 U	0.030 UJ	0.030 U	0.030 U	0.030 U	0.030 U
alpha-BHC	µg/L	NS	0.011	0.030 U	0.030 U	0.030 UJ	0.030 U	0.030 U	0.030 U	0.030 U
alpha-Chordane	µg/L	NS	NS	0.030 U	0.030 U	0.030 UJ	0.030 U	0.030 U	0.030 U	0.030 U
beta-BHC	µg/L	NS	0.037	<b>0.0086 J</b>	0.030 U	<b>0.0085 J</b>	0.030 U	0.030 U	0.030 U	0.030 U
delta-BHC	µg/L	NS	NS	0.030 U	0.030 U	0.030 UJ	0.030 U	0.030 U	0.030 U	0.030 U
Dieldrin	µg/L	NS	0.0042	0.030 U	0.030 U	0.030 UJ	0.030 U	0.030 U	0.030 U	0.030 U
Endosulfan I	µg/L	NS	0.022	0.025 U	0.025 U	0.025 UJ	0.025 U	0.025 U	0.025 U	0.025 U
Endosulfan II	µg/L	NS	0.022	0.025 U	0.025 U	0.025 UJ	0.025 U	0.025 U	0.025 U	0.025 U
Endosulfan sulfate	µg/L	NS	NS	0.030 U	0.030 U	0.030 UJ	0.030 U	0.030 U	0.030 U	0.030 U
Endrin	µg/L	2	11	0.030 U	0.030 U	0.030 UJ	0.030 U	0.030 U	0.030 U	0.030 U
Endrin aldehyde	µg/L	NS	11	0.030 U	0.030 U	0.030 UJ	0.030 U	0.030 U	0.030 U	0.030 U
Endrin ketone	µg/L	NS	NS	0.030 U	0.030 U	0.030 UJ	0.030 U	0.030 U	0.030 U	0.030 U
Gamma-BHC	µg/L	0.2	0.052	0.030 U	0.030 U	0.030 UJ	0.030 U	0.030 U	0.030 U	0.030 U
gamma-Chlordane	µg/L	NS	NS	0.030 U	0.030 U	0.030 UJ	0.030 U	0.030 U	0.030 U	0.030 U
Heptachlor	µg/L	0.4	0.015	0.030 U	0.030 U	0.030 UJ	0.030 U	0.030 U	0.030 U	0.030 U
Heptachlor epoxide	µg/L	0.2	0.0074	0.030 U	0.030 U	0.030 UJ	0.030 U	0.030 U	0.030 U	0.030 U
Methoxychlor	µg/L	40	180	0.10 U	0.10 U	0.10 UJ	0.10 U	0.10 U	0.10 U	0.10 U
Toxaphene	µg/L	3	0.061	2.0 U	2.0 U	2.0 UJ	2.0 U	2.0 U	2.0 U	2.0 U
PCB- 1016	µg/L	0.5	0.96	0.50 UJ	0.50 U	0.50 UJ	0.50 UJ	0.50 U	0.50 U	0.50 U
PCB- 1221	µg/L	0.5	0.034	0.50 UJ	0.50 U	0.50 UJ	0.50 UJ	0.50 U	0.50 U	0.50 U
PCB- 1232	µg/L	0.5	0.034	0.50 UJ	0.50 U	0.50 UJ	0.50 UJ	0.50 U	0.50 U	0.50 U
PCB- 1242	µg/L	0.5	0.034	0.50 UJ	0.50 U	0.50 UJ	0.50 UJ	0.50 U	0.50 U	0.50 U
PCB- 1248	µg/L	0.5	0.034	0.50 UJ	0.50 U	0.50 UJ	0.50 UJ	0.50 U	0.50 U	0.50 U
PCB- 1254	µg/L	0.5	0.034	0.50 UJ	0.50 U	0.50 UJ	0.50 UJ	0.50 U	0.50 U	0.50 U
PCB- 1260	µg/L	0.5	0.034	0.50 UJ	0.50 U	0.50 UJ	0.50 UJ	0.50 U	0.50 U	0.50 U

Notes:

NS = no standard

**Bold** = detected compound above the MDL

N/A = Not Analyzed

Table 3-7 FWGWMP April 2009 Pesticides and PCBs Analytical Results

Station ID				LL10mw-006	LL11mw-001	LL11mw-003	LL11mw-004	LL11mw-005	LL11mw-006	LL11mw-008
Sample ID		MCL	Region 9 PRG	FWGLL10mw-006C-1325-GW	FWGLL11mw-001C-1326-GW	FWGLL11mw-003C-1327-GW	FWGLL11mw-004C-1328-GW	FWGLL11mw-005C-1329-GW	FWGLL11mw-006C-1330-GW	FWGLL11mw-008C-1331-GW
Date Collected				4/27/2009	4/23/2009	4/23/2009	4/23/2009	4/23/2009	4/23/2009	4/23/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units									
4,4'-DDD	µg/L	NS	0.28	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 U	0.030 U
4,4'-DDE	µg/L	NS	0.2	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 U	0.030 U
4,4'-DDT	µg/L	NS	0.2	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 U	0.030 U
Aldrin	µg/L	NS	0.004	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 U	0.030 U
alpha-BHC	µg/L	NS	0.011	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 U	0.030 U
alpha-Chordane	µg/L	NS	NS	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 U	0.030 U
beta-BHC	µg/L	NS	0.037	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 U	0.030 U
delta-BHC	µg/L	NS	NS	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 U	0.030 U
Dieldrin	µg/L	NS	0.0042	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 U	0.030 U
Endosulfan I	µg/L	NS	0.022	0.025 U	0.025 UJ	0.025 UJ	0.025 U	0.025 UJ	0.025 UJ	0.025 UJ
Endosulfan II	µg/L	NS	0.022	0.025 U	0.025 UJ	0.025 UJ	0.025 U	0.025 U	0.025 U	0.025 U
Endosulfan sulfate	µg/L	NS	NS	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 U	0.030 U
Endrin	µg/L	2	11	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 U	0.030 U
Endrin aldehyde	µg/L	NS	11	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 U	0.030 U
Endrin ketone	µg/L	NS	NS	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 U	0.030 U
Gamma-BHC	µg/L	0.2	0.052	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 U	0.030 U
gamma-Chlordane	µg/L	NS	NS	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 U	0.030 U
Heptachlor	µg/L	0.4	0.015	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 U	0.030 U
Heptachlor epoxide	µg/L	0.2	0.0074	0.030 U	0.030 UJ	0.030 UJ	0.030 U	0.030 U	0.030 U	0.030 U
Methoxychlor	µg/L	40	180	0.10 U	0.10 UJ	0.10 UJ	0.10 U	0.10 U	0.10 U	0.10 U
Toxaphene	µg/L	3	0.061	2.0 U	2.0 UJ	2.0 UJ	2.0 U	2.0 U	2.0 U	2.0 U
PCB- 1016	µg/L	0.5	0.96	0.50 U	0.50 UJ	0.50 UJ	0.50 U	0.50 U	0.50 U	0.50 U
PCB- 1221	µg/L	0.5	0.034	0.50 U	0.50 UJ	0.50 UJ	0.50 U	0.50 U	0.50 U	0.50 U
PCB- 1232	µg/L	0.5	0.034	0.50 U	0.50 UJ	0.50 UJ	0.50 U	0.50 U	0.50 U	0.50 U
PCB- 1242	µg/L	0.5	0.034	0.50 U	0.50 UJ	0.50 UJ	0.50 U	0.50 U	0.50 U	0.50 U
PCB- 1248	µg/L	0.5	0.034	0.50 U	0.50 UJ	0.50 UJ	0.50 U	0.50 U	0.50 U	0.50 U
PCB- 1254	µg/L	0.5	0.034	0.50 U	0.50 UJ	0.50 UJ	0.50 U	0.50 U	0.50 U	0.50 U
PCB- 1260	µg/L	0.5	0.034	0.50 U	0.50 UJ	0.50 UJ	0.50 U	0.50 U	0.50 U	0.50 U

Notes:

NS = no standard

**Bold** = detected compound above the MDL

N/A = Not Analyzed



Table 3-7 FWGWMP April 2009 Pesticides and PCBs Analytical Results

Station ID				LL11mw-009	LL11mw-010	ASYmw-001	ASYmw-002	ASYmw-003	ASYmw-004	ASYmw-005
Sample ID	MCL		Region 9 PRG	FWGLL11mw-009C-1332-GW	FWGLL11mw-010C-1333-GW	FWGASYmw-001C-1334-GW	FWGASYmw-002C-1335-GW	FWGASYmw-003C-1336-GW	FWGASYmw-004C-1337-GW	FWGASYmw-005C-1338-GW
Date Collected				4/23/2009	4/23/2009	4/28/2009	4/28/2009	4/28/2009	4/28/2009	4/28/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units									
4,4'-DDD	µg/L	NS	0.28	0.030 UJ	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ	0.030 U	0.030 U
4,4'-DDE	µg/L	NS	0.2	0.030 UJ	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ	0.030 U	0.030 U
4,4'-DDT	µg/L	NS	0.2	0.030 UJ	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ	0.030 U	0.030 U
Aldrin	µg/L	NS	0.004	0.030 UJ	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ	0.030 U	0.030 U
alpha-BHC	µg/L	NS	0.011	0.030 UJ	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ	0.030 U	0.030 U
alpha-Chordane	µg/L	NS	NS	0.030 UJ	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ	0.030 U	0.030 U
beta-BHC	µg/L	NS	0.037	0.030 UJ	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ	0.030 U	0.030 U
delta-BHC	µg/L	NS	NS	0.030 UJ	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ	0.030 U	0.030 U
Dieldrin	µg/L	NS	0.0042	0.030 UJ	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ	0.030 U	0.030 U
Endosulfan I	µg/L	NS	0.022	0.025 UJ	0.025 UJ	0.025 UJ	0.025 U	0.025 UJ	0.025 U	0.025 U
Endosulfan II	µg/L	NS	0.022	0.025 UJ	0.025 UJ	0.025 UJ	0.025 U	0.025 UJ	0.025 U	0.025 U
Endosulfan sulfate	µg/L	NS	NS	0.030 UJ	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ	0.030 U	0.030 U
Endrin	µg/L	2	11	0.030 UJ	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ	0.030 U	0.030 U
Endrin aldehyde	µg/L	NS	11	0.030 UJ	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ	0.030 U	0.030 U
Endrin ketone	µg/L	NS	NS	0.030 UJ	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ	0.030 U	0.030 U
Gamma-BHC	µg/L	0.2	0.052	0.030 UJ	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ	0.030 U	0.030 U
gamma-Chlordane	µg/L	NS	NS	0.030 UJ	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ	0.030 U	0.030 U
Heptachlor	µg/L	0.4	0.015	0.030 UJ	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ	0.030 U	0.030 U
Heptachlor epoxide	µg/L	0.2	0.0074	0.030 UJ	0.030 UJ	0.030 UJ	0.030 U	0.030 UJ	0.030 U	0.030 U
Methoxychlor	µg/L	40	180	0.10 UJ	0.10 UJ	0.10 UJ	0.10 U	0.10 UJ	0.10 U	0.10 U
Toxaphene	µg/L	3	0.061	2.0 UJ	2.0 UJ	2.0 UJ	2.0 U	2.0 UJ	2.0 U	2.0 U
PCB- 1016	µg/L	0.5	0.96	0.50 UJ	0.50 UJ	0.50 UJ	0.50 U	0.50 UJ	0.50 U	0.50 U
PCB- 1221	µg/L	0.5	0.034	0.50 UJ	0.50 UJ	0.50 UJ	0.50 U	0.50 UJ	0.50 U	0.50 U
PCB- 1232	µg/L	0.5	0.034	0.50 UJ	0.50 UJ	0.50 UJ	0.50 U	0.50 UJ	0.50 U	0.50 U
PCB- 1242	µg/L	0.5	0.034	0.50 UJ	0.50 UJ	0.50 UJ	0.50 U	0.50 UJ	0.50 U	0.50 U
PCB- 1248	µg/L	0.5	0.034	0.50 UJ	0.50 UJ	0.50 UJ	0.50 U	0.50 UJ	0.50 U	0.50 U
PCB- 1254	µg/L	0.5	0.034	0.50 UJ	0.50 UJ	0.50 UJ	0.50 U	0.50 UJ	0.50 U	0.50 U
PCB- 1260	µg/L	0.5	0.034	0.50 UJ	0.50 UJ	0.50 UJ	0.50 U	0.50 UJ	0.50 U	0.50 U

Notes:

NS = no standard

**Bold** = detected compound above the MDL

N/A = Not Analyzed

Table 3-7 FWGWMP April 2009 Pesticides and PCBs Analytical Results

Station ID				ASYmw-006	ASYmw-007	ASYmw-008	ASYmw-009	ASYmw-010	B12mw-012	DETMw-003
Sample ID		MCL	Region 9 PRG	FWGASYmw-006C-1339-GW	FWGASYmw-007C-1340-GW	FWGASYmw-008C-1341-GW	FWGASYmw-009C-1342-GW	FWGASYmw-010C-1343-GW	FWGB12mw-012C-1344-GW	FWGDETMw-003C-1345-GW
Date Collected				4/28/2009	4/28/2009	4/28/2009	4/28/2009	4/28/2009	4/22/2009	4/22/2009
Sample Type				Grab	Grab	Grab	Grab	Grab	Grab	Grab
Analyte	Units									
4,4'-DDD	µg/L	NS	0.28	0.030 UJ	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U
4,4'-DDE	µg/L	NS	0.2	0.030 UJ	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U
4,4'-DDT	µg/L	NS	0.2	0.030 UJ	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U
Aldrin	µg/L	NS	0.004	0.030 UJ	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U
alpha-BHC	µg/L	NS	0.011	0.030 UJ	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U
alpha-Chordane	µg/L	NS	NS	0.030 UJ	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U
beta-BHC	µg/L	NS	0.037	<b>0.019 J</b>	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U
delta-BHC	µg/L	NS	NS	0.030 UJ	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U
Dieldrin	µg/L	NS	0.0042	0.030 UJ	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U
Endosulfan I	µg/L	NS	0.022	0.025 UJ	0.025 U	0.025 UJ	0.025 U	0.025 UJ	0.025 UJ	0.025 UJ
Endosulfan II	µg/L	NS	0.022	0.025 UJ	0.025 U	0.025 UJ	0.025 U	0.025 UJ	0.025 UJ	0.025 U
Endosulfan sulfate	µg/L	NS	NS	0.030 UJ	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U
Endrin	µg/L	2	11	0.030 UJ	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U
Endrin aldehyde	µg/L	NS	11	0.030 UJ	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U
Endrin ketone	µg/L	NS	NS	0.030 UJ	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U
Gamma-BHC	µg/L	0.2	0.052	0.030 UJ	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U
gamma-Chlordane	µg/L	NS	NS	0.030 UJ	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U
Heptachlor	µg/L	0.4	0.015	0.030 UJ	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U
Heptachlor epoxide	µg/L	0.2	0.0074	0.030 UJ	0.030 U	0.030 UJ	0.030 U	0.030 UJ	0.030 UJ	0.030 U
Methoxychlor	µg/L	40	180	0.10 UJ	0.10 U	0.10 UJ	0.10 U	0.10 UJ	0.10 UJ	0.10 U
Toxaphene	µg/L	3	0.061	2.0 UJ	2.0 U	2.0 UJ	2.0 U	2.0 UJ	2.0 UJ	2.0 U
PCB- 1016	µg/L	0.5	0.96	0.50 UJ	0.50 U	0.50 UJ	0.50 U	0.50 UJ	0.50 UJ	0.50 U
PCB- 1221	µg/L	0.5	0.034	0.50 UJ	0.50 U	0.50 UJ	0.50 U	0.50 UJ	0.50 UJ	0.50 U
PCB- 1232	µg/L	0.5	0.034	0.50 UJ	0.50 U	0.50 UJ	0.50 U	0.50 UJ	0.50 UJ	0.50 U
PCB- 1242	µg/L	0.5	0.034	0.50 UJ	0.50 U	0.50 UJ	0.50 U	0.50 UJ	0.50 UJ	0.50 U
PCB- 1248	µg/L	0.5	0.034	0.50 UJ	0.50 U	0.50 UJ	0.50 U	0.50 UJ	0.50 UJ	0.50 U
PCB- 1254	µg/L	0.5	0.034	0.50 UJ	0.50 U	0.50 UJ	0.50 U	0.50 UJ	0.50 UJ	0.50 U
PCB- 1260	µg/L	0.5	0.034	0.50 UJ	0.50 U	0.50 UJ	0.50 U	0.50 UJ	0.50 UJ	0.50 U

Notes:

NS = no standard

**Bold** = detected compound above the MDL

N/A = Not Analyzed

Table 3-7 FWGWMP April 2009 Pesticides and PCBs Analytical Results

Station ID				DETMw-004	RQLmw-007	RQLmw-008	RQLmw-009
Sample ID		MCL	Region 9 PRG	FWGDETMw-004C-1346-GW	FWGRQLmw-007C-1347-GW	FWGRQLmw-008C-1348-GW	FWGRQLmw-009C-1349-GW
Date Collected				4/22/2009	4/27/2009	4/27/2009	4/27/2009
Sample Type				Grab	Grab	Grab	Grab
Analyte	Units						
4,4'-DDD	µg/L	NS	0.28	0.030 U	0.030 U	0.030 UJ	0.030 UJ
4,4'-DDE	µg/L	NS	0.2	0.030 U	0.030 U	0.030 UJ	0.030 UJ
4,4'-DDT	µg/L	NS	0.2	0.030 U	0.030 U	0.030 UJ	0.030 UJ
Aldrin	µg/L	NS	0.004	0.030 U	0.030 U	0.030 UJ	0.030 UJ
alpha-BHC	µg/L	NS	0.011	0.030 U	0.030 U	0.030 UJ	0.030 UJ
alpha-Chordane	µg/L	NS	NS	0.030 U	0.030 U	0.030 UJ	0.030 UJ
beta-BHC	µg/L	NS	0.037	0.030 U	0.030 U	0.030 UJ	0.030 UJ
delta-BHC	µg/L	NS	NS	0.030 U	0.030 U	0.030 UJ	0.030 UJ
Dieldrin	µg/L	NS	0.0042	0.030 U	0.030 U	0.030 UJ	0.030 UJ
Endosulfan I	µg/L	NS	0.022	0.025 UJ	0.025 U	0.025 UJ	0.025 UJ
Endosulfan II	µg/L	NS	0.022	0.025 U	0.025 U	0.025 UJ	0.025 UJ
Endosulfan sulfate	µg/L	NS	NS	0.030 U	0.030 U	0.030 UJ	0.030 UJ
Endrin	µg/L	2	11	0.030 U	0.030 U	0.030 UJ	0.030 UJ
Endrin aldehyde	µg/L	NS	11	0.030 U	0.030 U	0.030 UJ	0.030 UJ
Endrin ketone	µg/L	NS	NS	0.030 U	0.030 U	0.030 UJ	0.030 UJ
Gamma-BHC	µg/L	0.2	0.052	0.030 U	0.030 U	0.030 UJ	0.030 UJ
gamma-Chlordane	µg/L	NS	NS	0.030 U	0.030 U	0.030 UJ	0.030 UJ
Heptachlor	µg/L	0.4	0.015	0.030 U	0.030 U	0.030 UJ	0.030 UJ
Heptachlor epoxide	µg/L	0.2	0.0074	0.030 U	0.030 U	0.030 UJ	0.030 UJ
Methoxychlor	µg/L	40	180	0.10 U	0.10 U	0.10 UJ	0.10 UJ
Toxaphene	µg/L	3	0.061	2.0 U	2.0 U	2.0 UJ	2.0 UJ
PCB- 1016	µg/L	0.5	0.96	0.50 U	0.50 U	0.50 UJ	0.50 UJ
PCB- 1221	µg/L	0.5	0.034	0.50 U	0.50 U	0.50 UJ	0.50 UJ
PCB- 1232	µg/L	0.5	0.034	0.50 U	0.50 U	0.50 UJ	0.50 UJ
PCB- 1242	µg/L	0.5	0.034	0.50 U	0.50 U	0.50 UJ	0.50 UJ
PCB- 1248	µg/L	0.5	0.034	0.50 U	0.50 U	0.50 UJ	0.50 UJ
PCB- 1254	µg/L	0.5	0.034	0.50 U	0.50 U	0.50 UJ	0.50 UJ
PCB- 1260	µg/L	0.5	0.034	0.50 U	0.50 U	0.50 UJ	0.50 UJ

Notes:

NS = no standard

**Bold** = detected compound above the MDL

N/A = Not Analyzed

### Table 3-7 FWGWMP April 2009 Pesticide and PCBs Analytical Results

#### Data Qualifiers

Data qualifier flags are used in an effort to describe the quality of each piece of data for each constituent. These flags are letter codes appended to the numerical data. The following data qualifiers are specified in the USACE Louisville Chemistry Guidelines (LCG). For a complete explanation of qualifiers used for each constituent please refer to the Data Verification Summaries in Appendix B.

- U- The analyte was analyzed for but not detected. The numerical value preceding the U is the associated reporting limit.
- J- The identification of the analyte is acceptable, but the quality assurance criteria indicate that the quantitative values may be outside the normal expected range of precision (i.e., the quantitative value is estimated). Examples include:
  - Results detected above the laboratory MDL but less than the laboratory reporting limit.
  - MS/MSD percent recoveries outside the acceptance criteria.
  - Laboratory control sample (LCS) percent recoveries outside acceptance criteria.
- R- Data are considered to be rejected and shall not be used. This flag denotes the failure of quality control criteria such that it cannot be determined if the analyte is present or absent from the sample [e.g., the method reporting limit (MRL) verification standard was below quality control guidelines; associated sample results that were non-detect are unusable].
- UJ- This flag is a combination of the U and J qualifiers which indicate that the analyte is not present. The reported value is considered to be an estimated reporting limit (RL).
- B- The B flag is used for both organic and inorganic analyses when the analyte is found in the method blank or any of the field blanks. This designation overrides the Contract Laboratory Program (CLP) "B" designation when used by the laboratory as an estimated value for inorganics.

### 3.3 Data Verification/Validation

As discussed in Sections 2.3 and 3.2, all chemical data were generated by TestAmerica and RTI (EQM does not however verify RTI data). A three step process is then conducted which involves the lab, the ADR data program, and a data validator performing the data verification and validation of the data. The First Step is where each lab analyzes the data and assigns a qualifier as necessary in full accordance with USEPA and Louisville Chemistry (LCG) guidelines.

The data verification and validation process is continued with Step Two; when the data validator verifies all data received from TestAmerica, and validates greater than 10% of the data by running the lab data through the ADR program. The USACE-supplied ADR program assigned qualifiers to the data as necessary consistent with the programmed criteria of the ADR software. The Third step is when the data validator then uses professional judgment to check the validity of the qualified data and either accepts, rejects, or re-qualifies the ADR results following strict LCG and USEPA guidelines.

After this three-step process has been completed, the resulting final ADR qualifiers may not match the original lab qualifiers which are presented on the laboratory data sheets. As a result of the data validation process, one or more of four possibilities listed occurs:

1. The lab assigns a B, J, or E to the data, and ADR and/or the data validator changes the qualifier to a J, UJ, U, B, or R.
2. The lab assigns no qualifier to the data, and ADR and/or the data validator assigns a J, UJ, U, B, or R to the data.
3. The lab assigns a B, J, or E to the data, and ADR and/or the data validator assigns no qualifier to the data.
4. The lab may assign a J qualifier or use no qualifier, and ADR and/or the data validator accepts the lab designation.

For the April 2009 Sampling Event Report, the laboratory data with laboratory derived qualifiers following USEPA and LGC criteria are presented in Appendix D. The verification reports for the data are also presented in Appendix D, which includes the definitions of the ADR qualifiers. The data presented in Tables 3-2, 3-3, 3-5, 3-6, and 3-7 are the result of the data that has been subjected to the Three Step Process of verification and validation. These Tables display the final assigned data qualifier in accordance with ADR and LCG criteria.

Data qualifier flags are used in an effort to describe the quality of each piece of data for each constituent. These flags are letter codes appended to the numerical data. The following data qualifiers are specified in the USACE Louisville Chemistry Guidelines (LCG). For a complete explanation of qualifiers used for each constituent please refer to the Data Verification Summaries in Appendix D.

- U - The analyte was analyzed for but not detected. The numerical value preceding the U is the associated reporting limit.

- J - The identification of the analyte is acceptable, but the quality assurance criteria indicate that the quantitative values may be outside the normal expected range of precision (i.e., the quantitative value is estimated). Examples include:
  - Results detected above the laboratory MDL but less than the laboratory reporting limit.
  - MS/MSD percent recoveries outside the acceptance criteria.
  - Laboratory control sample (LCS) percent recoveries outside acceptance criteria.
- R - Data are considered to be rejected and shall not be used. This flag denotes the failure of quality control criteria such that it cannot be determined if the analyte is present or absent from the sample [e.g., the method reporting limit (MRL) verification standard was below quality control guidelines; associated sample results that were non-detect are unusable].
- UJ - This flag is a combination of the U and J qualifiers which indicate that the analyte is not present. The reported value is considered to be an estimated reporting limit (RL).
- B - The B flag is used for both organic and inorganic analyses when the analyte is found in the method blank or any of the field blanks. This designation overrides the Contract Laboratory Program (CLP) "B" designation when used by the laboratory as an estimated value for inorganics.

Fifty-three wells were sampled during a six-day sampling event from April 22-29, 2009. During this event, twelve trip blanks were submitted for volatile organic analysis to TestAmerica.

Six field duplicates were collected during the six day period in order to assess the quality and consistency of sample collection. Project requirements of 10% field duplicates were met for this sampling event. In addition, six laboratory splits were collected and analyzed in order to assess the quality and consistency of the laboratory analysis. The project requirements of taking 10% laboratory splits were met for this sampling event. An equipment rinse blank was collected during each day of the sampling event.

For the April 2009 sampling event the following laboratory or field contamination at detections greater than ½ the method reporting limit (MRL) was reported for the field QA/QC samples (blank results that were greater than ½ the MRL resulted in qualification of the sample result):

**SDGs A9D240105/ A9D240107**  
**FWGEQUIPRinse1-1362-GW**

- Acetone was detected at 12ug/L and 2-butanone at 2.2ug/L. No qualifications were made as there were no detected concentrations of these contaminants in the associated field samples.

- Manganese was detected at 1.2ug/L, potassium at 151ug/L, iron at 290ug/L, antimony at 0.24ug/L and zinc at 10.2ug/L. All detected contaminants in the field samples <5x contamination were qualified, "B".
- PETN was detected at 0.42ug/L. Samples FWGLL7mw-003c-1303-GW and FWGLL7mw-DUP1-1350-GW were qualified, "B", as the detected concentrations were <5x blank contamination.

#### Trip Blank Contamination

- FWGTEAM1-Trip and FWGTEAM3-Trip had detected acetone 1.3ug/L.
- FWGEQUIPRinse1-1362-GW was qualified, "B" as the detected acetone concentration in the equipment blank was less than 10x the trip blank contamination.

#### Method Blank Contamination

- bis(2-Ethylhexyl)phthalate was detected in the method blank at 2.1ug/L. Bracketed bis (2-Ethylhexyl)phthalate results <10x contamination were qualified, "B".
- Batch 9118020 had manganese detected at 0.52ug/L, potassium at 152ug/L and zinc at 5.7ug/L. All manganese, potassium and zinc results <5x contamination were qualified, "B".
- Batch 9118021 had manganese detected at 1.7ug/L, chromium at 13.2ug/L, nickel at 5.7ug/L, potassium at 163ug/L, iron at 65.3ug/L, and zinc at 7.0ug/L. All detected concentrations in the associated field samples <5x contamination were qualified, "B".
- 2,4,6-Trinitrotoluene was detected at 0.14ug/L and 2-nitotoluene at 1.9ug/L. No qualifications were made as there were no detected concentrations of these target analytes in the associated samples.

### **SDGs A9D280104/ A9D280114**

#### FWGEQUIPRinse3-1364-GW

- Acetone was detected at 3.1ug/L. No qualifications were made as there were no detected acetone concentrations in the associated field samples.
- Bis (2-Ethylhexyl) phthalate was detected at 1.3ug/L. bis(2-Ethylhexyl) phthalate results <10x contamination were qualified, "B".
- Manganese was detected at 0.97ug/L, potassium at 161ug/L, calcium at 181ug/L and zinc at 7.4ug/L. All detected concentrations in the field samples <5x contamination were qualified, "B".
- 1,3,5-Trinitrobenzene was detected at 0.73ug/L. Associated 1,3,5-trinitrobenzene results <5x the equipment blank contamination were qualified, "B".

### **SDGs A9D280104/ A9D280114 (cont.)**

#### Trip Blank Contamination

- FWGTEAM1-Trip, FWGTEAM2-Trip and FWGTEAM3-Trip had acetone detected from 1.2-1.5ug/L. FWGEQUIPRinse3-1364-GW was qualified, "B" as the detected acetone concentration in the equipment blank was less than 10x the trip blank contamination.

#### Method Blank Contamination

- The method blank associated with batch 9124224 had methylene chloride detected at 0.40ug/L. No qualifications were made as there were no detected concentrations of methylene chloride in the associated samples.
- Batch 9119016 had detected potassium at 159ug/L, calcium at 192ug/L and zinc at 6.7ug/L in the method blank. All calcium, potassium and zinc results <5x method blank contamination were qualified, "B".
- 1,3,5-trinitrobenzene was detected at 0.037ug/L. Associated 1,3,5-trinitrobenzene results <5x the method blank contamination were qualified, "B".

#### **SDG A9D290103/ A9D290112**

##### FWGEQUIPRinse4-1365-GW

- Toluene was detected at 0.89ug/L. No qualifications were made as there were no detected toluene concentrations in the associated field samples.
- bis(2-Ethylhexyl)phthalate was detected at 1.2ug/L. bis (2-Ethylhexyl)phthalate results <10x contamination were qualified, "B".
- Potassium was detected at 152ug/L and zinc at 2.9ug/L. All detected potassium and zinc concentrations <5x contamination were qualified, "B".
- 1,3,5-Trinitrobenzene was detected at 0.76ug/L and PETN at 0.63ug/L. Associated 1,3,5-trinitrobenzene results <5x the equipment blank contamination were qualified, "B". No qualifications were made for PETN contamination as there were no detected PETN concentrations in the associated field samples.

#### Trip Blank Contamination

- FWGTEAM1-Trip had acetone detected at 1.1ug/L. No qualifications were made as there were no detected acetone concentrations in the associated samples.

#### Method Blank Contamination

- Methylene chloride was detected in the method blank associated with batch 9124224 at 0.40ug/L. No qualifications were made as there were no detected methylene chloride concentrations in the associated samples.
- Barium was detected at 0.87ug/L, calcium at 252 ug/L, magnesium at 50.9ug/L, manganese at 0.58ug/L, zinc at 7.6ug/L and potassium at 173ug/L. All barium, calcium, magnesium, manganese, zinc and potassium results <5x contamination were qualified, "B".

#### **SDG A9D300104/ A9D300107**

##### FWGEQUIPRinse5-1366-GW

- Toluene was detected at 0.88ug/L, acetone at 3.7ug/L and 2-butanone at 1.5ug/L. No qualifications were made as there were no detected concentrations of these contaminants in the associated field samples.
- Bis (2-Ethylhexyl) phthalate was detected at 3.6ug/L and phenanthrene at 0.42ug/L. bis (2-Ethylhexyl) phthalate results <10x contamination and phenanthrene results <5x contamination were qualified, "B".
- Potassium was detected at 170ug/L, thallium at 0.24ug/L and zinc at 2.7ug/L. All detected concentrations <5x contamination were qualified, "B".

#### Method Blank Contamination



- Bis (2-Ethylhexyl) phthalate was detected at 2.2ug/L. bis (2-Ethylhexyl) phthalate results <10x contamination were qualified, “B”.
- Potassium was detected at 160ug/L and zinc at 4.5ug/L. All potassium and zinc results <5x contamination were qualified, “B”.
- 1,3,5-Trinitrobenzene was detected at 0.033ug/L. The 1,3,5-trinitrobenzene result for FWGLL9mw-DUP3-1352-GW was qualified, “B”.

For a discussion of method blank contamination please reference the Data Verification Reports and the Laboratory Case Narrative.

Laboratory analyses were performed in analytical batches of  $\leq 20$  in order to maximize efficiency and group quality control requirements. Method blanks and laboratory control samples were analyzed at a frequency of 1:20 (5%) samples, or in each analytical batch whichever was greater. Sufficient volume was provided to the laboratory in order to assess matrix spike analysis on project samples at a frequency of 1:10 (10%) samples. Matrix spike/matrix spike duplicate analysis was performed by the laboratory as batch quality control at a frequency of 1:10 (10%).

Field quality control and laboratory quality control results were evaluated as part of the verification assessment provided in Appendix D. Project requirements were met for the frequency and quality of these samples.

Table 3-8 presents the percent, by analytical method, of data that was acceptable (based on data not rejected) for use. No data was rejected during this sampling and analysis event.

**Table 3-8. Percent of Acceptable Data**

Analytical Method	Total Number of Analytes	Number of Rejects	Percent Completeness
353.2 Modified	63	0	100
6010B	945	0	100
6020	441	0	100
7470A	63	0	100
8081A	1,323	0	100
8082	441	0	100
8260B	2,925	0	100
8270C	4,158	0	100
8330	1,008	0	100
9012A	63	0	100
8330 Modified	63	0	100
<b>TOTAL</b>	<b>11,493</b>	<b>0</b>	<b>100</b>

All qualified data has been discussed in the Data Verification Reports contained in Appendix D.

All other data meet the requirements specified in the USACE Louisville Guidance Document and the QAPP associated with this site. All qualified data performed by the data validator is further discussed in the Data Verification Reports contained in Appendix D.

## SECTION 4

### SUMMARY OF RESULTS

#### **Explosive and Propellant Compounds**

As shown in Table 3-2, the only explosive/propellant detected at levels above the Region 9 PRGs during the January 2009 event was:

- RDX at a concentration exceeding the Region 9 PRG of 0.61 µg/L [DEtmw-004 at a concentration of 2.4 µg/L].

#### **Inorganic Elements**

Several inorganic compounds were detected at levels exceeding the MCLs and/or Region 9 PRGs. These included aluminum, manganese, arsenic, cadmium, and iron for wells from all areas sampled. These compounds were also detected at concentrations exceeding the Facility-Wide Background Criteria for many of the wells. Table 4-1 presents a summary of all inorganic compounds and the associated wells that had detections exceeding MCLs, Region 9 PRGs and/or Facility-Wide Background Criteria.

#### **Volatile Organic Compounds**

As shown in Table 3-5, the only VOCs detected at levels above the MCLs or Region 9 PRGs during the April 2009 event were:

- Carbon Tetrachloride at a concentration exceeding the Region 9 PRG of 0.17 µg/L [LL10mw-003 (3.7 µg/L)].
- Tetrachloroethene at a concentration exceeding the Region 9 PRG of 0.1 µg/L [LL11mw-009 (3.6 µg/L)].

#### **Semivolatile Organic Compounds**

As shown in Table 3-6 the only SVOC detected at levels above the Region 9 PRGs was bis(2-Ethylhexyl)phthalate at the following wells:

- LL6mw-004 (69 µg/L B), LL6mw-006 (5.9 µg/L J), Ll6mw-007 (6.7 µg/L J B), Ll10mw-001 (5.5 µg/L J B), DETmw-003 (5.5 µg/L J B), RQLmw-008 (7.5 µg/L J B), RQLmw-009 (47 µg/L) The Region 9 PRG is 4.8 µg/L.

Note that several other wells had detected concentrations of bis(2-Ethylhexyl)phthalate above the Region 9 PRG but these were attributed to method blank contamination.

#### **Pesticides and Polychlorinated Biphenyls (PCBs)**

As shown in Table 3-7 the no pesticides/PCBs were detected at levels above the Region 9 PRGs.

Table 4-1. Inorganic Elements Detected at Concentrations Exceeding the MCLs, Region 9 PRGs, or Facility-Wide Background Criteria

Area	Well Number	Compound or Element Detected	Apr-09 Level (ug/L)	MCL (ug/L)	Region 9 PRG (ug/L)	Facility-Wide Background Criteria (ug/L)	
Load Line 6	LL6mw-004	Iron	<b>1,310 B</b>	300	11,000	1,430	
		Manganese	<b>183 J</b>	50	880	1,340	
		Arsenic	<b>14.9</b>	10	0	0	
	LL6mw-005	Iron	<b>949 B</b>	300	11,000	1,430	
		Manganese	<b>579 J</b>	50	880	1,340	
		LL6mw-007	Manganese	<b>393 J</b>	50	880	1,340
			Manganese	<b>393 J</b>	50	880	1,340
Load Line 7	LL7mw-001	Iron	<b>8,240 J</b>	300	11,000	1,430	
		Manganese	<b>488 J</b>	50	880	1,340	
	LL7mw-003	Iron	<b>22,100</b>	300	11,000	1,430	
		Manganese	<b>1,430</b>	50	880	1,340	
	LL7mw-004	Iron	<b>20,000 J</b>	300	11,000	1,430	
		Manganese	<b>1,340 J</b>	50	880	1,340	
	LL7mw-005	Manganese	<b>1,650 J</b>	50	880	1,340	
		Manganese	<b>1,210 J</b>	50	880	1,340	
	Load Line 8	LL7mw-006	Iron	<b>1,030 B</b>	300	11,000	279
			Arsenic	<b>5.5</b>	10	0.045	11.7
		LL8mw-002	Manganese	<b>315</b>	50	880	1,020
			Iron	<b>3,390</b>	300	11,000	279
LL8mw-003		Manganese	<b>367</b>	50	880	1,020	
		Iron	<b>515</b>	300	11,000	279	
LL8mw-005	Manganese	<b>2,760</b>	50	880	1,340		
	Iron	<b>790</b>	300	11,000	1,430		
Load Line 9	LL9mw-002	Manganese	<b>121</b>	50	880	1,340	
	LL9mw-004	Manganese	<b>2,330</b>	50	880	1,340	
		Iron	<b>8,160</b>	300	11,000	1,430	
	LL9mw-006	Manganese	<b>96.9 J</b>	50	880	1,340	
		Iron	<b>519</b>	300	11,000	1,430	
	LL9mw-007	Manganese	<b>306 J</b>	50	880	1,340	
		Iron	<b>2,380 J</b>	300	11,000	1,430	
Load Line 11	LL11mw-001	Manganese	<b>146 J</b>	50	880	1,020	
	LL11mw-003	Manganese	<b>333 J</b>	50	880	1,020	
	LL11mw-004	Cadmium	<b>5.1</b>	5	18.000	0	
		Manganese	<b>572 J</b>	50	880	1,020	
	LL11mw-009	Manganese	<b>900 J</b>	50	880	1,020	
	LL11mw-010	Manganese	<b>130 J</b>	50	880	1,020	
Atlas Scrap Yard	ASYmw-001	Manganese	<b>94.7 J</b>	50	880	1,340	
		Iron	<b>1,650</b>	300	11,000	1,430	
	ASYmw-004	Manganese	<b>244 J</b>	50	880	1,340	
		Arsenic	<b>18.4</b>	10	0.045	11.7	
	ASYmw-005	Manganese	<b>132 J</b>	50	880	1,340	
		Iron	<b>1,960</b>	300	11,000	1,430	
	ASYmw-006	Manganese	<b>195 J</b>	50	880	1,340	
		Aluminum	<b>506</b>	200	36,000	0	
	ASYmw-007	Manganese	<b>149 J</b>	50	880	1,020	
		Iron	<b>17,300</b>	300	11,000	279	
	ASYmw-008	Manganese	<b>375 J</b>	50	880	1,020	
		Aluminum	<b>7,700 J</b>	200	36,000	0	
	ASYmw-009	Manganese	<b>580 J</b>	50	880	1,340	
		Manganese	<b>65.3 J</b>	50	880	1020	
ASYmw-010	Iron	<b>1,950</b>	300	11,000	279		
	Iron	<b>1,950</b>	300	11,000	279		
Building 1200	B12mw-012	Manganese	<b>163</b>	50	880	1,340	
Demolition Area 2	DETmw-003	Iron	<b>1,770</b>	300	11,000	279	
		Arsenic	<b>10.5</b>	10	0.045	11.7	
		Manganese	<b>281 J</b>	50	880	1020	

Table 4-1. Inorganic Elements Detected at Concentrations Exceeding the MCLs, Region 9 PRGs, or Facility-Wide Background Criteria

Area	Well Number	Compound or Element Detected	Apr-09 Level (ug/L)	MCL (ug/L)	Region 9 PRG (ug/L)	Facility-Wide Background Criteria (ug/L)
Ramsdale Quarry	RQLmw-007	Manganese	<b>969</b>	50	880	1,340
		Iron	<b>381</b>	300	11,000	1,430
	RQLmw-008	Manganese	<b>717</b>	50	880	1,340
		Iron	<b>73,400</b>	300	11,000	1,430
	RQLmw-009	Manganese	<b>907</b>	50	880	1,340
		Iron	<b>1,990</b>	300	11,000	1,430

Notes:

J = estimated result. Results have been qualified "J" For more details refer to Data Verification/Validation Reports in Appendix D

B = the analyte is found in the method blank or any of the field blanks

## SECTION 5

### REFERENCES

Portage Environmental, 2004. *RVAAP Facility-Wide Groundwater Monitoring Program Plan.*

SAIC, 2001. *RVAAP Facility-Wide Sampling and Analysis Plan/Quality Assurance Project Plan.*

SAIC, 2001b, *Phase II Remedial Investigation report for the Winklepeck Burning Grounds at Ravenna Army Ammunition Plant, Ravenna, Ohio.*

SAIC/REIMS, 2005. *Table of Reported Construction Depths from REIMS Information.*

SpecPro, Inc., 2005a. *Facility-Wide Groundwater Monitoring Program Report on the April 2005 Sampling Event, Ravenna Training and Logistics Site / Ravenna Army Ammunition Plant, Ravenna, Ohio.*

SpecPro, Inc., 2005b: *Facility-Wide Groundwater Monitoring Program, Report on the July 2005 Sampling Event, Ravenna Training and Logistics Site/Ravenna Army Ammunition Plant, Ravenna, Ohio*

SpecPro, Inc. 2006a, *Facility-Wide Groundwater Monitoring Program, Annual Report for 2005, Ravenna Training and Logistics Site/Ravenna Army Ammunition Plant, Ravenna, Ohio*

SpecPro, Inc. 2006b, *Facility-Wide Groundwater Monitoring Program, Report on the March 2006 Sampling Event, Ravenna Army Ammunition Plant, Ravenna, Ohio*

SpecPro, Inc. 2006c, *Facility-Wide Groundwater Monitoring Program, Report on the May 2006 Sampling Event, Ravenna Army Ammunition Plant, Ravenna, Ohio*

SpecPro, Inc. 2006d, (Draft) *Facility-Wide Groundwater Monitoring Program, Annual Report for 2006, Ravenna Army Ammunition Plant, Ravenna, Ohio*

SpecPro, Inc. 2007a, *Facility-Wide Groundwater Monitoring Program, Report on the July 2006 Sampling Event, Ravenna Army Ammunition Plant, Ravenna, Ohio*

SpecPro, Inc. 2007b, *Facility-Wide Groundwater Monitoring Program, Report on the October 2006 Sampling Event, Ravenna Army Ammunition Plant, Ravenna, Ohio*

SpecPro, Inc. 2007c, *Facility- Wide Groundwater Monitoring Program, Report on the January 2006 Sampling Event, Ravenna Army Ammunition Plant, Ravenna, Ohio.*

Environmental Quality Management, Inc. 2007d, *Facility- Wide Groundwater Monitoring Program, Report on the April 2007 Sampling Event, Ravenna Army Ammunition Plant, Ravenna, Ohio.*

Environmental Quality Management, Inc. 2007e, *Facility- Wide Groundwater Monitoring Program, Report on the July 2007 Sampling Event, Ravenna Army Ammunition Plant, Ravenna, Ohio.*

Environmental Quality Management, Inc. 2007f, *Facility- Wide Groundwater Monitoring Program, Report on the October 2007 Sampling Event, Ravenna Army Ammunition Plant, Ravenna, Ohio.*

Environmental Quality Management, Inc. 2008a, *Facility- Wide Groundwater Monitoring Program, Report on the January 2008 Sampling Event, Ravenna Army Ammunition Plant, Ravenna, Ohio.*

Environmental Quality Management, Inc. 2008b, *Facility- Wide Groundwater Monitoring Program, Report on the April 2008 Sampling Event, Ravenna Army Ammunition Plant, Ravenna, Ohio.*

Environmental Quality Management, Inc. 2008c, *Facility- Wide Groundwater Monitoring Program, Report on the July 2008 Sampling Event, Ravenna Army Ammunition Plant, Ravenna, Ohio.*

Environmental Quality Management, Inc. 2008d, *Facility- Wide Groundwater Monitoring Program, Report on the October 2008 Sampling Event, Ravenna Army Ammunition Plant, Ravenna, Ohio.*

Environmental Quality Management, Inc. 2009a, *Facility- Wide Groundwater Monitoring Program, Report on the January 2009 Sampling Event, Ravenna Army Ammunition Plant, Ravenna, Ohio.*