ITEM	NO. REQ'D.	DESCRIPTION
1	1	AUTOMATIC CAR & PICK-UP TRUCK WASH - BERNARDI BROS., INC. HYDRO-SPRAY UNIT HSA-1000
2	1	WEAVER HEAVY DUTY TWIN POST LIFT MODEL # EC-165M OPPOSITE SIDE CONTROL - WHEELBASE CAPACITY 56" MIN. TO 186" MAX. PRE-INSTALLATION KIT
3	1	BEAR STUB RACK AXLE STRAIGHTENER MODEL #3840 - 8800 & ELECTRONIC WHEEL ALIGNER MODEL # L30 ; #80 TWIN I-BEAM CORRECTION TOOL SET
4	1	AIR COMPRESSOR, 200 PSI, 200 GAL. TANK MOUNTED, 20HP, 208 / 220 / 440 V. 3 ø, 60 CY.

FLOOR PLAN

SCALE: 1/8" = 1'-0" BUILDING #1084

SECTION - AA

SCALE: 1/4" = 1'-0"

PIT DETAILS

3/4" = 1'-0"

LAST EQUIPMENT NO. 6-6

NOTES

1. FLOOR DRAINS SHALL BE DESIGNED TO SEPARATE AND RETAIN OIL GREASE AND SEDIMENT.
2. ALL EQUIPMENT LISTED WILL BE FURNISHED BY RAAP. (ITEMS #1 THRU #4)
3. ELECTRICAL = 440 V, 60 CY, 3 PH, & 110 V, 1 PH, 60 CY.
4. DIRECT ALL SANITARY DRAINS TO RELOCATED SANITARY SEWER BY DALTON, DALTON & LITTLE, INC.

REV. #	BY	DATE	
REV. #2	BY RLA	4-1-70	EQUIPMENT NO. ADDED
REV. #1	BY MED	11-6-69	GENERAL REVISION

RAVENNA ARMY AMMUNITION PLANT
RAVENNA, OHIO
OPERATED BY RAVENNA ARSENAL, INC.

APPROVED	SIGNATURE	DATE
SAFETY	C. A. Kintner	2/24/70
TECHNICAL MANAGER		
PRODUCTION		
ENGINEERING	W. Weckenmann	2/20/70
GENERAL MANAGER		
COMMANDING OFFICER		

TITLE: FLOOR PLAN & SECTION
ADDITION TO AUTO & TRUCK MAINTENANCE BUILDING.
ITEM #6 1084A BLDG.
BASE SUPPORT PROJ. ADMIN. AREA

REF. DWG NO. A-2978
DRWN. D. JENDRISAK CHKD. ENGR.
DATE 2-18-69
SCALE NOTED

A-2986-2