







Characterization of the 14 Areas of Concern (AOCs) at RVAAP



Presented By: Stan Levenger, PG

November 16, 2005









M	List of AOCs
•	C-Block Quarry – Rock quarry; Disposal of metal cleaning wastes
•	Building F-15 / F-16 – Quality assurance of explosives
•	NACA Test Area – Develop crash-worthy aircraft fuel tanks
٠	Load Line 7 – Assembly of boosters, shaped charges, 40-mm grenades
•	Load Line 8 – Loading boosters with primary

- List of AOCs
 List of primer and delay
 components
 Load Line 10 Assembly of primer and
 percussion components
- Wet Storage Area Storage magazines for primary explosives
- Pistol Range Small arms range

explosives

MKM

 Landfill North of Winklepeck – Household Waste Landfill (inactive)



ШH

 Anchor Test Area – Testing explosively charged ground anchoring devices

- Atlas Scrap Yard Original Construction camp for the RVAAP
- Load Line 12 Production of ammonium nitrate and demilitarization of ammunition
- Building 1200 Quality assurance of munitions



Area of Concern	Soil / Sediment (MI)	Soil / Sediment (Discrete)	Test Trench	Ground Water	Surfac Water Sewer:
C-Block Quarry	9		<u>1</u>	4	3
Load Line 12	-	3	-	19	<u> </u>
Building 1200	12	-	1	4	2
Landfill North of Winklepeck	18	21	1	4	5
Pistol Range	8	-):	- 1	1
NACA Test Area		3	7	12	-
Load Line 5	29	15	3	6	14
Load Line 7	40	16	6	6	11
Load Line 8	24	15	6	6	19
Load Line 10	36	29	4	6	25
Wet Storage Area	19	-	1 - <u>-</u> - 1 - 1		-
Building F-15 / F-16	20	- 1	-		2
Anchor Test Area	7	- 1	-	-	
Atlas Scrap Yard	33	19	B	10	16
TOTAL	255	121	36	77	98













MKM

Summary

HAI

- Project initiated in July 2004
- Work Plans Completed and approved in September 2004
- Significant planning and coordination with the Ohio EPA
- · Large scale implementation of MI sampling
- Preliminary Draft Report submitted to the Ohio EPA on August 22, 2005.
- Comments from Army and Ohio EPA expected in early 2006
- Next Step Further evaluation of the identified issues as part of the next contract

























		-	100.00	
1000	11-11			
				1.87
		-		
			18 AV	
		1.000		











































-